



11th International BCI Meeting

June 2 - 5, 2025

Banff Centre for Arts and Creativity **Banff, Canada**



@bcisociety.bsky.social
@BciSociety

2025 BCI MEETING PROGRAM-AT-A-GLANCE updated 69(23/2025							
Time	Monday, June 2	Tuesday, June 3		Wednesday, June 4		Thursday, June 5	
7:30 7:45 8:00 8:15		Breakfast 7:30 - 8:30 (Vistas Dining Room)		Breakfast 7:30 - 8:30 (Vistas Dining Room)		Breakfast 7:30 - 8:30 (Vistas Dining Room)	
8:30 8:45 9:00 9:15		Plenary #1: Adding the end-user to the design, development and evaluation of communication BCIs Melanie Fried-Oken 8:30 - 9:30 (Jenny Belzberg Theatre)		Neuroethics Session 8:30 - 9:30 (Jenny Belzberg Theatre)		Plenary #3: Towards the goal of BCI control of upper limb prosthetics in the home environment Karunesh Ganguly 8:30 - 9:30 (Jenny Belzberg Theatre)	
12:15 O in the column of the c	Satellite Event: From Innovation to Application: Advancing BCI Research & Development with g.tec Johannes Grünwald, Micah Ching, Christoph Guger g.tec medical engineering GmbH 8:30 - 15:00 (KC 303) (KC 303)	Workshop Session 1 9:45 - 12:45 (KC 101, 103, 105, 210, 302, 303, 306, 30 310)	Desk Open 8:30-17:30 3 Central)	Workshop Session 2 9:45 - 12:45 (KC 101, 103, 105, 210, 302, 303, 306, 308, 310)	mation Desk Open 8:30-17:30 Galleria Central)	Workshop Session 3 9:45 - 12:45 (KC 101, 103, 105, 210, 302, 303, 306, 308, 310)	
13:30 13:15 13:30		Lunch/Lunch with Leaders 12:45 - 13:45 (Vistas Dining Room)	Registration & Information (KC 100 Galleri	Industry Insight Session: Connexus® Brain-Computer Interface - From Design to Clinic 12:45 - 13:45	Registration & Inform (KC 100	Lunch/Lunch with Leaders 12:45 - 13:45 (Vistas Dining Room)	
13:45 14:00 14:15 14:30 14:45		Research Session 1 (Oral Presentations) 14:00 - 15:30 (KC 101, 103, 105)		Nature Walks 14:00 - 16:00		Research Session 2 (Oral Presentations) 14:00 - 15:30 (KC 101, 103, 105)	
15:15 15:30		Flash Talks (15 mins)				Flash Talks (15 mins)	
15:45 16:00 16:15 16:30 16:45 17:00	Master Class 1 15:45-16:45 (KC 101, 103, 105, 210, 302, 303, 306, 308, 310) Master Class 2 16:45 - 17:45	Posters & Exhibitor Demonstrations Session 1 15:45-17:45 (KC 201, 203, 205)		Posters & Exhibitor Demonstrations Session 2 16:00 - 18:00		Posters & Exhibitor Demonstrations Session 3 15:45-17:45 (KC 201, 203, 205)	
17:15 17:30 17:45	(KC 101, 103, 105, 210, 302, 303, 306, 308, 310)	(NC 201, 203, 203)		(KC 201, 203, 205)		(NC 201, 203, 203)	
18:00 18:15 18:30 18:45	Funding & Investment Panel 18:00 - 19:00 (Jenny Belzberg Theatre)	Global BCI Session 17:45 - 18:45 (KC 101, 103, 105)		BCI Users Forum 18:00 - 19:00 (KC 101, 103, 105)		Early Career Awards 18:00 - 19:00 (KC 101, 103, 105)	
19:00 19:15 19:30 19:45	Dinner 19:00 - 20:00 (Vistas Dining Room)			Dinner 19:00 - 20:00 (Vistas Dining Room)		Dinner 19:00 - 20:00 (Vistas Dining Room)	
20:00 20:15 20:30 20:45 21:00	Welcome, Town Hall & Tribute 20:15-21:15 (KC 101, 103, 105)	Al-Fresco Dinner 19:00 - 23:00 (Mount View BBQ)		Plenary #2: A neural manifold view of BCI decoding Juan Alvargo Gallego 20:15 - 21:15 (KC 101, 103, 105)		Closing Bonfire Party	
21:15 21:30 21:45 22:00 22:15	Bonfire Party 21:15-23:00 (<i>KC Patio</i>)			Bonfire Party 21:15-23:00 (<i>KC Patio</i>)		20:00 - 23:00 (KC Patia)	

Table of Content

Letter from the President	. 2
About the BCI Society History	.3
General Meeting Information	. 5
Daily Schedule	. 7
Monday, June 2	17
Workshops 26 Tuesday, June 3	26
Travel Awards	38
Meet the Sponsors and Exhibitors	39
Research Session 1	43
Research Session 2	47
Flash Talks #1	50
Flash Talks #2	53
Poster Author Index	57
Poster Sessions	67

Letter from the President

Dear Friends and Colleagues,

Welcome to the 11th International BCI Meeting! This year marks a special milestone for our community. The BCI Society was established in 2015, which means that we are celebrating its 10th anniversary! I am proud of the steps we have made towards a thriving, global and inclusive membership, while retaining the strong sense of community we all value so much.

The BCI field continues to be exciting and vibrant. Innovations in non-implanted and implanted recording technology, and rapid advances in algorithm development, are enhancing performance



and applicability of BCI technology. These developments are driving progress towards real-world application of BCIs, accompanied by a growing recognition of the importance of incorporating end-user perspectives. Excitement about BCIs is also reflected in the expanding investments that are made in BCI companies, and in the increasing interest of the general public in BCI technology. The theme we have chosen for this 11th BCI Meeting, "Building Momentum: Fostering Collaboration in BCI", underscores the value of bringing together academics, industry representatives, clinicians, end-users, ethicists, regulatory experts and other BCI stakeholders from all over the world. Through interaction and collaboration, we can seize the opportunities that are now arising in the field and drive responsible innovation of BCIs that provide real benefit in daily life.

The Scientific Program Committee has put together an inspiring program for you. Valued elements from earlier meetings have been retained, including Keynote Presentations, Workshops, Poster and Exhibitor Sessions, Research Sessions, a Funding and Investment Panel, a Users Forum and a Neuroethics Session. New program elements are the Global BCI session, which is dedicated to showcasing the work of BCI researchers from low- and middle-income countries and aims to promote diversity and interaction between BCI researchers globally, and the Industry Insight Session, which offers companies in the BCI space an opportunity to present their latest developments. The program also includes sessions dedicated to foster the career development of early career researchers, such as Master Classes, Lunches with Leaders and the Early Career Awards session. Finally, there will be plenty of opportunity for you to catch up with your BCI friends and to make new connections, during shared meals, bonfire parties and while enjoying the breathtaking nature around Banff during a walk.

We would like to thank the National Institutes of Health, National Science Foundation, Connected Minds, Tianqiao and Chrissy Chen Institute, the University of Calgary and Blackrock Neurotech for their grant support. With these funds, we are able to offer Early Career Travel Grants, Financial Hardship Grants and Family Care Grants to 66 attendees, and enable the panelists of the Users Forum and their families to attend the Meeting. In addition, a big thank you to all the sponsors of the meeting, and to all of you for joining us here in Banff and for contributing to this wonderful community.

I wish you a great meeting!

Mariska Vansteensel President of the BCI Society

About the BCI Society

History

Mission

The Brain-Computer Interface (BCI) Society is a member driven organization with 450+ members located in over 24 countries around the world. The BCI Society was formally established on March 13, 2015 as an international organization that is legally based in the Netherlands.

Society Membership

Membership in the BCI Society is open to all scientists, principal investigators, post docs, and students from around the world involved in the many research and practical aspects of BCI research. We welcome all involved in BCIs, including engineers, doctors, therapists, business people and users of BCI technology.

The purpose of the BCI Society is "to foster research leading to technologies that enable people to interact with the world through brain signals."

To serve this purpose, it will:

- Organize meetings
- Collaborate with other BCI-related organizations and individuals
- Share research and information among its members
- Provide BCI-related information and advice to scientific, technical, or clinical organizations, governmental or regulatory entities, scientific or popular media, and the general public
- Engage in other activities designed to achieve the central purpose of the Society

Board of Directors

Officers

Mariska Vansteensel

President University Medical Center Utrecht, the Netherlands

Marc Slutzky

Vice President Northwestern University, USA

Gernot Müller-Putz

Secretary/Treasurer Graz University of Technology, Austria

Board Members

Abidemi Bolu Ajiboye Case Western Reserve University, USA

Robert Gaunt University of Pittsburgh, USA

Cuntai Guan Nanyang Technological University, Singapore

Christian HerffMaastricht University, the NetherlandsDean J. KrusienskiVirginia Commonwealth University, USABetts PetersOregon Health & Science University, USA

Reinhold Scherer University of Essex, United Kingdom

Davide Valeriani Technogym, United Kingdom

Theresa Vaughan National Center for Adaptive Neurotechnologies, USA

Ex-Officio member of the board

Jennifer Collinger

Past President University of Pittsburgh, USA

BCI Meeting Executive Team

Robert Gaunt Young Talent Committee

Eli Kinney-Lang Scientific Program Committee Chair **Reinhold Scherer** Scientific Program Committee Chair

Marc Slutzky Conference Co-Chair Mariska Vansteensel Conference Chair

BCI Society Administration

Cendrine De Vis Senior Association Manager, Podium Conference & Association Specialists

Katherine Iolin Conference Manager, Podium Conference & Association Specialists **Sebastien Lavoie** Conference Assistant, Podium Conference & Association Specialists

Tori Lunden Junior Conference Manager, Podium Conference & Association Specialists

Association Secretariat & Conference Management: bci@podiumconferences.com



WE SPECIALIZE IN

Scientific, Academic & Research Societies and their Conferences

Need help managing your Conference or Association?



CONFERENCE MANAGEMENT

From conception to delivery and post conference review, we are here to help you plan, prepare and deliver an outstanding conference



ASSOCIATION MANAGEMENT

As a busy researcher and scientist, you've already got a lot on your plate without having to worry about managing your society. Step up and lead, knowing we can help.



CONFERENCE MANAGEMENT

Simplify your membership signups, abstract submissions, conference registrations and exhibitor bookings with our payment processing enabled, integrated set of tools.



CONFERENCE MANAGEMENT

Let us help make you look great with a modern, interactive website for your Society or Conference



Find out how we can help

WWW.PODIUMCONFERENCES.COM





office@podiumconferences.com




General Meeting Information

BCI Society Code of Conduct

The BCI Society Code of Conduct listed below reflects our Society's values and our expectations for Society members and guests. This Code of Conduct is in effect while at the International BCI Meetings and any social event linked to the BCI Society. Conduct should be free of biases regarding race, cultural background, religion (or lack thereof), country of origin, age, sex, sexual orientation, gender identity, disability, physical appearance, or other individual characteristics or expression. No harassment will be tolerated. Discussions should be respectful, civil, professional, and constructive reflecting tolerance for disagreements and recognition of opportunities to learn from each other. BCI Society has zero tolerance for sexual harassment including: any verbal or physical behavior that reflects unwelcome sexual advances, or behaving in any way that another individual feel impinges on their boundaries. If you are being harassed, notice that someone else is being harassed, or have any other concerns, please report it to us immediately. We value your attendance and will make every effort to ensure that you feel safe and welcome for the full duration of the Meeting. You can make a report by directly emailing Mariska Vansteensel, President and Marc Slutzky, Vice-President at codeofconduct@bcisociety.org.

Campus Map















Meeting Venue

Banff Centre is truly one of Canada's most unconventional venues for meetings. Hosting over 20,000 conference delegates from around the world every year, the Centre combines professional meeting facilities and breathtaking mountain vistas to create unforgettable experiences for attendees.

Conferences at Banff Centre provide delegates from all around the world with exceptional meeting facilities in an environment that fosters inspirational learning.

Meals

Eating together at **Vistas Dining Roo**m is an essential part of the BCI Meeting experience. The daily menu highlights fresh, seasonal, local produce sourced directly from regional farmers.

Vistas Dining Room set hours of operation are:

Breakfast: 7:30am - 9:30am Lunch: 11:30am - 1:30pm Dinner: 5:30am - 7:30pm

Need to grab and go? Visit the Maclab Bistro, open daily from 7:00am – 1:00am to savor nourishing and inventive comfort cuisine crafted from the finest local ingredients. Choose to dine in and relish your meal with a stunning view of the Bourgeau Range or opt for a convenient takeaway service. Podium staff will have vouchers available at the registration desk upon request.

Name Badges

Kindly wear your name badge at all times as your admission to the sessions, breaks and special functions such as the Bonfire Parties and the BBQ Dinner. At the end of the conference you are encouraged to recycle your badge at any of the recycle stations or at the registration desk.

Registration and Information Desk

The registration/information desk, located in **KC 100 Galleria Central**, is open daily during the following hours:

Monday, June 2 7:30am – 7:00pm Tuesday, June 3 8:00am – 6:45pm Wednesday, June 4 8:00am – 7:00pm Thursday, June 5 8:00am – 7:00pm

Wireless Internet

Complimentary wireless internet is available to the delegates of the BCI Meeting at the Banff Centre for Arts & Creativity.

Please note that the WiFi provided is ideal for checking emails and websites, but is not strong enough for streaming videos or heavy social media use.

Photos

Make the most of your meeting experience by snapping and sharing your onsite photos! Whether it's a candid shot with colleagues, a speaker in action, or your favorite session moment — we want to see it all.

Share your photos on social media and tag us at #BCI2025 or upload your meeting photos here: BCI 2025 - Photos

Staff

Staff from Podium Conference Specialists can be identified by the orange border on their name badges. Feel free to ask any one of our staff for assistance or visit the registration desk.

Daily Schedule

Monday, June 2					
8:30am - 3:00pm	KC 303	SATELLITE EVENT			
		From Innovation to Application: Advancing BCI Research & Development with g.tec			
	Speakers	Johannes Grünwald, g.tec Micah Ching, g.tec Christoph Guger, g.tec			
3:45pm - 4:45pm		Master Class Session 1			
	KC 101	PhD Colloquium 1			
	KC 210	Master Class 1 - Speech Decoding			
	KC 302	Master Class 2 - Event Potentials & Artifacts			
	KC 303	Master Class 3 - Audio Machine Learning			
	KC 306	Master Class 4 - Spinal Cord Injury			
	KC 308	Master Class 5 - Motor Imagery			
	KC 310	Master Class 6 - BCI Platforms			
4:45pm - 5:45pm		Master Class Session 2			
	KC 101	PhD Colloquium 2			
	KC 210	Master Class 7 - Neural Mechanisms & Theory			
	KC 302	Master Class 8 - Brain Stimulation			
	KC 303	Master Class 9 - Cognition			
	KC 306	Master Class 10 - Patient Considerations			
	KC 308	Master Class 11 - Neurofeedback & Entrainment			
	KC 310	Master Class 12 - Decoding & Interaction			

Monday, June 2

6:00pm - 7:00pm Meeting room:

KC 101, 103, 105

FUNDING & INVESTMENT PANEL

Moderator Marc Slutzky, Northwestern University Feinberg School of Medicine

Speakers Hannah Payette Peterson, Apollo Health Ventures

Gillian Koehl, Advanced Research + Invention Agency (ARIA)

Nick Langhals, National Institute of Neurological Disorders and Stroke

(NINDS)

Tyler Best, Advanced Research Projects Agency for Health (ARPA-H)

7:00pm - 8:00pm Vistas Dining Room

DINNER

8:15pm - 9:15pm KC 101, 103, 105

WELCOME, TOWN HALL & TRIBUTE

Speaker Mariska Vansteensel, BCI Society President

9:15pm - 11:00pm KC Patio

BONFIRE PARTY

sponsored by



Tuesday, June	3					
7:30am - 8:30am	Vistas Dining Room	BRE	EAKFAST			
8:30am - 9:30am	Jenny Belzberg Theatre	PLENARY TALK #1				
	rneatre	Adding the End-User to the Design, Development and Evaluation of Communication BCIs				
		Melanie Fried-Oken, Ph.D., Oregon Health & Science University				
			CHEN TIANQIAO & CHRISSY			
			INSTITUTE			
9:45am - 12:45pm	Multiple rooms	WO	RKSHOP SESSION 1 – For workshop details see page 26			
	KC 306	W1:	Expanding the experimental paradigms in enhancing BCI performance			
	KC 101	W2:	Implanted Brain Computer Interface using real-time stimulation in the nervous system to restore movement and sensation: Clinical applications			
	KC 105	W3:	Personalization of communication BCIs			
	KC 210	W4:	Exploring the clinical integration of BCI technology in general anesthesia monitoring			
	KC 310	W5:	How do we capitalize on today's implantable BCI hardware			

			bei perjormance
	KC 101	W2:	Implanted Brain Computer Interface using real-time stimulation in the nervous system to restore movement and sensation: Clinical applications
	KC 105	W3:	Personalization of communication BCIs
	KC 210	W4:	Exploring the clinical integration of BCI technology in general anesthesia monitoring
	KC 310	W5:	How do we capitalize on today's implantable BCI hardware developments for tomorrow's BCI user lives
	KC 303	W6:	Clinical applications of Brain-Computer Interfaces in neurorehabilitation
	KC 103	W7:	AI + Data: Bridging AI expertise with BCI champions to advance AI innovation in BCIs
	KC 308	W8:	The global state of implantable Brain-Computer Interfaces: What should we do next?
	KC 302	W16:	Ethical considerations of participant engagement in long-term BCI clinical trials
12:45pm - 1:45pm	Vistas Dining Room	LUN	CH/LUNCH WITH LEADERS

Tuesday, June 3

2:00pm - 3:30pm *KC* 101, 103, 105 **RESEARCH SESSION 1** (Oral Presentations)

Moderator Gernot Müller-Putz, Graz University of Technology

Presentations Navigating the clinical trial pathway for implantable Brain-

Computer Interfaces: The COMMAND study

Thomas Oxley, Synchron

The first BCI clinical trial for stroke neurorehabilitation in Latin America: The ReHand-BCI trial

Jessica Cantillo-Negrete, Instituto Nacional de Rehabilitacion/National Institute of Rehabilitation

Integrating BCI, FES, and social media for rehabilitation of upper extremity motor function in youth

Anna Bourgeois, University of Calgary

From ECoG signals to cervical epidural electrical stimulation: Restoring arm and hand movements after a spinal cord injury

Thibault Collin, NeuroRestore

Adaptive closed-loop neurofeedback Brain-Computer Interface for treatment of laryngeal dystonia

Jimmy Petit, Harvard Medical School

Advancing speech BCIs towards conversational speeds in people with paralysis

Kamran Hussain, Stanford University

3:30pm KC 101, 103, 105 FLASH TALKS SESSION 1

Moderator Reinhold Sherer, University of Essex

Presentations µECoG Array with 3,072 electrodes for high-density and

large-area cortical recordings based on scalable thin-film

electronics

Paoline Coulson, Katholieke Universiteit Leuven

Mitigating EEG non-stationarity in multi-session MI BCI with

autoencoder denoisers

Yoav Noah, Ben-Gurion University

Closed-loop error damping in human BCI using endogenous modifications in motor cortex activity

Nicolas Kunigk, University of Pittsburgh

Decoding of lower-limb movement intent from scalp

electroencephalography (EEG) in children

Ayman Alamir, University of Houston

Tuesday, June	3				
3:45pm - 5:45pm	KC 201, 203, 205	POSTER	& EXHIBITOR DEMONSTRATIONS SESSION 1		
5:45pm - 6:45pm		GLOBAL BCI SESSION Victoria Peterson, Consejo Nacional de Investigaciones Científicas y Técnicas			
		Translational research in BCI for rehabilitation: Experiences from Argentina Lucía Carolina Carrere, Ph.D., National University of Entre Ríos (FIUNER), Argentina			
		A decade of Brain-Computer Interface research at to National Institute of Rehabilitation in Mexico: Programme challenges, and future directions Jessica Cantillo-Negrete, Ph.D., National Institute of Rehabili Guillermo Ibarra, Mexico			
	contributions		ng neurotechnology in Egypt: From constraints to utions vlatly, Ph.D., American University in Cairo, Egypt		
7:00pm - 11:00pm Mount View Barbecue		AL-FRESCO DINNER			
	Burbecue 🛅	Sponsore	synchron		
		6:30pm	Pick-up: Jenny Belzberg Theatre Destination: Mount View BBQ		
		7:00pm	Pick-up: Jenny Belzberg Theatre Destination: Mount View BBQ		
		10:30pm	Return: Mount View BBQ		

Destination: Banff Centre (Jenny Belzberg Theatre)

Destination: Banff Centre (Jenny Belzberg Theatre)

11:00pm Return: Mount View BBQ

Wednesday, June 4

7:30am - 8:30am	Vistas Dining
	Room

BREAKFAST

8:30am - 9:30am KC 101, 103, 105

NEUROETHICS SESSION

Introduction Robert Gaunt, University of Pittsburgh Moderator Jutta Treviranus, OCAD University

Speakers Judy Illes, University of British Columbia Jennifer French, Neurotech Network

James Weiland, University of Michigan



Sponsored by

9:45am - 12:45pm Multiple rooms	WORKSHOP SESSION 2 For details, see page 30
KC 303	W9: Clinical translations of BCI: From lab to daily life
KC 101	W10: Designing speech BCIs that facilitate good communication for users
KC 105	W11: Toward theories of Brain-Computer Interaction
KC 306	W12: Legal perspectives on BCIs: Navigating challenges from malfunctions to GDPR compliance and discrimination
KC 308	W13: Stronger together: Harnessing the power of patient-partner engagement in BCI
KC 103	W14: Brain-Computer Interface clinical trial design considerations and clinical outcomes assessments in pivotal studies
KC 310	W15: Building a 5-year roadmap for implantable BCIs for pediatrics and pediatric onset-conditions
12·45nm - 1·45nm <i>KC</i> 303	INDIISTRY INSIGHT SESSION

12:45pm - 1:45pm *KC 303*

INDUSTRY INSIGHT SESSION

Connexus® Brain-Computer Interface – From Design to Clinic

Speakers David Brandman, M.D., Ph.D, University of California, Davis **Daniel Rubin**, M.D., Ph.D., Massachusetts General Hospital

> Matt Angle, Ph.D., Paradromics, Inc. Stephen Ryu, M.D., Paradromics, Inc. Vikash Gilja, Ph.D., Paradromics, Inc.

Hosted & sponsored by



Wednesday, June 4

2:00pm - 4:00pm **NATURE WALKS**

Delegates have the opportunity to explore the Banff National Park on

iBCI-CC

their own.

4:00pm - 6:00pm KC 201, 203, 205 POSTER & EXHIBITOR DEMONSTRATIONS SESSION 2

6:00pm - 7:00pm *KC 101, 103, 105* **BCI USERS FORUM**

Introduction Eli Kinney-Lang, University of Calgary

Moderator lan Burkhart, BCI Pioneers

Speakers **Payton Shaw**, University of Calgary

Nina & Thomas Nagy Rennie & Tristan Froma

Sponsored by



7:00pm - 8:00pm Vistas Dining

Room

DINNER

8:15pm - 9:15pm *KC 101, 103, 105*

PLENARY TALK #2

Moderator Robert Gaunt, University of Pittsburgh

A neural manifold view of BCI decoding

Juan Alvargo Gallego, Ph.D., Imperial College London

Sponsored by

NeuroXess

9:15pm - 11:00pm KC Patio

BONFIRE PARTY

Sponsored by



Thursday, June 5					
7:30am - 8:30am	Vistas Dining Room	BREAKFAST			
8:30am - 9:30am Jenny Belzberg Theatre		PLENARY TALK #3:			
	Moderator	Marc Slutzky, Northwestern University			
		Towards the goal of BCI control of upper limb prosthetics in the home environment			
		Karunesh Ganguly, M.D., Ph.D., University of California, San Francisco			
		sponsored by Blackrock Neurotech			
9:45am - 12:45pm	Multiple rooms	WORKSHOP SESSION 3 for details, see page 34			
	KC 101	W17: Invasive Brain-Computer Interfaces using neuromodulation for clinical applications			
	KC 302	W18: Building consensus on implant targeting strategies for intracortical sensorimotor Brain- Computer Interfaces			
	KC 303	W19: Exploring features to improve BCI: Challenges and opportunities			
	KC 105	W20: Towards restoring speech and non-verbal communication with Brain-Computer Interfaces			
	KC 103	W21: Large neural data models for Brain-Computer Interfaces			
	KC 306	W22: Stimulate the senses to increase performance: The importance of afference in restorative Brain-Computer Interfacing			
	KC 308	W23: Reaching consensus on BCI scientific reporting			
	KC 210	W24: Engaging communities that produce commercial reports and analyses about BCIs			
12:45pm - 1:45pm	Vistas Dining Room	LUNCH / LUNCH WITH LEADERS			
2:00pm - 3:30pm	KC 101, 103, 105	RESEARCH SESSION 2 (Oral Presentations)			
	Moderator	Reinhold Sherer, University of Essex			
	Presentations	Speech decoding performance is influenced by perceiving auditory feedback or not: Implications for locked-in individuals			

Anouck Schippers, UMC Utrecht Brain Center

Thursday, June 5

Presentations Combatting percept adaptation to intracortical

microstimulation in humans

Taylor Hobbs, University of Pittsburgh

The variability of EEG spectral measures in MCS: Towards a multidimensional characterization of the awareness fluctuations

Ilaria Quattrociocchi, Sapienza University of Rome

Star-Burst paradigm: Implementation of an "invisible" dry-EEG reactive BCI

Jules Gomel, Institut Supérieur de l'Aéronautique et de l'Espace

An evoked potential of vection using passive Brain-Computer Interfaces

Gael Van Der Lee, Université de Lille

Long-term stability and performance of stimulation and recording in a human participant over 2,800 days

David Bjånes, California Institute of Technology

3:30pm KC 101, 103, 105 FLASH TALKS SESSION 2

Moderator Gernot Müller-Putz, Graz University of Technology

Presentations Decoding of directional auditory attention shifts in multi-

talker environments using EEG alpha power

Gabriel Ivucic, Universität Bremen

Decoding gestures from intracortical neural activity in

ventral precentral gyrus

Elizaveta Okorokova, University of California, Davis

A multifunctional speech and movement intracortical Brain-

Computer Interface for communication

Samuel Nason-Tomaszewski, Emory University and Georgia Tech

Bimanual BCI: Combining a brain-controlled hand exoskeleton with the functional limb

Last Dal D. Milliam University of Tayon at Avet

José Del R. Millán, University of Texas at Austin

3:45pm - 5:45pm KC 201, 203, 205 POSTER & EXHIBITOR DEMONSTRATIONS SESSION 3

Thursday, June 5

6:00pm - 7:00pm KC 101, 103, 105 **EARLY CAREER AWARDS**

Moderator Theresa Vaughn, Samuel Stratton VA Medical Center

Presentations An accurate and multi-modal intracortical speech BCI

Sergey Stavisky, University of California, Davis

Investigating brain interactions: A dual path to understanding and improving BCIs

Marie-Constance Corsi, Institut National de Recherche en Informatique et en Automatique

Sponsored by



7:00pm - 8:00pm

Vistas Dining **DINNER** Room

8:00pm - 11:00pm

KC Patio CLOSING BONFIRE PARTY

Sponsored by



Featured Sessions

Monday, June 2

FUNDING AND INVESTMENT PANEL

This panel session aims to introduce key funding bodies and investment entities supporting innovation in the Brain-Computer Interface (BCI) space. Panelists will present their organizations and highlight relevant funding and collaboration opportunities, with a focus on early-career researchers looking to establish or expand their work, including through international partnerships. In addition to practical insights into securing support, the session will feature a discussion on transitioning from academia to industry, offering guidance on how to align research with market needs and attract investor interest.

Tuesday, June 3

PLENARY TALK #1 - Adding the end-user to the design, development and evaluation of communication BCIs

In this plenary session, Dr. Fried-Oken will argue that our communication brain-computer interfaces (cBCIs) must be designed and evaluated based on principles for end-user involvement. She will share the podium with 4 people who rely on assistive technology for communication and were interviewed about their experiences and opinions regarding R&D for cBCIs. Together, they lay the foundation for collaborative, iterative development that is driven by the values of augmentative & alternative communication (AAC), user-centered design, and participatory action research.



Melanie Fried-Oken, Ph.D., Oregon Health & Science University

Melanie Fried-Oken, PhD is professor of Neurology, Pediatrics, Biomedical Engineering and Otolaryngology at the Oregon Health & Science University in Portland, Oregon USA. Melanie is an internationally recognized speechlanguage pathologist and clinical researcher in the area of Augmentative and Alternative Communication (AAC) and assistive technology. She is a fellow of the International Society for Augmentative and Alternative Communication (ISAAC) and the American Speech-Language-Hearing Association (ASHA). She is a Principal Investigator in CAMBI.tech (Consortium for Accessible Brain-Body Interfaces) and has led a federally funded multidisciplinary wearable BCI team for the past 15 years. Melanie's work is based on the tenet that

communication is a basic human right. CAMBI's research agenda is guided by clinical interactions with people who experience severe speech and physical impairments and cannot find tools or techniques to express themselves adequately. The end-users and their families are members of the research teams that design and evaluate new technologies, including wearable communication BCIs.

supported by



GLOBAL BCI SESSION

Translational research in BCI for rehabilitation: Experiences from Argentina

We are the Group of Rehabilitation Engineering of the Faculty of Engineering, National University of Entre Ríos in Argentina (1). Our work focuses on developing and clinically evaluating real-time, closed-loop brain-computer interfaces (BCIs) for motor and cognitive recovery in the clinical setting. This presentation provides an overview of our experience in translating BCI research from the laboratory to the clinical practice in Argentina. Our first BCIs were based on event-related desynchronization of movement attempt with functional electrical stimulation (FES) and intended for motor rehabilitation. In 2014, we conducted our first preliminary clinical study and evaluated the effect of using BCI for upper limb motor rehabilitation of stroke patients. In 2018, we conducted a second clinical study for gait rehabilitation of people with multiple sclerosis. Both studies involved 24 sessions with BCI and the functional scales after the therapy showed motor improvement (2,3). In 2022, we developed a new BCI for motor rehabilitation, IM-tention, which included functional electrical stimulation and visual feedback related to the motor function (4).



Lucía Carolina Carrere, Ph.D., National University of Entre Ríos (FIUNER), Argentina

Dr. Lucía Carolina Carrere is a researcher and educator in the field of Bioengineering at the Faculty of Engineering at the National University of Entre Ríos (FIUNER), Argentina. She holds a Ph.D. in Engineering with a specialization in Bioengineering and is currently an Associate Professor in the Department of Mathematics and Physics at FIUNER. Since 2010, she is a member of the Group of Rehabilitation Engineering at the Center for Neuromuscular Rehabilitation and Research, FIUNER, where she has led numerous research

projects aimed at developing innovative BCI technologies for motor and cognitive rehabilitation. Her experience includes the design and implementation of experimental protocols for BCI evaluation, signal analysis of electroencephalography, and the translation of BCI technology into clinical practice. Her recent work includes studies of hybrid BCIs for attention training and integration of functional electrical stimulation for motor recovery, including evaluation of usability and acceptability of these systems. Her goal is to foster collaboration and innovation in the application of BCI technologies for improved patient care and rehabilitation outcomes. She is passionate about advancing neurorehabilitation and is committed to sharing her expertise in the BCI field with the goal of inspiring fellow researchers and practitioners in the field.

A decade of brain-computer interface research at the National Institute of Rehabilitation in Mexico: Progress, challenges, and future directions

Since 2015, the National Institute of Rehabilitation in Mexico City has led pioneering efforts in brain—computer interface (BCI) research for neurorehabilitation under the direction of Dr. Jessica Cantillo-Negrete. This research has produced the first randomized clinical trials of BCI-based therapy for upper extremity rehabilitation in stroke and spinal cord injury patients in Latin America. Through these studies, hundreds of therapy sessions have been delivered at no cost to patients, demonstrating the feasibility and clinical potential of BCI systems in real-world rehabilitation settings. Despite persistent challenges, including limited funding and societal skepticism regarding the role of science in public health, this work has established a foundation for enhancing access to advanced neurorehabilitation technologies in Mexico.



Jessica Cantillo-Negrete, Ph.D., National Institute of Rehabilitation Luis Guillermo Ibarra, Mexico

Dr Jessica Cantillo-Negrete is a Researcher in Medical Sciences and Head of the Technological Research Subdirection at the National Institute of Rehabilitation Luis Guillermo Ibarra Ibarra, Mexico City, Mexico. She completed her MSc and PhD degrees at CINVESTAV, also in Mexico City. Jessica is a leader in Brain-Computer Interface research in Mexico, having led a multidisciplinary team for nine years that has developed and applied this technology for neurorehabilitation. Her team has performed the first publicly funded Brain-Computer Interface clinical trials for stroke and spinal cord injury

rehabilitation in Mexico and Latin America. She has also received funding from the Royal Society and the Newton Fund of the United Kingdom for establishing international collaborations aimed at the development of Brain-Computer Interfaces. Jessica has been recognized as a National Researcher by the Mexican government since 2016 and is a Mentor in Science certified by the British Council, having participated in mentorship programs aimed at the professional career development of Mexican women in the STEM fields. She has published 30 journal articles and has been supervisor of 18 graduate and postgraduate students. She has published scientific dissemination papers in Mexican journals that explain Brain-Computer Interfaces and their applications to the Spanish-speaking population. Her main objective is that her research has a positive impact on the health and quality of life of patients with neurological disabilities.

Advancing neurotechnology in Egypt: From constraints to contributions

Brain-Computer Interfaces (BCIs) hold transformative potential, offering unprecedented opportunities to improve quality of life through neuroengineering and artificial intelligence. Despite significant global advancements, researchers in low- and middle-income countries face unique challenges. This talk highlights my journey establishing impactful neurotechnology-related research in Egypt, focusing on key innovations such as EEG-based smartphone interactions, visual prostheses optimization, deep learning for neural signal analysis, and neurodegenerative diseases diagnosis. This talk emphasizes strategies that have enabled these research successes and underscores the importance of empowering diverse researchers to ensure inclusive innovation and global advancement in the BCI field.



Seif Eldawlatly, Ph.D., American University in Cairo, Egypt

Dr. Seif Eldawlatly is a Professor of Artificial Intelligence and Neural Engineering in the Computer Science and Engineering Department at the American University in Cairo (AUC), and the Computer and Systems Engineering Department at Ain Shams University, Cairo, Egypt. He earned his Ph.D. in Electrical Engineering from Michigan State University, USA, in 2011, following his M.Sc. and B.Sc. degrees in Electrical Engineering from Ain Shams University, Egypt, in 2006 and 2003, respectively. His research spans Neural Engineering, Brain-Computer Interfaces (BCIs) and Artificial Intelligence, with a focus on developing machine learning and signal processing techniques for invasive

and non-invasive BCI applications, neuroprosthetics, and visual prostheses. Dr. Eldawlatly has served as principal investigator on multiple significant research projects, including developing mobile BCI applications for people with disabilities, visual prosthetic systems for vision restoration through electrical stimulation, and exploring neural markers for early diagnosis of neurodegenerative diseases. He has authored over 80 peer-reviewed publications, including journal articles, book chapters, and conference papers, in prominent scientific outlets. He has secured research funding from several international and national agencies, including The African Engineering and Technology Network, National Academy of Sciences (USA), Science and Technology Development Fund (Egypt), Google through a Google Faculty Research Award, and the Information Technology Industry Development Agency (Egypt).

Wednesday, June 4

NEUROETHICS SESSION

As brain-computer interfaces continue to advance in clinical research and commercial settings, ethical challenges surrounding device abandonment are becoming increasingly important to consider. This panel will draw on the expertise of ethicists, researchers, and individuals with lived experience to examine multiple dimensions of abandonment in both invasive and non-invasive BCIs, including ethical, clinical, and market considerations. Particular attention will be given to defining different forms of abandonment, exploring unique challenges for implanted systems, addressing disparities faced by users in underserved or remote areas, and navigating the tension between innovation and long-term user welfare. The session will include brief panelist introductions, a moderated discussion centered on key ethical questions, and a dedicated audience engagement segment designed to promote active participation of the meeting attendees. This dialogue aims to inform more responsible approaches to the design, regulation, and deployment of neurotechnologies in an evolving and uncertain environment.

Sponsored by:



INDUSTRY INSIGHT SESSION

Connexus® Brain-Computer Interface – From Design to Clinic

Join Paradromics for lunch and a deep dive into the design rationale, pre-clinical data, and clinical study plans for the Connexus Brain-Computer Interface (BCI). Building on 30 years of BCI research, this session explores the design, manufacture, and material choices behind this intracortical BCI, engineered for durability and high performance. Pre-clinical data, demonstrating longevity and record-breaking information capture rates, will be shared, as well as adverse events, challenges, and key learnings. The planned clinical trial will also be discussed, including an overview of the protocol, surgical technique, and timeline.

Hosted & sponsored by:



USERS FORUM

The User Forum is a cornerstone reflecting the goals of the BCI Society Meeting. It is instrumental in creating productive interactions and transdisciplinary collaborations essential to continued, meaningful progress in the field of BCI. The User Forum brings current BCI users and persons with lived and living experience together into a focused discussion of topics unique to their experience - from priority user goals and challenges, to caregiver training and reimbursement, to system design and development. This year we have the additional privilege to be joined in the forum by several families whose children are pioneers in the quickly evolving world of pediatric BCIs, who will be sharing their unique experiences and adding to the rich history of the forum.

Sponsored by:





PLENARY TALK #2 - A neural manifold view of BCI decoding

Brain-computer interfaces (BCIs) have afforded paralysed users "mental control" of computer cursors and robots, or even of electrical stimulators that allow them to grasp objects or walk again. This control is typically achieved by mapping the activity of hundreds of motor cortical neurons recorded with implanted electrodes into appropriate control signals. Albeit impressive, these BCIs still face several challenges including: providing stable control over long periods of time, allowing users to perform a wide range of behaviours, and the need for them to be tailored for each user.

I will discuss how the combination of theoretical advances in systems neuroscience with statistical methods and neural network architectures are helping to overcome these challenges. I will focus on how the view that the collective activity of populations of single neurons may form the fundamental basic computational unit in the brain has allowed to build decoders that are stable over long time periods and that work across individuals, and how it is beginning to enable generalisation across actions. Combined with ongoing developments in bioelectronics and neural interfaces, these advances may foster the development of new generation of neuroprosthetic treatments for neurological disorders.



Juan Gallego, Ph.D., Imperial College London

Dr Juan Gallego is a Senior Lecturer (roughly equivalent to Associate Professor) and Group Leader in the Department of Bioengineering at Imperial College London, which he joined in January 2020. Dr Gallego's research focuses on understanding how animals learn and control their movements through a combination of behavioural experiments, large-scale neural recordings, data analysis, and computational models. He is also interested in applying his group's findings to advance neural interfaces that restore function to people with movement disorders. During his career, he has published more than thirty journal articles on these various topics, and received funding by the EU

Commission, the UK Research Institutes, and the European Research Council.

Sponsored by:



Thursday, June 5

PLENARY TALK #3 - Towards the goal of BCI control of upper limb prosthetics in the home environment

Brain-computer interfaces (BCIs) have enabled individuals with paralysis to control assistive technologies such as robotic limbs, yet achieving reliable, long-term use in real-world home environments remains a major challenge. In this presentation, I will describe our efforts toward stable, long-term BCI control of a wheelchair-mounted Kinova Jaco arm and hand. We address three key challenges: (1) maintaining stable BCI control over time, (2) understanding internal brain states during use in naturalistic settings, and (3) integrating computer vision to support object interaction. Using ECoG-based BCIs, we observed representational drift across days; by accounting for this drift with generalizable decision boundaries, we enabled consistent long-term neuroprosthetic control. We also identified slow (~0.1–0.4 Hz) fluctuations in high-gamma and beta-band activity during active BCI use, independent of task cues. These rhythms correlated with decoding accuracy and were anticorrelated with pupil diameter, suggesting modulation by arousal-linked internal states. Finally, we integrated computer vision tools to support object detection and interaction, which significantly improved functional performance. Together, these findings establish a systems-level framework for robust, adaptive, and context-aware BCI control – hopefully bringing us a step closer to practical neuroprosthetic use.



Karunesh Ganguly MD, PhD, University of California, San Francisco

Karunesh Ganguly MD, PhD is a clinical neurologist and a research scientist at the University of California, San Francisco and the San Francisco VA Medical Center. He completed his MD/PhD degrees through the Medical Scientist Training Program at the University of California, San Diego. He subsequently completed his internal medicine and neurology residency at the University of California, San Francisco. Concurrent with his residency, he conducted research into the development of 'Brain-Machine Interfaces' in the Department of Electrical Engineering & Computer Science at UC Berkeley. His clinical expertise is on the neurological rehabilitation of patients with motor

impairments. He is also the Director of the Neural Engineering & Plasticity Lab. The laboratory's basic and translational research program focuses on the development of technology to improve motor function. His laboratory's work is funded by the NIH/NINDS/NICHD and the VHA. He has been awarded the Presidential Early Career Award for Scientists and Engineers (PECASE Award) and was selected for a New Innovator Award by the NIH Office of the Director. He was also recent awarded the Outstanding Neurorehabilitation Clinical Scientist Award by the American Society of Neurorehabilitation (ASNR).

Sponsored by:



EARLY CAREER AWARD SESSION

An accurate and multi-modal intracortical speech BCI

Restoring communication has long been a goal of BCI research; today, this dream is on the verge of fruition with ongoing commercial cursor and click BCI clinical trials. I will describe our development of an intracortical speech BCI, which is the next frontier in restoring communication. First, we built a 99% word accuracy "brain-to-text" speech BCI. To this core capability, we've added neural cursor control over the participant's personal computer (despite recording from orofacial cortex). We've also augmented text decoding with a loudness layer and a gesture (emoji) layer, both of which provide added expressivity, and we prototyped a neural error decoder which can reduce user frustration. Lastly, I'll describe our progress towards an instantaneous voice synthesis BCI aimed at functionally replacing the paralyzed vocal system.



Sergey D. Stavisky, PhD, University of California, Davis

Sergey is a neuroscientist and neural engineer working at the intersection of systems and computational neuroscience, neural engineering, and machine learning. Trying to understand how the brain controls movements, and to use this knowledge to build brain-computer interface (BCIs) that treat brain injury and disease, Sergey's immediate goals are to develop BCIs for restoring speech. Closely related, he is developing next-generation neural interfaces for human use.

As an Assistant Professor in the Department of Neurological Surgery at the University of California, Davis, Sergey co-directs the UC Davis

Neuroprosthetics Lab. Prior to that, he was a postdoctoral fellow in the Stanford Neural Prosthetics Translational Laboratory led by Jaimie Henderson and Krishna Shenoy. A neuroscientist and neural engineer working at the intersection of systems and computational neuroscience, neural engineering, and machine learning, Sergey is trying to understand how the brain controls movements and to use this knowledge to build brain-computer interfaces (BCIs) that treat brain injury and disease. His immediate goals are to develop BCIs for restoring speech. Closely related, he is developing next-generation neural interfaces for human use.

Investigating brain interactions: A dual path to understanding and improving BCIs

Despite promising technological advancements, Brain-Computer Interfaces (BCIs) still face challenges due to inter- and intra-subject variabilities in the ability to control such systems. Moreover, the neural mechanisms underlying BCI performance and training remain poorly understood. In this talk, I will present our recent findings on the use of brain interactions in BCIs, and in particular, how this enriched information can be used to both understand and improve BCIs.



Marie-Constance Corsi, Institut National de Recherche en Informatique et en Automatique

Marie-Constance Corsi is an early-career researcher who began a tenured research position at Inria in 2022, joining the NERV team at the Paris Brain Institute (France). After completing her studies in telecommunications engineering at IMT Atlantique (Brest, France), she pursued a PhD focused on developing alternative magnetoencephalography sensors—optically pumped magnetometers—at CEA-LETI (Grenoble, France), while concurrently earning a Master's degree in Clinical Neuroscience.

In 2016, she began postdoctoral research at the Paris Brain Institute, where she developed computational methods using multimodal and longitudinal approaches to improve brain-computer interfaces (BCIs). Her current work focuses on identifying neurophysiological markers of BCI performance to enhance classification accuracy and on developing tools for the monitoring and diagnosis of neurological disorders.

She previously served as Secretary General of CORTICO, the French academic association promoting advances in BCI, and as Co-Chair of the Postdocs and Students Committee of the BCI Society.

Sponsored by:



Workshops

Tuesday, June 3

9:45am - 12:45pm

SESSION 1

W1: Expanding the experimental paradigms in enhancing BCI performance

Presenters

- Lin Yao, Zhejiang University
- Jianjun Meng, Shanghai Jiao Tong University
- **Ning Jiang,** Sichuan University
- Xiaokang Shu, Shanghai Jiao Tong University
- **Liming Zhao,** Shanghai Jiao Tong University
- Guanye Li, Shanghai Jiao Tong University
- Gan Huang, Shenzhen University

BCI is a promising technology that has demonstrated abundant exciting demos and clinical translation possibilities in recent years. However, many challenges still need to be resolved before BCI could be translated into clinical treatment and daily life augmentation. Experimental paradigms are increasingly important in enhancing BCI performance, e.g., inducing sensory information in motor imagery. This session highlights the importance of expanding traditional experimental paradigms to enhance BCI performance. For example, visual and peripheral sensory information contributes up to 80% to control muscle activation. Following central nervous system lesions, the lack of this feedback leads to a decline in the ability of patients to perform daily activities.

In this workshop, we will present and discuss various experimental paradigms that enhance the role of feedback from vision, auditory, and skin receptors for human movement. We will then demonstrate, using specific examples, how adding this feedback as part of a BCI may benefit the decoding and rehabilitation process and increase the effectiveness of BCIs designed for rehabilitation and augmentation of movement. Moreover, we will show and quantify the potential benefit of integrating visual information, peripheral tactile information for the novel BCI designation, and ways to improve the BCI performance.

W2: Implanted Brain Computer Interface using real-time stimulation in the nervous system to restore movement and sensation: Clinical applications

Presenters

- **Tetiana Aksenova,** Commissariat à l'Énergie Atomique et aux Énergies Alternatives
- **Henri Lorach,** *University of Lausanne*
- **Robert Gaunt,** University of Pittsburgh
- **Giacomo Valle.** Chalmers University of Technology
- Solaiman Shokur, Scuola Sant'Anna Superiore Pisa
- Lucas Struber, Commissariat à l'énergie atomique et aux énergies alternatives

Brain Computer Interfaces (BCIs) using real-time, closed loop stimulation of the nervous system aim to restore natural movements and sensations in individuals with severe motor disabilities. Contrary to open-loop stimulation, responsive closed-loop stimulation is driven by the direct or indirect action of the brain, synchronizing cortical commands with the stimulation of the individual's own neural pathways. Closed-loop stimulation of the nervous system is a promising approach to restore body functions and facilitate rehabilitation. With a high temporal and spatial resolution of the brain neuronal activity recording, invasive BCIs are particularly effective in achieving the synchronization necessary to produce a wide range of natural (realtime, low latency) movements or sensations with stimulation. Stimulation can be applied at various points along the neural pathway, including muscles, nerves, spinal cord, or directly on the cortex. This workshop will provide a comparative discussion of these techniques, examining their purposes, advantages, and disadvantages in movement and sensation restoration and rehabilitation. We invite dialogue between research teams working with implanted closed-loop BCIs and neurostimulation at different levels of the neural pathway.

W3: Personalization of communication BCIs

Presenters

- **Betts Peters,** Oregon Health and Sciences University (OHSU)
- Jessie Liu, University of California, San Francisco
- Nicholas Card, University of California, Davis
- **Tab Memmott,** Oregon Health and Sciences University (OHSU)

With the proof-of-concept phase completed for communication BCIs (cBCIs), we now must transition towards offering systems to users who present with different expectations, conditions, skills and needs. This next stage of development requires personalization of cBCI parameters, whether they be features for generating messages with language models, customized voice output, complex speech decoding, or creative interfaces (i.e., RSVP keyboards, avatars) that are sensitive to sensory, motor or cognitive skills of users. This workshop is uniquely positioned to address the skills and needs that users bring to BCI tasks and how technical software and user interface features affect optimal communication performance. We will ask questions about what optimal communication performance is and how we measure it when determining the best parameters for each user. Regardless of whether a user is participating in implantable or non-implantable BCI trials, software features and parameterization have a cost. Determining the cost versus benefit is important to all who engage with the process. Using clinical and technical experience, we will discuss what benefits or hinders our ability to add more critical features. What features are considered essential by the workshop attendees who have experience with personalization, end-user performance and user satisfaction?

W4: Exploring the clinical integration of BCI technology in general anesthesia monitoring

Presenters

- **Sébastien Rimbert,** Institut National de Recherche en Informatique et en Automatique
- **Sebastian Halder,** University of Essex
- **Bjørn Erik Juel,** Vestre Viken Health Trust and University of Oslo
- Valerie Marissens Cueva, Institut National de Recherche en Informatique et en Automatique

This workshop will explore the state-of-the-art applications of Brain-Computer Interfaces (BCI) in general anesthesia monitoring. BCIs offer the potential to improve patient care by providing direct neural feedback, giving clinicians real-time insights into brain activity during anesthesia through EEG-based tools to monitor awareness and the depth of anesthesia. We will focus on integrating BCIs in clinical settings, emphasizing how they can enhance anesthesia precision and enable more individualized care. Following brief introductions and discussions of relevant research methodologies and empirical findings (i.e., neural markers of awareness, machine learning tools, experimental protocols to study depth of anesthesia, etc.), we aim to open a dialogue on the implications of BCIs in the operating room and their potential to transform general anesthesia practice. In particular, better monitoring through BCIs could significantly

reduce the incidence of intraoperative awareness, a rare but serious complication where patients regain consciousness during surgery. Participants will gain an understanding of the technical challenges, ethical considerations, and potential clinical benefits of employing BCIs for anesthesia monitoring. The workshop will provide a platform for cross-disciplinary discussion, inviting contributions from experts in neurotechnology, anesthesiology, and clinical practice to advance the state of knowledge in this rapidly evolving field.

W5: How do we capitalize on today's implantable BCI hardware developments for tomorrow's BCI user lives

Presenters

- Martin Schuettler, CorTec GmbH
- Jonas Zimmermann, ABILITY Neurotech
- Erik Aarnoutse, University Medical Center Utrecht
- Phoenix Peng, NeuroXess

Brain-Computer interfaces for people who will benefit from our technology consist of three parts: hardware, algorithms and user actuation/interaction. The academic community set all three parts in motion. Commercial entities are now largely responsible for the availability of the hardware, whereas algorithms and user actuation/interaction is still mostly in the academic realm. As a community we are in an interesting time where technology readiness level 9 (actual system proven in operational environment) for BCIs is on the horizon. How do we go from here to bring the technology to the home of the user? Will commercial entities enter the second and third part of a BCI? In this workshop profit/non-profit organizations are showcasing their new products, ready to go into early feasibility studies, and are commenting on their journey towards a fully implantable BCI solution. They will present their rationale for starting this journey and their vision of the future direction of implantable BCIs. After these presentations, the audience is divided into groups with mixed background and expertise to discuss scenario's for the near and far future, inspiring new design input, alliances and hopefully clinical trials.

W6: Clinical applications of Brain-Computer Interfaces in neurorehabilitation

Presenters

- An Do, University of California, Irvine
- **Zoran Nenadic,** University of California, Irvine
- Charles Liu, Keck School of Medicine of USC
- **Scott Stanslaski,** Medtronic
- Nicole Stanchina, Medtronic
- **Doug Atkins,** Medtronic

BCIs may be a promising tool for rehabilitation, whether as a tool for neuromodulation or as a prosthetic. The process of translating ideas into viable medical devices has many obstacles that need to be overcome. This workshop will survey the current state of BCI clinical applications, their promises and pitfalls, and generate consensus on future directions. Short lectures will cover topics on unmet clinical needs in clinical rehabilitation, engineering challenges that need to be overcome in order for practical deployment of BCIs, and putting BCIs in the context of other rehabilitation treatments and emerging treatments, e.g., standard physiotherapies, neuromodulation, and regenerative medicine. This workshop will provide background on the clinical translational process, including the regulatory and clinical trial process for invasive and non-invasive BCIs, and medical device economics. Building on these fundamentals, small and large group discussions will be undertaken, facilitated by the panelists, to discuss important open questions on clinical BCI applications. Each small group will discuss their findings with the larger group to develop a compilation of consensus statements and outstanding matters. The workshop's ultimate aim is to facilitate the field to successfully develop BCI-based clinical applications that will serve as meaningful treatment options for unmet neurorehabilitation needs.

W7: AI + Data: Bridging AI expertise with BCI champions to advance AI innovation in BCIs

Presenters

- Eli Kinney-Lang, University of Calgary
- Ali Etemad, Queen's University
- Matthias Dold, Radboud University
- **Hatem Abou-Zeid,** University of Calgary

Advancements in artificial intelligence (AI), machine learning (ML), and big data have moved at lightspeed over the past two years, with an explosion of interest in topics such as foundational models (FMs), large language models (LLMs), AI Agents, and generative AI models. These tools have the potential to transform BCIs in their development and application. However, the diverse impact potential of BCIs for a variety of populations, including extremely vulnerable populations, require critical and careful consideration when developing relevant AI and ML models and tools. This workshop aims to bring together those who have extensive knowledge in the advancing AI space, with those who have substantial and unique data together, to build a collaborative approach to the ethical development of these tools. Through a "Literal Data Blitz", where Data Champions and AI Experts are paired together in a speed-dating format, we will build the foundations for understanding how to develop and use advanced AI techniques to improve BCI systems as a community.

W8: The global state of implantable Brain-Computer Interfaces: What should we do next?

Presenters

- Ian Burkhart, BCI Pioneers
- Jamie Brannigan, Oxford University Hospital
- K. Michelle Patrick-Krueger, Texas Institute of Restorative Neurotechnologies
- Jose Contreras-Vidal, University of Houston

Implanted Brain-Computer Interfaces (iBCI) are progressing quickly, with over 25 years of research on long-term electrode implantation for communication and motor control applications. Despite this progress, as of December 2024, no iBCI systems have U.S. Food and Drug Administration approval, nor are they validated as lifelong solutions. A significant barrier to further advancement is the limited availability of comprehensive data on past and ongoing clinical trials. To bridge this gap, we reviewed all identified clinical trials of iBCIs for communication and motor control or restoration of tactile perception conducted with long-term electrode implantation occurring before October 2024, identifying key research groups, implanted participants, and devices used. A critical next step is establishing a registry of iBCI users, capturing their long-term outcomes and diverse experiences. This registry could be a vital resource, advancing research and fostering ethical, standardized approaches for clinical measures in iBCI studies. In this workshop, we will propose action items, including developing this registry, promoting governed data sharing, and fostering inclusivity in participant populations, clinical measures, and team science.

W16: Ethical considerations of participant engagement in long-term BCI clinical trials

Presenters

- **Ashley Feinsinger,** University of California, Los Angeles
- Jen Collinger, University of Pittsburgh
- Jennifer French, Neurotech Network
- Sonja Kleih-Dahms, University of Würzburg
- Heather Dean, US Food and Drug Administration

While ethicists, researchers, and study participants have expressed the importance of lived experience engagement in Brain-Computer Interface (BCI) studies, there is neither consensus nor widespread guidance on what engagement in these studies would encompass, why it should be done, and how to do it. Community engagement is limited to mechanisms of consultation with people with lived experience prior to designing a study, during study recruitment, and results dissemination. While important, this ignores the significant expertise of individuals who are participating in long term BCI clinical trials that often require years of intensive involvement, sometimes including surgery to implant the device, with no promise of direct clinical benefit. Companies are seeking to bring BCIs to market so now is a crucial time to advance guidance on participant engagement to maximize the benefits of technology for current and future participants. However, we recognize that participant engagement comes with challenges and uncertainties about how to do it effectively. The workshop will describe the current state of community and participant engagement, gaps in current practices and underappreciated opportunities for improved participant engagement, and the ethical foundations that should guide increased engagement efforts. Breakout groups will inform the development of guidance for participant engagement.

Wednesday, June 4

9:45am - 12:45pm

SESSION 2

W9: Clinical translations of BCI: From lab to daily life

Presenters

- **Anouck Schippers,** UMC Utrecht Brain Center
- **Nicholas Card,** University of California, Davis
- Theresa Vaughan, Samuel Stratton VA Medical Center

For BCIs to reach their full potential for end-users, the technology must be functional outside of controlled laboratory settings, inside the homes of the end-users. At-home BCI use can provide valuable insights that can be used for the development of robust decoding algorithms that enable reliable BCI performance regardless of the environment where the BCI is used. Clinical translation of BCIs from lab to daily life can provide also highlight additional functionalities desired by the end-user and their caregivers that, when implemented, can boost technology adoption. However, at-home research or independent, unsupervised home use of BCIs are not yet standard practice. This workshop aims to promote the clinical translation of BCIs towards home use by sharing the experiences of various research groups, and by discussing the potential hurdles that face at-home BCI use.

W10: Designing speech BCIs that facilitate good communication for users

Presenters

- **B.J. (Bouke) van Balen,** UMC Utrecht Brain Center
- **Eran Klein,** Oregon Health and Sciences University (OHSU)
- Betts Peters, Oregon Health and Sciences University (OHSU)
- David Moses, University of California, San Francisco

Implantable speech BCIs bear the promise of 'restoring naturalistic communication' for users who have lost this capacity due to severe paralysis (Metzger et al., 2023). The promise of restoration to naturalistic communication raises the question: what does it mean to communicate naturally, and is this the same as what people with severe paralysis desire in their communication? Ethicists have been raising the concern that designers of AAC devices often work with the narrow assumption that restoring communication equates to translation of semantic information into discrete action, such as signaling basic needs or ringing an alarm, thereby missing out on other more subtle and embodied types of communication such as nodding, facial expressions, cadence, tone, and intonation (Van Balen 2024;Van Grunsven, Van Balen & Bollen, 2024). This workshop will center around a philosophical and a practical question: "What does it mean for users of implantable speech-BCIs to communicate well and which lessons for future design can we learn from this?"We approach these questions from an interdisciplinary angle, with contributions from experts in the fields of ethics, user-perspectives, AAC-design, and neuroscience (part 1). In part 2 we will do a critical design exercise with participants in groups, whereafter we will list concrete design recommendations in a plenary discussion.

W11: Toward theories of Brain-Computer Interaction

Presenters

- Fabien Lotte, Institut National de Recherche en Informatique et en Automatique
- Jonathan Wolpaw, Stratton VA Medical Center
- Amy Orsborn, University of Washington
- Sonja Kleih-Dahms, University of Würzburg

Despite sustained progress and intensive research efforts, BCI are still scarcely used outside laboratories, notably due to their relatively low reliability & usability and large inter-user and intra-user variabilities. To address these issues, most BCI research is based on trial-and-error, e.g., exploring classification or training approaches in the quest for the most effective ones, without underlying theory that could explain or predict why some methods work and some others do not. This is bound to lead to suboptimal BCI design and/or slow scientific progress. Most studies are addressing problems without the guidance that coherent theories of BCI structure and function could provide. There is thus a strong need for theories in BCI research. We focus here on theories as defined, e.g., by the American Psychology Association: "a principle or body of interrelated principles that purports to explain or predict a number of interrelated phenomena."

W12: Legal perspectives on BCIs: Navigating challenges from malfunctions to gdpr compliance and discrimination

Presenters

- Harry Lambert, The Centre for Neurotechnology and Law
- Allanah Beazley, Blackrock Neurotech
- Reinhold Scherer, University of Essex

Brain-Computer Interfaces (BCIs) offer real-time insights into mental states, enhancing human-machine interaction, particularly for those with neurological conditions and disorders. While research emphasizes neuroscientific and technological advancements, ethical considerations, and commercialization standards, the legal implications remain underexplored. This workshop addresses critical legal questions arising in BCI research, clinical applications, and commercialization. Participants will learn when BCIs qualify as medical devices under the European Medical Device Regulation, understand the legal consequences of BCI malfunctions and data breaches, and examine issues related to GDPR compliance and discrimination. Additionally, we will explore how BCI-derived insights into human behavior can influence legal accountability and potentially lead to new legal frameworks. Through interactive activities, attendees will gain the legal expertise necessary to navigate litigation involving BCIs, fostering the development of more sophisticated and legally compliant technologies.

W13: Stronger together: Harnessing the power of patient-partner engagement in BCI

Presenters

- **Dejana Nikitovic,** University of Alberta & University of Calgary
- **John Andersen,** University of Alberta
- Alicia Hilderley, University of Calgary
- Dion Kelly, University College London

The Stronger Together: Harnessing the Power of Patient Partner Engagement in BCI workshop will focus on priority setting for patient partner engagement in Brain-Computer Interface (BCI) research. Building on the BCI community's extensive experience of working closely with BCI users, the workshop will explore different levels of patient engagement, from patient-oriented design to patient-led research. The workshop objectives are: 1) discuss patient partner engagement in the BCI context, 2) share research, clinical and industry examples of patient partner engagement in BCI projects, and 3) work together to identify what is necessary to build strong, impactful, effective partner engagement programs within the complex transdisciplinary field of BCI. Workshop participants will brainstorm the benefits, opportunities, and challenges of partner engagement initiatives as part of small groups that will include researchers, BCI users and their families/caregivers with lived experience. The workshop will serve as a first step in developing communityinformed recommendations for patient partner engagement in BCI research. Following the workshop, attendees will be invited to participate in a Delphi process to finalize recommendations to be shared broadly.

W14: Brain-Computer Interface clinical trial design considerations and clinical outcomes assessments in pivotal studies

Presenters

- Leigh Hochberg, iBCI-CC, Mass General Hospital
- Matt Angle, Paradromics
- **Rob Franklin,** Blackrock Neurotech
- Jackie Dister, Precision Neuroscience
- Tom Oxley, Synchron
- **Dustin Herrmann,** Neuralink
- Scott Stanslaski, Medtronic

Early feasibility studies (EFS) of implantable Brain-Computer Interfaces (iBCIs) have demonstrated promising initial safety and efficacy results for recovering communication and sensorimotor functions in patients with paralysis from amyotrophic lateral sclerosis (ALS) and spinal cord injury (SCI). International pivotal trials to demonstrate clinical effectiveness and the definitive benefits to patients are expected in the next 5 years. To navigate the critical evidence to be collected in the pivotal trials, industry and academics in the BCI field need guidance about clinical trial considerations specific to this stage and type of research. Towards this end, an initial public workshop jointly organized by the FDA/NIH was held in 2024 focused on developing iBCI Clinical Outcome Assessments (COAs). The objective of this BCI Society conference workshop is to present current thinking on BCI clinical trial considerations, with a focus toward clinical trial design and outcome assessments, and seek further input from stakeholders in the BCI society. Given this is an international meeting, FDA/NIH will be joined by other national regulators such as MHRA, UK. The outcome of this workshop will be an initial consensus of clinical trial considerations and CoA measures to be used in BCI pivotal trials.

W15: Building a 5-year roadmap for implantable BCIs for pediatrics and pediatric onset-conditions

Presenters

- Adam Kirton, University of Calgary
- Mariska Vansteensel, UMC Utrecht Brain Center
- Alistair Mcewan
- **Eli Kinney-Lang,** University of Calgary

Implantable BCI systems are maturing rapidly. For those with pediatric onset conditions affecting motor and speech function, such as cerebral palsy, implantable BCIs are a revolutionary technology that could greatly enhance their independence and support them in activities of daily living, leading to potential life-long use. However, implantable BCIs for this population have not yet been possible due to many complex barriers. This workshop aims to collaboratively build a 5-year roadmap for tackling these barriers, to encourage the inclusion of this large global population in the rapidly developing implantable BCI space. The workshop will include a review of the past 18 months of collaborative work that followed the 1st International Summit on Implantable BCIs for Children withComplex Needs in early 2024, as a starting place for small-group development and discussion. It will include sessions on several themes relevant to advancing implantable BCIs for children and adults with pediatric onset conditions and complex needs. These themes include:

- 1. Brain structure and function in pediatric onset conditions
- 2. Functionalities of implantable BCIs and their current barriers
- 3. Advantages and disadvantages learned from other implanted technologies
- 4. User-centered designs for implantable BCIs across the lifespan

Thursday, June 5

9:45am - 12:45pm

SESSION 3

W17: Invasive Brain-Computer Interfaces using neuromodulation for clinical applications

Presenters

- Peter Brunner, Washington University School of Medicine in St. Louis
- **Johannes Grünwald,** g.tec medical engineering GmbH
- Kai Miller, Mayo Clinic
- Martin Schuettler, CorTec GmbH

Neuromodulation systems use Brain-Computer Interface operating principles to deliver targeted neurostimulation directly to the nervous system, and to realize therapies for neurological and psychiatric conditions such as epilepsy, depression, and movement disorders. Progress in the research and development of neuromodulation therapies depends on a cadre of investigators who understand clinical needs, can identify relevant research questions, and can translate their research interests into effective interdisciplinary research programs. This workshop aims to provide participants with a comprehensive overview of open-loop and closed-loop neurostimulation approaches, as well as insight into research methodology, technical design, and clinical applications. Designed for neurophysiologists, clinicians, engineers, and researchers, this workshop offers an interdisciplinary examination of invasive neuromodulation-based BCI technology. It features presentations by experts at the forefront of their respective fields, covering topics ranging from advanced methodologies in data interpretation, system design and implementation, and clinical applications of neuromodulation. Through interactive presentations, this workshop will engage participants who will break out into group discussions to discuss challenges and opportunities that will shape the future of neuromodulation-based BCIs in clinical practice.

W18: Building Consensus on implant targeting strategies for intracortical sensorimotor Brain-Computer Interfaces

Presenters

- **Hunter Schone,** University of Pittsburgh
- **David Bjånes,** Institute of Technology
- **Mathew Glasser,** Washington University
- Frank Willet, Stanford University
- Dan Adams, Neuralink
- Sanne Kikkert
- **Stephen Foldes,** Barrow Neurological Institute, Phoenix Children's Hospital
- David McMullen, Food and Drug Administration (FDA)
- David Brandman, University of California, Davis
- **Nick Ramsey,** University Medical Center Utrecht

Are you planning on implanting a human participant with an intracortical BCI? BCI functionality is largely constrained by the neural tuning of the neurons your implanted electrodes interface with; thus, precise targeting of the desired implant site is essential for maximizing research and therapeutic outcomes. Given the diversity in cortical surface geometry across individuals, neuroanatomical markers alone may not be sufficient to target the same functional area across participants. Over the last decade, a variety of targeting strategies have emerged to identify optimal implant sites including: non-invasive neuroimaging (fMRI, MEG) to awake intraoperative neural recordings and stimulation. To date, academic and industry groups have

worked independently with limited discourse on the success of attempted approaches. In this workshop, we invite all intracortical BCI stakeholders to engage with our panel of experts in neuroimaging, neurosurgery and neural engineering to openly discuss existing targeting strategies. The workshop will be structured based on function, starting with motor control (of speech and hand/arm) and then sensory BCIs, concluding with a clinical perspective on participant needs and surgical considerations. Throughout each section, we will facilitate discussion where attendees can ask questions, discuss pitfalls and expertise required for each methodology. Ultimately, this workshop aims to propel the field towards greater consensus on successful implant targeting strategies for BCIs.

W19: Exploring features to improve BCI: Challenges and opportunities

Presenters

- **Serafeim Perdikis,** University of Essex
- Tristan Venot, Institut National de Recherche en Informatique et en Automatique
- Marie-Constance Corsi, Institut National de Recherche en Informatique et en Automatique
- Maryam Alimardani, Vrije Universiteit Amsterdam
- Pierpaolo Sorrentino, INSERM
- Fabrizio De Vico Fallani, Institut National de Recherche en Informatique et en Automatique
- Sonja Kleih-Dahms, University of Würzburg
- Tomko Settgast, University of Wuerzburg
- Reinhold Scherer, University of Essex
- José del R. Millan, University of Texas at Austin
- **Arthur Desbois,** Institut National de Recherche en Informatique et en Automatique

BCIs constitute a promising tool for treating or circumventing neurological symptoms and promoting neurorehabilitation strategies. Yet, they fail to detect mental intentions in about 30% of the users. Multiple ways to tackle this issue have been proposed, mainly by either establishing a machine capable of sensing subtle variations in the data that are consistent enough for a precise controller or by finding consistent behavior and patterns of training. In this workshop, we propose to bridge the gap between these aspects by focusing on the identification, the selection, and the assessment of the information used to translate the brain activity into commands, namely, the features.

The workshop will be split into three parts. In the first part, an overview of existing and emerging features will be presented. The second part will be dedicated to the clinical relevance of novel features. The third part will focus on guidelines and concrete recommendations when dealing with the BCI features' instability. Finally, to structure the general discussion in direct alignment with the challenges faced by the community, the discussion will be guided by a selection of pre-arranged questions asked by the participants head on.

W20: Towards restoring speech and non-verbal communication with Brain-Computer Interfaces

Presenters

- **Jaimie Henderson,** Stanford University
- Marc Slutzky, Northwestern University
- **Kaylo Littlejohn,** University of California, San Francisco
- Maitreyee Wairagkar, University of California, Davis

During the last BCI Society meeting in 2023, we hosted a workshop titled "Understanding and utilizing the neural basis of speech: from basic science to neuroprostheses". The workshop attracted significant interest from the meeting attendees and highlighted advances in Brain-Computer Interfaces for communication in individuals who have lost the ability to speak. Novel research directions have emerged since then, including decoding of individual voice characteristics from brain activity, use of minimally invasive stereo-EEG recordings and decoding facial movements for verbal and non-verbal communication. These studies

contribute to our understanding of speech representation in the brain, and demonstrate the potential of transferring this knowledge to applications in end users. However, many challenges remain on the path to clinical application. Key questions persist around the ethical use of artificial intelligence and large language models, the practicalities of real-world deployment, and the effectiveness of brain-to-text, brain-to-voice, and brain-to-face decoding approaches. This year's workshop will provide an update on the latest advancements in the field and host a panel discussion on scientific progress and clinical translation.

W21: Large neural data models for Brain-Computer Interfaces

Presenters

- **Joel Ye,** Carnegie Mellon University
- Matthew Perich, Université de Montréal
- Motoshige Sato, Araya Inc.
- Alisa Levin, Stanford University
- **Geeling Chau,** University of California, San Diego
- Matthias Dold, Radboud University
- Madison Kelberman, University of Michigan
- Ann-Kathrin Kiessner, University of Freiburg
- Icare Sakr, École Polytechnique Fédérale de Lausanne

Modern deep learning research has demonstrated that large deep networks trained on large datasets can provide a strong base model that enables rapid, high performance modeling in subsequent settings. This initial phase is termed pretraining, and when performed at sufficiently large scale, these models are termed foundation models. The effectiveness of foundation models has enabled a qualitatively different route to progress in disciplines such as natural language processing and computer vision, centered primarily around the study of how to best create strong base models that can be efficiently adapted to many downstream use cases. Scaling pretraining for Brain-Computer Interfaces raises a number of challenges that are currently studied independently across neural data domains. For example, each new proposed model will include discussion of modality-specific data processing, preparation over large volumes of heterogeneous data, and evaluation challenges dependent on the downstream use cases. Establishing best practices for these choices is particularly important given the high expense and complexity of preparing these foundation models.

W22: Stimulate the senses to increase performance: The importance of afference in restorative Brain-Computer Interfacing

Presenters

- **Ceci Verbaarschot,** University of Pittsburgh
- Alexander Remsik, University of Wisconsin, Madison
- **Isabelle Rosenthal,** Feinstein Institutes for Medical Research
- Roberto M. De Freitas, University of Pittsburgh
- Annike Bekius, University Medical Center Utrecht
- Matija Milosevic, University of Miami
- **Ashley Feinsinger,** University of California, Los Angeles

In this workshop, we focus on improving the sensory and motor capabilities of a person's upper limbs using Brain-Computer Interfacing (BCI). Although the idea of restorative BCIs is not new, the applied methodologies have changed significantly over the past few years; from primarily non-invasive open-loop BCI to invasive closed-loop BCI with or without synchronous spinal cord stimulation. The latter has demonstrated incredible functional improvements in motor control even years after, e.g., a spinal cord injury. As these exciting developments progress, we wonder (1) what role sensory feedback plays in the restoration of lost function and improvement of quality of life, (2) how artificially-evoked sensations may

provide an effective substitute during rehabilitation, and (3) how we can best fit our research goals to benefit our target user. A team of scientists, ethicists and people living with sensory and motor deficits will provide their perspective on achieved and desired success in restorative BCI. We will discuss alternative forms of sensory feedback across various levels of intervention; from non-invasive neuroimaging techniques to invasive brain recordings coupled with spinal cord stimulation. Together, we aim to spotlight the role of sensory feedback in neuro-rehabilitation and define measurable research goals that clearly serve our target user.

W23: Reaching consensus on BCI scientific reporting

Presenters

- **Ricardo Chavarriaga,** Zurich University of Applied Sciences
- **Katharine "Katya" Hill,** University of Pittsburgh
- **Luigi Bianchi,** Tor Vergata University
- Mariska Vansteensel, UMC Utrecht Brain Center

Since the 2023 standardization workshop, the BCI Society has emphasized the need for a clear definition of BCI/BMI to ensure a shared understanding. Concurrently, the IEEE SA WG P2794 has developed a reporting checklist to improve reporting of BCI research. To finalize and validate this checklist, we plan to host a workshop to develop consensus around the proposed standard using a modified Delphi method (1). Before the workshop, subject matter experts will review the draft checklist, and the checklist will be made available in advance to all workshop participants. During the workshop, at least 20 workshop members will participate in anonymous, iterative survey rounds via smartphones to refine the checklist. Moderated feedback will follow each round, with discussions to address any concerns. An online consensus meeting will take place two weeks after the workshop, and the final checklist will be submitted for publication.

Reporting checklists have been widely adopted in medical and assistive technology research (2) to improve the quality and interpretability of study reporting. Introducing an observational and interventional reporting checklist for BCI research is expected to improve reporting quality, increase citation counts (3), and enhance the likelihood of translating research findings into practical applications.

W24: Engaging communities that produce commercial reports and analyses about BCIs

Presenters

- **Brendan Allison,** University of California, San Diego
- Patrick Britz, NIRx Medizintechnik GmbH
- **Conor Russomanno,** OpenBCI, Inc.
- Jonathan Wolpaw, Stratton VA Medical Center
- **Christoph Guger,** q.tec medical engineering GmbH
- Ramses Alcaide
- Jörn Rickert

The last decade has seen the rise of "Big BCI" programs from huge entities including Facebook, Neuralink, and Galvani Bioelectrics. Concordantly, large companies such as Morgan Stanley and Gartner and other entities like Neurotech Reports have recently produced reports that analyze challenges, opportunities, companies, and stakeholders involving BCIs. As BCIs continue to grow, business and tech reports about BCIs will become more prominent. These commercial reports and analyses could benefit from engagement with people who use or work with BCIs. This reflects a common concern within the BCI community: stakeholder fragmentation. Experienced BCI researchers, companies, and users could improve the completeness, quality, and trustworthiness of these reports. Increased interaction could also help companies that produce neurotechnologies engage large-scale investors and provide more helpful information to readers.

Travel Awards

The following are the recipients of the 2025 BCI Meeting Student Award. The award is sponsored by the National Institutes of Health NIDCD, NINDS, the National Science Foundation with support from Connected Minds, the Tiangiao & Chrissy Chen Institute, and Blackrock Neurotech.

Artur Agaronyan, The Catholic University of America Annike Bekius, University Medical Center Utrecht Rashi Bhatt, Emory University, Georgia Institute of Technology

David Bjånes, California Institute of Technology
Anna Bourgeois, University of Calgary
Edgar Canario, University of Pittsburgh
Daniel Candrea, Johns Hopkins University
Valentina Caracci, Sapienza University of Rome
Nicholas Card, University of California, Davis
Basak Celik, Northeastern University
Geeling Chau, California Institute of Technology
Nikole Chetty, Carnegie Mellon University
Chiara Ciucci, Scuola Superiore Sant'Anna
Jonathan Coutinho, Queen's University
Anarghya Das, University at Buffalo
Michael Dexheimer, Virginia Commonwealth
University

Keqin Ding, Johns Hopkins University
Claire Dussard, Sorbonne Université
Teng Fei, University of California San Diego
Crispin Foli Case, Western Reserve University
Richard Gall, University of Pittsburgh
Catalina Galván, Instituto de Matemática Aplicada del Litoral

Jules Gomel, Université de Toulouse **Mona Hejazi**, Memorial University of Newfoundland **Jordan Hickman**, University of Colorado Anschutz Medical Campus

Taylor Hobbs, University of Pittsburgh Sara Houshmand, University of Alberta Kamran Hussain, Stanford University Brian Irvine, University of Calgary. Mark Iskarous, University of Chicago Xilin Jiang, Columbia University Justin Jude Brain, Gate – Massachusetts General Hospital

Tianhao Lei, Northwestern University
Tengjun Liu, Zhejiang University
Deland Liu, University of Texas Austin
Ximing Mai, Shanghai Jiaotong University
Valerie Marissens Cueva Inria, Université de
Bordeaux/LABRI and LORIA, Université de Lorraine
Mary Mcintosh, Dalhousie Medical School
John McLinden, University of Rhode Island
Anastasiia Melnichuk, University of Texas Austin
Matthew Mender, University of Michigan
Ingrid Odermatt, ETH Zurich
Maarten Ottenhoff, Brown University
Jimmy Petit, Harvard Medical School

Jacob Prince, Harvard University
Erin Radcliffe, University of Colorado Anschutz
Medical Campus
Julien Rimok, University of Calgary
Fabio Rizzoglio, Northwestern University

Massachusetts Eye and Ear

Samuel Senneka, Purdue University
Isabel Tscherniak, Technical University of Munich
Abhinav Uppal, University of California, San Diego
Gael Van Der Lee, Université de Lille
Francisco Vigil, University of Michigan
Maitreyee Wairagkar, University of California, Davis
Yuxuan Wei, Shanghai Jiaotong University

Meet the Sponsors and Exhibitors

ANT NEURO

www.ant-neuro.com



ANT Neuro is a technology leader in high-density EEG, offering state of the art systems tailored to the demanding requirements of cutting-edge research. ANT's eego line of EEG devices and new saline-based EEG nets enable efficient collection of high-density EEG data (8 - 256 channels) either at rest or during movement. ANT offers specialized EEG caps for study of neonates and infants.

BLACKROCK NEUROTECH

www.blackrockneuro.com



Blackrock Neurotech is a team of the world's leading engineers, neuroscientists, and visionaries. Our mission is simple: We want people with neurological disorders to walk, talk, see, hear, and feel again. We're engineering the next generation of neural implants. including implantable brain-computer interface technology that restores function and independence to individuals with neurological disorders. Join us in changing lives today.

BRAIN PRODUCTS

www.brainproducts.com



Brain Products is dedicated to the research and understanding of the human brain and nervous system. By offering versatile hardware and software solutions, we aim to provide end-to-end solutions to positively impact the complex and fascinating field of neuroscience. As a result of this dedication. Brain Products has become a worldwide leading manufacturer of neurophysiological research solutions.

CONNECTED MINDS

www.yorku.ca/research/ connected-minds



for a Healthy, Just Society

Connected Minds is a bold, interdisciplinary research initiative led by York University in partnership with Queen's University that explores how new technologies are transforming society. Through community-engaged, socially responsible research, the program investigates the complex relationship between neural and machine systems to help build a healthier, more just society. Our goals are to understand the emerging properties of human-technology interactions, predict the social impacts of technologies such as artificial intelligence, robotics, and brain-computer interfaces, and inform the design of policies, technologies, and regulations that benefit all members of society. With a strong commitment to co-creation, equity, and real-world impact, Connected Minds is shaping Canada's future as a leader in ethical and inclusive technological innovation.

CYBORG AND BIONIC SYSTEMS. A SCIENCE PARTNER JOURNAL

spi.science.org/journal/cbsystems

Cyborg and Bionic Systems

The Science Partner Journal Cyborg and Bionic Systems is an online-only Open Access journal published in affiliation with Beijing Institute of Technology (BIT) and distributed by the American Association for the Advancement of Science (AAAS). The journal publishes original, peer-reviewed articles based on fundamental, applied science, or their interaction. It also covers a wide range of fields related to cybernetic organisms (cyborg) and bionic systems (CBS), mainly including robotics, biomedical engineering and neuro-engineering.

G.TEC MEDICAL ENGINEERING

www.gtec.at



g.tec medical engineering was founded in 1999 by Dr. Christoph Guger and Dr. Günter Edlinger in Austria. The company specializes in developing high-performance brain-computer interfaces and neurotechnologies for both invasive and non-invasive recordings in research and clinical settings.

g.tec's product portfolio includes biosignal amplifiers, EEG electrodes and caps, and stimulation devices used for brain monitoring and rehabilitation. g.tec is renowned for its commitment to innovation and quality in the medical engineering field, making significant contributions to advancements in neurotechnology.

IBCI-CC





The goal of the Implantable Brain-Computer Interface Collaborative Community (iBCI-CC) is to foster collaboration among diverse stakeholders, including researchers, clinicians, medical device manufacturers, patient advocacy groups, and people with lived experience, to accelerate development, safety and efficacy evaluation, and access to implantable BCI technologies.

KAPTICS



www.kaptics.com

Kaptics is your ideal partner for research projects combining BCI and virtual reality. We are especially known for our expertise in collecting physiological signals (EEG, EOG, ECG, etc.) in immersive environments.

NEURACLE NEUROSCIENCE

www.neuracle-neuro.com



Neuracle Neuroscience provides EEG, ERP, and neuromodulation systems worldwide. Based on decades of research and development experience and cutting-edge manufacturing processes, Neuracle Neuroscience provides optimized systems to the neuroscience community. Hundreds of research papers have been published using the core technologies Neuracle Neuroscience uses, ensuring broad market acceptance and system quality.

Neuracle Neuroscience provides mobile-battery operated EEG, EMG, and tES systems that will perfectly balance cost and capabilities. Systems are designed to provide optimized data streaming and trigger integration, allowing maximum flexibility to expand labs and meet today's demanding multimodal and neuromodulation research.

NEUROXESS

en.neuroxess.com



NeuroXess, a leading Chinese Brain-Computer Interface (BCI) company, specializes in flexible electrode technology to decode brain signals, facilitating applications like motor and speech restoration. Driven by a mission to advance human cognition and foster AI collaboration, NeuroXess is dedicated to groundbreaking neurological solutions and building international partnerships for future innovation.

NIRX MEDIZINTECHNIK

nirx.net



PRECISION NEUROSCIENCE

precisionneuro.io



NIRx Medizintechnik GmbH is a leading provider of comprehensive solutions for functional near-infrared spectroscopy (fNIRS) research. Our non-invasive and user-friendly fNIRS technology enables the measurement of neural activity in the cortex and large-scale cortical networks, providing insights into the neural mechanisms underlying perception and cognition.

Our complete range of research solutions includes a versatile multimodal hardware platform, advanced online and offline analysis software, expert technical and scientific support, and comprehensive training programs. We are dedicated to supporting fNIRS researchers through our offices in Orlando, New York, and Berlin, Germany.

Whether you're investigating changes in neural activity during development, researching disorders and their treatments, or exploring new applications in neuroscience, NIRx has the expertise and solutions to help you achieve your research goals.

Precision Neuroscience is working to provide breakthrough treatments for the millions of people worldwide suffering from neurological illnesses. The company is building the only brain-computer interface designed to be minimally invasive, safely removable, and capable of processing large amounts of data. To learn more about how Precision is connecting human intelligence and artificial intelligence, visit precisionneuro.io.

SCIENCE ROBOTICS

www.science.org/ journal/scirobotics



Science Robotics is a multidisciplinary research journal covering traditional disciplines of robotics as well as emerging technologies closely related to robotics.

PARADROMICS



www.paradromics.com

Paradromics is building the highest data-rate brain-computer interface (BCI) platform. Its advanced neurotechnology captures brain activity at the highest resolution, the individual neuron. This rich brain data lays the foundation for boundless AI-enabled treatments for motor impairment, chronic pain, addiction, depression, and other mental health conditions. Paradromics' first clinical product, Connexus® BCI, is designed to help people unable to speak due to debilitating motor conditions communicate independently through digital devices.

SYNCHRON

synchron.com

synchron

Synchron, a brain interface platform company, is a leader in the field of implantable neural interface technology. The clinical-stage company is developing a neuroprosthesis for the treatment of paralysis and the first endovascular implantable neuromodulation therapy. Future applications may include the potential to diagnose and treat conditions of the nervous system, including Parkinson's disease, epilepsy, depression, and hypertension. Headquartered in New York City, Synchron has offices in Silicon Valley, California and R&D facilities in Melbourne, Australia.

TIANOIAO & CHRISSY CHEN INSTITUTE

www.cheninstitute.org



ZANDER LABS

www.zanderlabs.com



The Tiangiao and Chrissy Chen Institute (TCCI®) was created in 2016 by Tiangiao Chen and his wife Chrissy Luo, the founders of Shanda Group, with a US \$1 billion commitment to help advance fundamental brain research around the world. TCCI® created TCCI for Neuroscience at Caltech in 2016. In 2017. the couple created the Tiangiao Chen Institute for Translational Research, a partnership with the Zhou Liangfu Foundation, Huashan Hospital and Shanghai Mental Health Ctr. In October 2020, TCCI opened the Chen Frontier Lab for Applied Neurotechnology and the Chen Frontier Lab for AI and Mental Health opened in July 2021.

Zander Labs is a German-Dutch deeptech company, is at the forefront of passive Brain-Computer Interface (pBCI) and neuroadaptive technology. We are developing a user-friendly platform that uses pBCI technology to seamlessly integrate human cognition with computers and artificial intelligence. Our mission is to transform human-computer interaction (HCI) and cognitive Artificial Intelligence by driving a moonshot initiative. Our vision is to create a world where technology understands and learns from us and understands the world around us. This synergy between humans and machines is at the heart of our innovations to improve AI capabilities, increase productivity and enhance effectiveness.

WEARABLE SENSING



wearablesensing.com

Wearable Sensing is a rapidly growing neurotechnology company that specializes in developing wearable sensors for brain activity monitoring. Our patented Dry Sensor Interface (DSI) technology ensures high signal quality and artifact-free physiological monitoring in easy-to-use, mobile form factors. By facilitating brain activity monitoring in real-world environments, our practical EEG headsets are revolutionizing the neuroscience research field and enabling innovative applications across various commercial domains, such as neurorehabilitation, brain-computer interface (BCI), virtual reality, neurofeedback, neuromarketing, neuroeducation, and many more.

Research Session 1

Tuesday, June 3

2:00pm - 3:30pm

RS-1-1 Navigating the clinical trial pathway for implantable brain-computer interfaces: The COMMAND study

Thomas Oxley¹, Shahram Majidi², Raul Nogueira³, Elad Levy⁴, David Lacomis⁵, Amit Kandel⁶, Noam Harel², David Putrino², Douglas Weber⁷

¹ Synchron, ² Icahn School of Medicine at Mount Sinai, ³ University of Pittsburgh Medical Center, ⁴ State University of New York at Buffalo, ⁵ University of Pittsburgh, ⁶ University of Buffalo, ⁷ Carnegie Mellon University

Introduction: Implantable brain-computer interfaces (BCIs) can enable people with paralysis to control digital devices using decoded brain signals. Predominantly, implantable BCIs have required craniotomy to place penetrating or surface electrodes on the brain, with some of these systems depending on transcutaneous ports for connectivity, leaving components visible and outside of the body. The Synchron BCI is a fully implanted system delivered using a minimally invasive endovascular technique. Following a first-in-human study completed in Australia (SWITCH trial1; n=4 participants), we present the results of the COMMAND early feasibility study — the first FDA-approved trial of a permanently implanted BCI — along with key insights gained from the clinical trial pathway.

Material, Methods, and Results: The COMMAND study (ClinicalTrials.gov registration: NCT05035823) was a prospective, multi-center, single-arm, open label, early feasibility study (EFS) conducted under an investigational device exemption (G210178). The COMMAND EFS evaluated the safety and feasibility of the Synchron BCI in six participants with chronic severe bilateral upper limb paralysis. The primary endpoint was device related serious adverse events resulting in death or permanent increased disability. Secondary endpoints were device migration and target vessel patency. Additional outcomes explored BCI decoding of neural signals to generate 'digital motor outputs' for digital device control.

All six participants were successfully implanted with the endovascular BCI. Each participant met the primary study endpoint with no device related adverse events resulting in death or permanent increased disability during the one-year post-implant evaluation period. Additionally, there was preserved target vessel patency and no evidence of device migration at 3- and 12-months post-implant. Four out of six participants demonstrated consistent BCI decoding performance, enabling them to successfully perform various digital device control tasks throughout the one-year post-implant evaluation period. Of the remaining two participants: one experienced rapid progression of ALS leading to the withdrawal of life-sustaining care and the other encountered system signal artifacts, both of which impacted their ability to effectively use the BCI.

Conclusion: Endovascular access to brain regions for the placement of BCI sensors is an alternative to procedures requiring open-brain surgery. In addition to the favorable safety profile of endovascular procedures, the prevalence of angiography suites and neurointerventionalists capable of performing these procedures could promote wider and more rapid translation of BCI for people with paralysis. Results from the COMMAND EFS demonstrate early indication of safety and effectiveness of Synchron's endovascular BCI for participants with severe bilateral upper limb paralysis. Results and learnings from this study will contribute to the clinical translation of implantable BCIs via the clinical trial pathway.

References:

1. Mitchell, P. et al. Assessment of Safety of a Fully Implanted Endovascular Brain-Computer Interface for Severe Paralysis in 4 Participants: The Stentrode With Thought-Controlled Digital Switch (SWITCH) Study. JAMA Neurol 80, 270 (2023).

RS-1-2 The first BCI clinical trial for stroke neurorehabilitation in Latin America: The ReHand-BCI trial

Jessica Cantillo-Negrete¹, Martin Emiliano Rodriguez-Garcia², Paul Carrillo-Mora¹, Oscar Arias-Carrion³, Emmanuel Ortega-Robles³, Marlene Galicia-Alvarado¹, Raquel Valdes-Cristerna², Ana Guadalupe Ramirez-Nava¹, Claudia Hernandez-Arenas¹, Jimena Quinzaños-Fresnedo¹, Ma Del Refugio Pacheco-Gallegos¹, Norma Marin-Arriaga¹, Ruben Carino-Escobar¹

1 Instituto Nacional de Rehabilitacion, ² Universidad Autónoma Metropolitana, ³ General Hospital Manuel Gea Gonzalez

RS-1-3 Integrating BCI, FES, and social media for Rehabilitation of Upper Extremity Motor Function in Youth

Anna Bourgeois¹, Meghan Maiani¹, Araz Minhas¹, Brian Irvine¹, Ion Robu², Payton Shaw¹, Dejana Nikitovic ³, Zeanna Jadavji¹, Gregory Wilding², Nathan Brand², Mateo Ambrogiano², Emily Schrag¹, Nicole Romanow¹, Adam Kirton¹, Eli Kinney-Lang¹

¹ University of Calgary, ² Alberta Children's Hospital, ³ University of Alberta & University of Calgary

Introduction: Perinatal stroke can lead to lifelong physical disabilities, but even small improvements in function can significantly increase quality of life. There is a window of opportunity after perinatal stroke to harness brain plasticity to improve outcomes. However, current therapies are minimally effective, in part due to the boring, unengaging procedures required to achieve adequate repetitions that are not suited to children. The combination of functional electrical stimulation and brain computer interface (FES/BCI) has been shown to be effective for adults with stroke and hemiparesis and appears feasible in children. We designed a novel FES/BCI system that uses social media to better engage youth, called "FlickTok".

Methods and Results: The research protocol was informed through engagement with three youth patient partners with lived experience who developed and tested FlickTok. Each participant is fitted with a 16 channel EEG gel headset. The BCI training consists of 20 trials of attempted movement and rest which is then classified using a binary Riemannian Geometry based motor imagery classifier. After training is complete, participants can independently swipe through videos that are coordinated with FES. Data collected includes Cohen's Kappa and motor assessments of passive and active range of motion and the box and blocks (BB) test. Participants complete qualitative interviews to obtain enjoyability metrics to further improve the system. To date, 7 participants have completed at least one session. Early results indicate technical feasibility and increased enjoyability. Initial qualitative interviews have explored functional improvements and methodological changes that should be implemented in future studies. The BB assessment improved by 29% and 45% respectively after 3 sessions of FlickTok in 2 participants.

Conclusion: Informed by users, simple EEG-based BCI can be integrated with FES and social media to perform upper extremity rehabilitation in youth with hemiparesis. This pilot trial will inform the design of future clinical trials required to evaluate efficacy.

RS-1-4 From ECoG signals to cervical epidural electrical stimulation: Restoring arm and hand movements after a spinal cord injury

Thibault Collin¹, Ina Bianca Yu¹, Icare Sakr², Valeria Spagnolo³, Sergio Daniel Hernandez Charpak¹, Nadine Intering¹, Julie Hervé¹, Céline Deschenaux¹, Gaia Carparelli¹, Felix Martel⁴, Rémi Souriau⁴, Alice Bruel¹, Pedro Abranches¹, Nicolas Hankov¹, Grégory Dumont¹, Pierre Bessot⁵, Charlotte Jacquet⁵, Anne Watrin¹, Léa Bole-Feysot¹, Charles David Sasportes¹, Malo Simondin¹, Cathal Harte¹, Serpil Karakas⁴, Laure Coquoz¹, Vincent Rouanne¹, Federico Ciotti¹, Simon Dahan¹, Frédéric Merlos¹, Philippe Forrero¹, Rémy Tang¹, Andrea Galvez¹, Jean-Baptiste Ledoux⁶, Camille Haxaire¹, Carole Poulin¹, Fabio Becce⁶, Stefano Carda⁶, Viviana Aureli¹, Matthieu Bosquet⁷, Marina D'ercole⁵, Julien Dedelley⁵, Leonie Asboth¹, Robin Demesmeaker¹, Fabien Sauter⁷, Olivier Faivre⁴, Tetiana Aksenova⁶, Guillaume Charvet⁷, Jocelyne Bloch⁶, Gregoire Courtine⁶, Henri Lorach² ¹ NeuroRestore,² École Polytechnique Fédérale de Lausanne,³ University of Lausanne,⁴ Commissariat à l'énergie atomique et aux énergies alternatives,⁶ Onward Medical,⁶ Centre Hospitalier Universitaire Vaudois,⁷ Université Grenoble Alpes,⁶ Commissariat à l'Énergie Atomique et aux Énergies Alternatives,⁶ Defitech Center for Interventional Neurotherapies

A cervical spinal cord injury (SCI) disrupts the communication between the brain and the spinal cord, causing lasting impairments in arm and hand functions. Epidural Electrical Stimulation (EES) has been shown to enhance motor activity by stimulating large-diameter afferent fibers. Integrating EES with brain inputs through an artificial bridge offers the potential to further enhance recovery.

In this study, we developed a novel framework to restore voluntary control of arm and hand movements by creating an artificial bridge across the lesion. Participants with incomplete cervical SCIs were implanted with an electrocorticographic device over the sensory-motor cortex (WIMAGINE ECOG) and spinal cord arrays spanning across cervical levels, connected to pulse generators (ONWARD IPGs). We optimized electromyographic activity and induced kinematics using tailored stimulation parameters, developing a heuristic myotome to identify frequency preferences for motor neuron activation. We designed ECoG-based strategies and algorithms to decode participants' motor intentions, enabling state-specific modulation of EES parameters during two months of rehabilitation.

Our findings demonstrate the safety and feasibility of this system and highlight its potential to advance rehabilitation strategies for restoring voluntary motor function in individuals with cervical SCIs.

RS-1-5 Adaptive Closed-Loop Neurofeedback Brain-Computer Interface for Treatment of Laryngeal Dystonia

Jimmy Petit¹, Stefan Ehrlich¹, Garrett Tougas², Jacob Bernstein², Nicole Buie², Kristina Simonyan¹ ¹ Harvard Medical School,² Mass Eye and Ear

Introduction: Laryngeal dystonia (LD) is a task-specific focal dystonia characterized by involuntary spasms of laryngeal muscles that selectively impair the production of speech but not whispering, crying, or laughing. A recent EEG study [1] showed apparent differences in brain activity between speaking and whispering in LD patients compared to healthy individuals. In a double-blind, sham-controlled study, we aimed to build on the selectivity of speech impairment in LD for the development of a non-invasive adaptive closed-loop neurofeedback-based brain-computer interface (NF-BCI) for the treatment of this disorder.

Material, Methods, and Results: Eighteen LD patients participated in the study, divided into two groups: nine in the active condition and nine in the sham condition. The personalized EEG-based NF was displayed using the head-mounted virtual reality (VR) goggles and included real-life scenarios with various auditory and visual complexity and high vocal demand to elicit LD symptoms. Over five consecutive days, each patient participated in two one-hour NF-BCI sessions daily, during which they were trained to modulate abnormally increased EEG activity associated with impaired speaking to the levels associated with normal whispering. All patients assessed changes in their symptom severity after each session using a Likert-item questionnaire, ranging from -5, Worsened to +5, Improved. In addition, patients assessed their level of comfort, engagement, concentration, controllability, and responsiveness during NF-BCI sessions. Repeated-measures Friedman ANOVA corrected for ties was used to examine the differences in symptom severity and the overall performance during NF-BCI between the active and sham LD groups.

We found that patients who received active NF-BCI had a statistically significant improvement of their voice symptoms compared to patients who had sham NF-BCI (Chi2 = 9.99, p = 0.002). Patients with active NF-BCI had significantly greater controllability of NF-BCI than patients with sham condition (Chi2 = 10.05, p = 0.002) but had no difference in their comfort, engagement, concentration, or responsiveness during the training (all Chi2 \leq 2.6, p \geq 0.10).

Conclusion: By integrating personalized EEG modeling, neurofeedback, and VR, this first study of adaptive closed-loop BCI intervention in LD patients demonstrated the feasibility of the treatment of this disorder, opening new opportunities for patients with LD and other focal task-specific dystonias.

Acknowledgments and Disclosures: This study was funded by the grant R01DC019353 from the National Institute on Deafness and Other Communication Disorders, National Institutes of Health, to KS. No conflict of interest for any author relevant to this study.

References:

[1] S. K. Ehrlich, G. Battistella, and K. Simonyan, "Temporal Signature of Task-Specificity in Isolated Focal Laryngeal Dystonia," Movement Disorders: Official Journal of the Movement Disorder Society, July 2023, doi: 10.1002/mds.29557.

RS-1-6 Advancing speech BCIs towards conversational speeds in people with paralysis Kamran Hussain¹, Erin Kunz¹, Nick Hahn¹, Akansha Singh¹, Leigh Hochberg², Francis Willett¹, Jaimie Henderson¹

¹ Stanford University, ² Brown University

Intracortical speech Brain-Computer Interfaces (BCIs) have shown promise for restoring rapid communication for individuals with paralysis by decoding the neural representation of speech into text (Willett et al. 2023, Metzger et al. 2023, Card et al. 2024, Kunz et al. 2024). However, current speech BCI systems still operate at speech rates below that of typical speech, possibly because BCI participants naturally set their own pace at slower speeds (20-70 words per minute) that are approximately half that of natural conversational speech (160 words per minute) (Willett et al. 2023, Metzger et al. 2023, Card et al. 2024). We hypothesize that participants are speaking slower as a natural result of their dysarthria during articulation and vocalization. It remains unknown whether people with dysarthria can comfortably increase their speech rate when instructed to do so, and if so, whether decoding accuracy is affected by this change in preferred speech behavior. We tested the maximum speech rates achievable by BrainGate2 clinical trial participant T12, who has two 64-channel microelectrode arrays in speech motor cortex, using various verbal behaviors. Imagined speech reached conversational speeds (120-160 words per minute), while even attempted speech at higher instructed rates surpassed T12s typical pace (100 words per minute compared to her usual 60). We then tested how decoding performance varied across four attempted speaking rates using non-vocalized, mimed speech (attempted mouthed behavior): 15, 30, 60, and 120 words per minute. using an open-loop karaoke-style task (Figure 1b) to help T12 pace her speech. In offline evaluations with a limited 50-word vocabulary, we found that decoding accuracy decreased with increasing speech rate, with the optimum decoding accuracy occurring at 30 words per minute. (Figure 1c). Finally, we examined the neural correlates of speech rate and found sentences spoken at different rates were largely stretched or compressed versions of a consistent neural activity template. Encouragingly, these results suggest that, at least for the participant studied here, speaking rates can be increased substantially when instructed, and the resulting neural activity remains decodable (although accuracy declines). Additionally, the maximum speech rate for each verbal behavior indicates imagined behaviors can achieve average conversational rate while potentially being less tiring and uncomfortable, though trade-offs with decoding accuracy will need to be addressed.

Research Session 2

Thursday, June 5

2:00pm - 3:30pm

RS-2-1 Speech decoding performance is influenced by perceiving auditory feedback or not: Implications for locked-in individuals

Anouck Schippers¹, Julia Berezutskaya¹, Zac Freudenburg¹, Erik Aarnoutse², Mathijs Raemaekers¹, Mariska Vansteensel¹, Nick Ramsey²

¹ UMC Utrecht Brain Center, ² University Medical Center Utrecht

RS-2-2 Combatting percept adaptation to intracortical microstimulation in humans

Taylor Hobbs¹, Charles Greenspon², Michael Boninger¹, Robert Gaunt¹

¹ University of Pittsburgh, ² University of Chicago

Introduction: Without tactile sensation, even simple, everyday tasks become nearly impossible [1]. Intracortical microstimulation (ICMS) in the human somatosensory cortex (S1) can restore tactile sensations by using electrical stimulation to activate sensory neurons in the brain that would normally respond to touch [2]. Typically, ICMS trains consist of unmodulated single-channel stimulation with a constant amplitude and frequency. These stimuli evoke vivid tactile percepts originating from the participants' own hands. Unfortunately, the perceived intensity of these sensations can rapidly decrease during stimulation, falling below the perceptual threshold in tens of seconds [3]. Desensitization may occur, in part, because these ICMS trains do not resemble naturally evoked neural activity.

Material, Methods and Results: Two microelectrode arrays were implanted in both the motor and somatosensory cortices of 3 participants with tetraplegia as part of a clinical trial (NCT01894802). We designed two ICMS encoding schemes leveraging biological principles: biomimetic ICMS, which mimics natural spatiotemporally modulated neural activity, and interleaved ICMS, which takes advantage of overlapping sensory fields to distribute stimulation across multiple electrodes. For biomimetic ICMS, we co-modulated frequency and amplitude (40 to 80 μ A at 100 to 200 Hz) with a large but brief (200 ms) onset and offset transient stimulation bursts. For interleaved ICMS we used four electrodes with overlapping projected fields and cycled through each electrode using 200 ms of ICMS at 40 μ A at 100 Hz, parameters that were above threshold for each of the four electrodes. To test percept resiliency, participants either watched a clock face and were asked to report how long the sensation lasted or used a tablet to continuously report the stimulation intensity. Stimulation durations were randomly chosen from 1 to 180 s intervals. Preliminary results show that unmodulated ICMS led to rapid adaptation, biomimetic stimulation increased the perceived duration, and interleaved ICMS completely eliminated percept adaptation (see Fig. 1, n = 7 electrodes). In fact, sensations from interleaved ICMS could be reliably felt for over a minute.

Conclusion: These experiments demonstrate that both biomimetic and interleaved ICMS encoding schemes greatly extend the perceived sensation duration compared to traditional unmodulated stimulation. These improvements likely arise from dynamic and distributed stimulation patterns, which may reduce neural adaptation. Notably, biologically inspired ICMS overcomes a critical limitation for the practical use of ICMS in restoring sensation, providing reliable and uninterrupted sensory percepts for neuroprosthetics. Future experiments will expand these experiments to additional electrodes and participants.

Acknowledgements and Disclosures: This work was supported by NIH UH3NS107714 and NDSEG Fellowship. RG is on the advisory board of Neurowired and previously consulted for Blackrock Neurotech.

References:

- [1] R. S. Johansson, "Hand and Brain," Part 5 Sensorimotor Hand, pp. 381–414, 1996, doi: 10.1016/b978-012759440-8/50025-6.
- [2] S. N. Flesher et al., "Intracortical microstimulation of human somatosensory cortex," Sci Transl Med, vol. 8, no. 361, 2016, doi: 10.1126/scitranslmed.aaf8083.
- [3] Hughes, Christopher L., Sharlene N. Flesher, and Robert A. Gaunt. "Effects of stimulus pulse rate on somatosensory adaptation in the human cortex." Brain stimulation 15.4 (2022): 987-995.

RS-2-3 The variability of EEG spectral measures in MCS: Towards a multidimensional characterization of the awareness fluctuations

Ilaria Quattrociocchi¹, Angela Riccio², Valentina Caracci¹, Valentina Galiotta², Mariagrazia D'ippolito², Emanuela Rotondo¹, Floriana Pichiorri², Febo Cincotti¹, Jlenia Toppi¹, Donatella Mattia²

¹ Sapienza University of Rome, ² Fondazione Santa Lucia

The Minimally Conscious State (MCS) is a clinical condition included within the spectrum of Disorders of Consciousness characterized by fluctuating and inconsistent retrieval of awareness. In the present study, the phenomenon of fluctuations in MCS was investigated in terms of the variability over time of multiple spectral EEG parameters extracted during a monitoring protocol from 21 MCS patients. The fluctuations were characterized as the area of the variability coefficients of the spectral indices. This measure provided a concise and robust description of the variability of the spectral indices and was correlated to the clinical severity of the disorder, thus representing a promising tool to identify and characterize fluctuations in MCS patients in order to facilitate the implementation of BCI-based systems.

RS-2-4 Star-Burst paradigm: Implementation of an "invisible" dry-EEG reactive BCI

Jules Gomel¹, Frédéric Dehais¹, Pietro Cimarosto¹, Kalou Cabrera Castillos¹, Juan Jesus Torre Tresols¹

Institut Supérieur de l'Aéronautique et de l'Espace

Code Visually Evoked Potentials (c-VEP) have become increasingly popular in the rBCI community, leveraging pseudo-random visual flickers that offer shorter calibration times compared to Steady State VEP [1]. However, the application of c-VEP-based reactive BCIs has largely remained confined to laboratory settings due to the reliance on wet EEG systems and synchronous paradigms with fixed decoding times. To address these challenges, our team used innovative repetitive visual stimuli called StAR (Stimuli for Augmented Response). These stimuli are engineered with specific, mostly invisible textures that elicit neural responses ranging from retinal ganglion cells (contrast detection) to visual cortex cells (orientation selectivity) [2]. Our StAR stimuli are activated using a burst-code VEP paradigm, featuring brief, aperiodic visual flashes presented at a slower rate of three flashes per second. This approach elicits stronger visual evoked responses compared to traditional maximum length sequences [3]. Each stimulus (e.g., a letter or digit) is presented with its own unique pseudo-random code comprising an alternating sequence of '1' (on) and '0' (off). This innovative approach dramatically reduces calibration time to under one minute, as the algorithms only need to differentiate brain responses to the presence (visual ERP) or absence of a flash (no visual ERPs).

The online StAR-Burst rBCI was developed using Timeflux framework [4]. This system was specifically designed for an 11-class classification task to predict participants' attention in real time based on visual stimuli. It utilizes a combination of XDawn spatial filtering and Riemannian-based tangent space classifiers for optimal performance. The 11 commands corresponding to the T9 keypad were encoded using 11 unique burst codes [3], carefully designed to maximize discrimination between commands. The classification pipeline was followed by a correlation-based accumulation method, allowing flexible, self-paced decoding time. Eighteen participants were equipped with an 8-channel dry EEG system (Enobio), with electrodes placed over the occipital and parieto-occipital cortex areas (PO7, O1, Oz, O2, PO8, PO3, POz, PO4) to capture visually evoked potentials (VEPs). They underwent an 40-second calibration procedure before performing an online T9 pinpad self-paced task consisting of 10 sequences, each containing four targets, resulting in a total of 40 targets per participant. The StAR-Burst rBCI demonstrated high performance, achieving a mean

accuracy of 96.3% (SD = 4.79) and a mean decoding time of 4.2 seconds (SD = 5.5). A video showcasing the BCI can be seen here https://nextcloud.isae.fr/index.php/s/dxLqYXRAMEep98C.

Collectively, these findings highlight the transformative potential of StAR-Burst paradigm driving the evolution to make BCIs more user friendly and efficient. Our implementation achieved high accuracy levels with a dry EEG system, requiring only minimal calibration data (40s). This paradigm, characterized by comfort and subtle perceptibility in peripheral vision, show potential for applications in various reactive BCI paradigms such as P300 speller, SSVEP, and oddball-based BCI. The application of the proposed StAR approach may be extended beyond technological innovation to fundamental cognitive neuroscience research, providing a valuable avenue for exploring cognition.

RS-2-5 An Evoked Potential of Vection using Passive Brain-Computer Interfaces

Gael Van Der Lee¹, Anatole Lécuyer², François Cabestaing¹, Reinhold Scherer³, Hakim Si-Mohammed¹

¹ Université de Lille,² Institut National de Recherche en Informatique et en Automatique,³ University of Essex

Introduction: Vection, the illusion of self-motion induced by visual stimuli, is a key aspect of user experience in Virtual Reality (VR), influencing both presence and cybersickness. Traditional vection measurements rely on subjective questionnaires, which are limited by their nature and inability to provide real-time. This work investigates the presence of vection markers in electroencephalogram (EEG) brain signals, specifically focusing on evoked potentials (EPs) in response to visual acceleration. Identifying an objective, real-time measure of vection can be highly impactful for adaptive passive BCI systems.

Material, Methods and Results: We designed a VR experiment that induced vection using two conditions: (1) forward acceleration (FA_1) and (2) backward acceleration (BA_1). Thirty participants experienced these accelerations while EEG signals and subjective vection reports were recorded. Participants rated their vection experience on a four-point Likert scale: "No Vection" (NV, perceived object-motion), "Weak Vection" (WV, mostly object-motion with slight self-motion), "Moderate Vection" (MV, mostly self-motion with slight object-motion), and "Strong Vection" (SV, perceived self-motion only). A novel evoked potential of vection was identified, characterized by a positive peak around 600 ms (P600) after stimulus onset in the parietal region (electrodes CP1, CPz, CP2) and a simultaneous negative peak in the frontal region (electrodes F1, Fz, F2). This EP is significantly different between trials where participants reported a strong sensation of self-motion (SV) versus trials where they reported weak or no self-motion (NV & WV). We also observed alpha suppression during perceived self-motion, replicating prior findings. The specific signal found is shown in the attached figure.

Conclusion: This study reveals a novel evoked potential of vection, occurring approximately 600ms after the onset of visual acceleration. This marker, distinct between trials with strong and weak/no vection, provides an objective and real-time measure of subjective user experience. This finding has implications for the automatic detection of vection and enabling VR environments to adapt to individual user experiences, such as implementing cybersickness mitigation techniques when vection is detected. This paves the way for a deeper understanding of the neural mechanisms underlying vection and passive BCI applications.

Acknowledgments and Disclosures: This research was funded by the European Union ERA-NET CHIST-ERA 2020 (CHIST-ERA-20-BCI-003 "GENESIS") and the French Research Agency (ANR-21-CHRA-0001-01). The authors declare no conflicts of interest.

RS-2-6 Long-term stability and performance of stimulation and recording in a human participant over 2,800 days

David Bjånes¹, Sean Darcy¹, Luke Bashford², Kelsie Pejsa¹, Brian Lee³, Charles Liu³, Richard Andersen¹
¹ California Institute of Technology,² Newcastle University,³ University of Southern California

Flash Talks #1

Tuesday, June 3

3:30pm - 3:45pm

FT-1-1 µECoG Array with 3,072 Electrodes for High-Density and Large-Area Cortical Recordings Based on Scalable Thin-Film Electronics

Paoline Coulson¹, Sofie Luijten², Florian De Roose³, Kris Myny⁴, Jan Genoe⁴, Sebastian Haesler²

¹ Katholieke Universiteit Leuven,² Neuro-Electronics Research Flanders,³ Interuniversity Microelectronics Centre,⁴ KU Leuven

Introduction: Large-scale neural implants, involving hundreds of electrodes and spanning multiple cortical areas, are emerging in clinics and neuroscience laboratories [1][2], however their accessibility remains limited. These technologies are based on cutting-edge flexible materials and rely on advanced integrated circuits for their acquisition, and therefore are only produced in research environments at high costs. We propose a novel system, including an industrially manufactured multi-thousand channel µECoG implant, and a commercially available acquisition tool, resulting in a full neural implant solution, easily integrated in any laboratory environment.

Material, Methods and Results: Our μECoG can simultaneously record neural signals in the 1-200 Hz ECoG bandwidth, with3,072 multiplexed electrodes. The embedded metal-oxide thin-film transistors used to switch between electrodes have previously been established by our group [3], and are now being manufactured in an industrial foundry. Moreover, we have shown their biocompatibility according to ISO standards [3]. Their new low-cost and rapid production yields scaled devices, optimized for high conformability to the brain tissue with an 18 μm thick polyimide substrate. High resolution and very high-density is achieved through iridium electrodes with 200 μm pitch and customizable size between 30*30 and 100*100 μm². We have developed a small headstage and flexible connectors which enable a smooth implantation of the devices. Interfacing printed circuit boards (PCBs) were designed to achieve a compact system connecting to a carefully selected standard acquisition tool for electrophysiology laboratories. Demultiplexing of the signals is performed in near real-time enabling monitoring of the signals during recordings. In-vivo experiments have shown the capability of the implant to delineate whisker movements in the somatosensory cortex of rodents and has revealed dynamics across several cortical areas.

Conclusion: The accessible µECoG system developed in this work yields unparalleled high-density recordings over large areas of the cortex. Thanks to its industrial production, the number of electrodes could be drastically increased compared to state-of-the-art implants and enables the rapid and low-cost manufacturing of the devices. Multi-thousand channel implants thus become easily accessible and can help push the boundaries of neuroprostheses.

References:

Benabid AL, et al. An Exoskeleton Controlled by an Epidural Wireless Brain–Machine Interface in a Tetraplegic Patient: A Proof-of-Concept Demonstration. In The Lancet Neurology 18, no. 12: 1112–22, 2019.

Moses DA, et al. Neuroprosthesis for Decoding Speech in a Paralyzed Person with Anarthria. In New England Journal of Medicine 385, no. 3, 2021.

Londoño-Ramírez H, Huang X, Cools J, Chrzanowska A, Brunner C, Ballini M, Hoffman L, Steudel S, Rolin C, Mora Lopez C, Genoe J, Haesler S. Multiplexed Surface Electrode Arrays Based on Metal Oxide Thin-Film Electronics for High-Resolution Cortical Mapping. In Advanced Science, 11, 2308507, 2024.

FT-1-2 Mitigating EEG Non-Stationarity in Multi-Session MI BCI with Autoencoder Denoisers

Yoav Noah¹, Oren Shriki¹

¹ Ben-Gurion University

A fundamental challenge in motor imagery (MI) brain-computer interfaces (BCIs) is related to the non-stationary nature of brain signals. This inherent variability undermines the performance of classifiers, as models trained on data from one session often fail to generalize effectively to subsequent sessions. Traditionally, addressing this issue requires recalibrating the model for each session, a labor-intensive process that limits the scalability and practical deployment of BCIs in real-world applications.

FT-1-3 Closed-loop error damping in human BCI using endogenous modifications in motor cortex activity

Camille Gontier¹, Nicolas Kunigk¹, William Hockeimer¹, Edgar Canario¹, Linnea Endsley², John Downey², Jeffrey Weiss¹, Brian Dekleva¹, Jennifer Collinger¹

¹ University of Pittsburgh, ² University of Chicago

Introduction: The motor cortex is known to encode motor intents, carrying rich information about movement kinematics. Interestingly, motor cortex activity also includes an error signal, i.e. a neural correlate of erroneous motor control that does not align with the movement goal. This error signal could potentially be leveraged during real-time BCI control, to detect a discrepancy between the decoded movement and the user's intent and to perform on-the-fly error correction. Previous studies have been able to identify a neural correlate of such periods of erroneous motor control to perform on-the-fly detection of BCI control in monkeys. However, whether this signal is sufficiently robust to be used in human applications, and can generalize across realistic tasks, is still unknown. Here, we train a classifier to detect periods of erroneous motor control based on intracortical recordings from motor cortex, and use it to perform real-time error detection and control signal modulation in different BCI tasks with human participants.

Material, Methods and Results: We obtained intracortical data from 3 human participants (C2, P2, and P4) who were asked to perform a BCI 2D cursor control center-out task. Participants provided informed consent prior to enrolling in a clinical trial of an intracortical sensorimotor BCI that was approved under an FDA Investigational Device Exemption (NCT01894802). We trained a classifier to detect periods of erroneous control using data collected while the participants performed the center-out task, where "error" was defined as an increasing distance between the cursor and the target. Crucially, neural features immediately preceding the onset of an error (and which represent endogenous activity rather than responses to visual feedback) are also included in the training set, allowing earlier error detection. Then, in subsequent testing blocks, whenever the detected error probability reached a defined threshold, the system performed error modulation by reducing the decoded velocity, hence preventing the cursor from moving further away from its target. Error modulation significantly improved BCI performance on a variety of performance metrics. In individual participants, we demonstrated improved performance when applying error modulation to a more realistic and multidimensional click and drag task and to the precision task from the recent Cybathlon BCI competition, where stability is especially critical to performance.

Conclusion: Results show that motor cortex activity is significantly modified during erroneous control, and that this neural signature can be leveraged to minimize errors, hence improving BCI performance.

Acknowledgments and Disclosures: This project was supported by the Swiss NSF (grant P500PM 210800) and by the NINDS (award numbers R01NS121079 and UH3NS107714). BD and JW serve as consultants for Blackrock Neurotech, Inc.

FT-1-4 Decoding of Lower-Limb Movement Intent from Scalp Electroencephalography (EEG) in Children

Ayman Alamir¹, Jose Contreras-Vidal¹

¹ University of Houston

Introduction: Brain-computer interfaces (BCIs) can be used to decode movement intent from brain signals and, thus, provide a direct communication link with external virtual or physical machines such as computers, exoskeletons or prosthetic limbs. Those signals can also be utilized to promote neuroplasticity in the central nervous system to recover motor functions. Although rehabilitation-based BCIs have been broadly applied to the adult population and showed promising results, these adult-optimized BCIs might not work well for the pediatric population. In a systematic review of children BCIs, Orlandi et al. found that only 12 publications published between 2008 and 2021 reported BCI performance. Out of those studies, only one non-invasive study addressed mobility, indicating the need for more studies in this field.

Material, Methods and Results: Two experiments were conducted. The first experiment (Cued Dataset, N=5, Age: 7.6 ± 2.3 years; single session tasks: visually-cued sit-stand transitions and walk-stop locomotion with at least 20 of each) involved visual cues to indicate the start of movement, which can be suitable for synchronous BCIs. The second experiment (Self-initiated Case Study, N=1, Age: 12 years, a total of 12 sessions collected in a course of seven weeks, Task: volitional sit-stand transitions and walk-stop locomotions with at least 20 of each) was self-triggered in terms of timing of movement and its category (Sit/Stand/Walk), which is appropriate for asynchronous BCIs. Acquisition of Electroencephalography (EEG) and electromyography (EMG) data was synchronized. To characterize EEG, the time-locked signals were processed for offline analysis. To close the loop and implement a real-time BCI, two types of state-dependent classification models were built for decoding movement intent from EEG and predicting the next transition. Two pipelines for pre-processing EEG data before utilizing them as an input to neural networks for classification were tested: one with the adaptive noise cancelling H-infinity filter, and the other with an ICA-based spatial filter designed to decompose EEG into independent sources. The convolutional neural networks implemented for training, validation, and real-time testing are composed of normalization, 1-D temporal convolution, rectifying linear unit, self-attention, fully connected, and SoftMax layers. Sensitivity analysis was performed with the input to the neural networks altered in terms of duration, frequency, and channels. For the offline analysis, movement related cortical potentials are observed clearly, especially in the channels closer to the central areas. Event-related spectral perturbation analysis indicates that all movement classes show a large decrease in power in the δ band. Moreover, an increase in power in the lower δ band starts to appear about one second before the movement onset. ICA and EEG dipole source localization investigation revealed the involvement of Brodmann Areas 6 and 8, areas known for their roles in motor planning, learning, and control. The sensitivity test results highlight the significance of the δ -band and window duration of 2 seconds for decoding. To investigate the capability of decoders to detect movement intent from single trials coming from completely an unseen session, models were trained on data from sessions 1 through 11 of the Case Study and tested on session 12. Overall, the mean F1-Score of the Seated Model was 0.80 (chance level≥0.5) whereas it was 0.54 for the Standing Model (chance level≥0.3).

Conclusion: This study demonstrates the feasibility of using EEG signals to predict movement intent in children for synchronous and asynchronous BCIs. EEG preceding movement onset was characterized in time, frequency, and IC domains. A prototype BCI based on the outcomes of this research was developed and evaluated. The findings of this research could substantially assist in developing pediatric BCIs that are capable of controlling walking exoskeletons and, consequently, improving their users' motor control. This work also promotes access of BCI systems to pediatric populations.

Acknowledgments and Disclosures: Funded in part by NSF IUCRC BRAIN award #2137255 and a doctoral fellowship offered to ASA by Jazan University.

Flash Talks #2

Thursday, June 5

3:30pm - 3:45pm

FT-2-1 Decoding of Directional Auditory Attention Shifts in Multi-Talker Environments Using EEG Alpha Power

Gabriel Ivucic¹

¹ University of Bremen

Introduction: Selective auditory attention refers to the ability to focus on relevant sound sources in environments with competing noises, known as the cocktail-party effect. Although previous work has established that attentional selection of speakers can be decoded from EEG, attention switching between speakers is less well studied under realistic, conversation-like conditions. This study investigates auditory attention switching in a multi-talker environment, focusing on neural changes associated with switching attention and decoding the switching direction from EEG.

Material, Methods and Results: We conducted an experiment in a simulated multi-speaker setting with 20 participants, who selectively attended to one of two target speakers (at -30° and 30° in front of the participant), and switched between them during turn-taking exchanges while ignoring 2 background distractor speakers (at -90° and 90°). EEG data were recorded during 36 trials, each lasting approximately 70 seconds and consisting of 4 natural speech segments with 3 exogenous attention switches in between. After manual trial exclusion, ICA, and channel interpolation, we analyzed alpha power progression within a ±12-second window around the switch. Reduced parietal alpha was observed immediately following attention switches, peaking around 2 seconds post-switch and returning to baseline after 5 seconds (Figure 1). Separating the data by shifts in attention to the left or right and averaging alpha power over 5-second pre- and post-event windows revealed an ipsilateral parietal alpha reduction corresponding to the direction of attention switching (p < 0.05, Bonferroni corrected for 62 channels, Wilcoxon signed-rank test), consistent with previous findings. To test whether attention-switching direction could be decoded from these alpha power deflections, a subject-dependent linear discriminant analysis (LDA) with 5-fold cross-validation was performed on 5-second post-event windows. The LDA achieved an average accuracy of 87.4% (SD: 2.48%), as shown in Figure 2, significantly exceeding the binomial confidence interval upper limit of 60.47% for each participant (p = 0.51, n = 108 samples).

Conclusion: EEG analysis revealed alpha power changes in parietal regions linked to the direction of attention switching. LDA classification showed high accuracy in decoding the direction of auditory attention shifts. These results advance the understanding of the neural basis of auditory attention in multi-talker scenarios, supporting the development of attention-based brain-computer interfaces and smart hearing aid technologies.

FT-2-2 Decoding gestures from intracortical neural activity in ventral precentral gyrus

Elizaveta Okorokova¹, Tyler Singer-Clark¹, Nicholas Card¹, Carrina Iacobacci¹, Hamza Peracha¹, Leigh Hochberg², David Brandman¹, Sergey Stavisky¹

¹ University of California, Davis, ² Brown University

Introduction: Intracortical brain-computer interfaces (iBCIs) can restore communication for individuals with paralysis by decoding their motor intent from neural signals and performing computer actions. Recently, we showed that precentral gyrus encodes a broad range of body movements/gestures and speech in a widely distributed manner [1,2]. Following this observation, in this study we integrated gesture decoding with computer cursor control driven by electrodes in ventral (speech) motor cortex with the goal of introducing discrete assistive computer actions, such as mouse right-click, scroll, copy/paste, etc. into an existing multimodal cursor and speech neuroprosthesis framework.

Material, Methods and Results: One participant with ALS was implanted with 4 Utah arrays in precentral gyrus (areas 4, 6v and 55b) [3,4]. We first collected a dataset examining the neural representation of 60 broadly sampled body movements, with a specific focus on hand and face (Figure 1a). Neural responses exhibited distinguishable signatures for most attempted body movements (Figure 1b), and these movements could be reliably decoded from the neural data (Figure 1c). Next, we selected a set of 2, 3, or 4 movements and asked the participant to perform a multi-gesture cursor and click task, in which the participant moved a cursor towards a target and then attempted a cued gesture to select it (Figure 1d). We observed significant neural modulation to both cursor direction and attempted gesture. Signals from all arrays contributed significantly to gesture decoding (Figure 1e). Cursor movement and gestures were decoded in real time as described in [3], and the participant achieved closed-loop decoding accuracy of 91%, 89% and 80% for 2, 3 and 4 gestures, respectively.

Conclusion and future work: We showed that gestures can be decoded from neural activity in cortical areas 6v, 4 and 55b in a closed-loop task. Next, we will integrate gesture decoding into personal computer use to allow flexible and intuitive mapping between attempted gesture and computer actions.

Acknowledgments and Disclosures: We thank participant T15 and his family for their valuable time and contribution to science. S.D.S. is a scientific advisor to Sonera, D.M.B. is a surgical consultant to Paradromics, L.R.H. is a consultant to Paradromics, Neuralink, Synchron, Axoft, Precision Neuro, Reach Neuro, Blackrock Neurotech. T.S-C, S.D.S and D.M.B have patents and/or patent applications.

References:

- [1] Deo, D. R., Okorokova E.V., et al. A mosaic of whole-body representations in human motor cortex. 2024.09.14.613041. Preprint at https://doi.org/10.1101/2024.09.14.613041 (2024).
- [2] Vargas-Irwin C. et al. Gesture encoding in human left precentral gyrus neuronal ensembles. 2024.08.23.608325. Preprint at https://doi.org/10.1101/2024.08.23.608325 (2024).
- [3] Singer-Clark, T. et al. Speech motor cortex enables BCI cursor control and click. 2024.11.12.623096 Preprint at https://doi.org/10.1101/2024.11.12.623096 (2024).
- [4] Card, N. S. et al. An Accurate and Rapidly Calibrating Speech Neuroprosthesis. New England Journal of Medicine 391, 609–618 (2024).

FT-2-3 A multifunctional speech and movement intracortical brain-computer interface for communication

Samuel Nason-Tomaszewski¹, Yunnuo Zhang², Anna Pritchard³, Brandon Jacques³, Yahia Ali³, Mattia Rigotti-Thompson³, Payton Bechefsky¹, Leigh Hochberg⁴, Nicholas Au Yong³, Chethan Pandarinath³

¹ Coulter Department of Biomedical Engineering, Emory University and Georgia Tech, Atlanta, GA, USA, ² Georgia Institute of Technology, ³ Emory University & Georgia Institute of Technology, ⁴ Brown University

Introduction: Intracortical brain-computer interfaces (iBCIs) have enabled people with tetraplegia or dysarthria to control computer cursors and communicate rapidly with high performance. However, with recent evidence that movements of any body part are represented everywhere in precentral gyrus (PCG), a common iBCI implant target, it remains unknown whether a person can use multiple iBCI functions simultaneously. Here, we explore whether a person with tetraplegia and dysarthria can use brain-to-text (via attempted speaking) and cursor control (via intended hand movements) iBCIs simultaneously.

Material, Methods and Results: We recorded spiking activity from participant T16 (BrainGate2, ClinicalTrials. gov: NCT00912041), a 52 year old female with chronic tetraplegia and dysarthria due to a pontine stroke. We placed four 64-channel NeuroPort intracortical microelectrode arrays: two in dorsal PCG (hand knob, putative area 6d via Human Connectome Project cortical parcellation), one in ventral PCG (speech, putative area 6v), and one in middle PCG (putative areas PEF/55b). T16 performed variations of an instructed-delay radial target task that included miming (attempted mouthing without vocalization) and finger movement components (her preferred imagery for cursor control). In an open-loop form of the task, T16 attempted finger movements to follow a cursor's trajectory to one of 5 targets (up. down, left, right, or no movement). during which an intermediate target was presented with one of five speaking conditions (say "bring," "help," "nurse," "where", or say nothing). The intermediate target cued T16 to mime the indicated word when the cursor hit it, motivating simultaneous speech and movement. Peri-stimulus time histograms (PSTHs) and cross-validated signal-to-noise ratios (cvSNRs; measure separability relative to "do nothing"; 0 means no separability) showed arrays strongly preferred the behavior expected by somatotopy. Ventral PCG electrodes were strongly modulated to miming and not movement (2.61 and 0.751 cvSNR, respectively) and dorsal PCG electrodes were strongly modulated to movement and not miming (1.68 and 0.845 cvSNR, respectively), both as expected. Perhaps surprisingly, middle PCG electrodes were modulated for both miming and movement (2.00 and 1.64 cvSNR, respectively). In a closed-loop form of the task involving 8 targets and words from a 125k-word vocabulary, we found controlling the cursor while miming yielded minutely, yet significantly higher total acquisition times (2.59s without miming vs. 2.98s with, p < 0.01) and an insignificant increase in phoneme error rate (55% without cursor vs. 60% with, p = 0.04). With substantial distinction between cursorand miming-related control signals. T16 was able to complete a simultaneous speech and cursor control task which involved using the speech BCI to write sentences generated from a 125k-word vocabulary and using the cursor to select any words the speech BCI predicted incorrectly.

Conclusion: These results provide promising evidence that iBCI users may be able to control multiple functions simultaneously during unstructured personal use.

Acknowledgments and Disclosures: The authors would like to thank participant T16 and her family and care partners for their contributions to this research, as well as Y. Bamps, H. Rashid, C. Spellen, M. Masood, D. Rosler, and B. Davis for administrative and clinical research support. This work was supported by NIH DP2NS127291, F32HD112173, T32EB025816, and U01DC017844 and Veterans Affairs RR&D A2295-R. The Massachusetts General Hospital (MGH) Translational Research Center has a clinical research support agreement (CRSA) with Axoft, Neuralink, Neurobionics, Paradromics, Precision Neuro, Synchron, and Reach Neuro, for which LRH provides consultative input. LRH is a non-compensated member of the Board of Directors of a nonprofit assistive communication device technology foundation (Speak Your Mind Foundation). Mass General Brigham (MGB) is convening the Implantable Brain-Computer Interface Collaborative Community (iBCI-CC); charitable gift agreements to MGB, including those received to date from Paradromics, Synchron, Precision Neuro, Neuralink, and Blackrock Neurotech, support the iBCI-CC, for which LRH provides effort. CP is a research scientist at Meta (Reality Labs).

FT-2-4 Bimanual BCI: Combining a brain-controlled hand exoskeleton with the functional limb

Satyam Kumar¹, Kanishka Mitra², Ruofan Liu¹, Hussein Alawieh¹, Akhil Surapaneni¹, Ashish Deshpande³, José Del R. Millán¹

¹ University of Texas at Austin, ² Massachusettes Institue of Technology, ³ Universiy of Texas

Brain-controlled robotic systems have demonstrated promise as personalized assistive tools [1]. Yet current BCIs largely focus on unilateral exoskeletons for basic functions [2], offering limited utility in real-world tasks demanding bilateral coordination. This is critical for individuals with unilateral motor impairments, who could combine a BCI-controlled exoskeleton for the affected limb with overt motor actions of the healthy limb. Although the motor cortex supports simultaneous movements, non-invasive electroencephalogram (EEG)-based BCIs remain understudied in this context [3]. Here we show that a BCI decoder trained on a unimanual task can be reliably transferred to more complex bimanual tasks without requiring bimanual-specific calibration.

Poster Author Index

Name	Poster Numbers
Aarnoutse, Erik	P3-A-11, P3-A-08, P3-B-22, P3-A-13, P3-B-20, P3-A-19, P2-A-15
Abbasiasl, Reza	P2-D-49
Abou-Zeid, Hatem	P2-G-60, P1-F-71
Abranches, Pedro	P1-B-26
Acosta, Alex	P1-A-05, P1-A-07, P1-B-29, P1-A-08, P1-A-11
Adams, Kim	P2-H-86, P3-D-60, P2-H-79
Adeli, Behtom	P2-G-62
Agudelo-Toro, Andres	P1-A-04
Ahn, Minkyu	P1-F-74
Ajiboye, A. Bolu	P2-A-12, P1-A-20
Akcakaya, Murat	P1-F-66, P3-D-51, P1-A-10
Aksenova, Tetiana	P1-A-02, P1-B-23, P1-B-26, P2-A-18, P3-B-29
Alamir, Ayman	P1-D-31
Alamri, Ali	P1-A-13
Alawieh, Hussein	P3-E-66
Alencar Tomaz, Lorenzo	P1-F-70
Alexander, Kevin	P3-D-64
Ali, Yahia	P3-A-02
Alimardani, Maryam	P2-D-42, P2-G-73
Allcroft, Shane	P1-A-05, P1-A-07, P1-B-29, P1-A-08
Allison, Brendan	P2-H-78
Alsubaie, Munirah	P1-D-44
Alvarez, George A.	P2-G-71
Ambrogiano, Mateo	P1-D-30
Andersen, John	P2-H-79, P3-D-60
Andersen, Richard	P2-D-35, P3-A-15, P3-A-01
Anderson, John	P3-E-73
Angle, Matthew	P1-A-01
Angrick, Miguel	P2-C-25, P3-B-25, P3-B-31

Name	Poster Numbers
Aras, Berat	P2-G-73
Argelaguet, Ferran	P1-D-42
Arias-Carrion, Oscar	P1-E-65
Arnd Coenen, Volker	P3-B-23, P1-A-19
Artuso, Joseph	P2-D-44
Arvis, Clément	P1-A-14
Asboth, Leonie	P1-B-26
Aswegan, Sarah	P2-G-69
Au Yong, Nicholas	P3-A-02
Aubert, Marc	P1-A-14
Aureli, Viviana	P1-B-26
Baha Ben Ticha, Mohamed	P1-A-14
Bahari, Hosein	P3-E-73
Baker, Sarah	P3-E-71, P1-D-46, P3-H-85
Barbu, Andrei	P2-G-68
Barnfather, Alison	P3-H-81, P3-H-82
Barth, Katrina	P2-C-25, P3-B-25
Bashford, Luke	P3-B-34, P2-H-81, P2-A-19, P3-A-15, P3-A-01
Bauer, Amy	P3-E-71, P1-D-46, P3-H-85
Bauersfeld, Sean	P3-D-58
Becce, Fabio	P1-B-26
Bechefsky, Payton	P3-A-02
Behboodi, Mohammadreza	P1-F-71
Bekius, Annike	P3-A-11, P3-A-08
Bennett, James	P3-A-10
Benyamini, Miri	P1-E-58
Berezowski, Aleksander	P1-E-63, P3-E-78
Berezutskaya, Julia	P2-A-03, P3-B-22, P2-A-08, P2-C-21, P3-A-06, P3-B-20, P3-A-19, P2-A-15
Bergman, Lottem	P3-B-26
Bernstein, Jacob	P2-H-80, P1-D-39
Bertoni, Tommaso	P2-D-45
Bessot, Pierre	P1-B-26

Name	Poster Numbers
Beudel, Martijn	P2-C-26
Bhatt, Rashi	P3-A-18
Bianca Yu, Ina	P1-B-26
Bianchi, Luigi	P1-D-43, P2-F-58, P2-D-30
Bickel, Stephan	P3-B-33, P2-G-72
Bijanzadeh, Maryam	P2-D-49
Bjånes, David	P3-A-15, P3-A-01
Bloch, Jocelyne	P2-A-17, P1-B-26
Blok, Sifra	P3-A-11
Bocquelet, Florent	P1-A-14
Boehnke, Susan	P2-H-88, P2-H-77
Bole-Feysot, Léa	P1-B-26
Bom, Magnus	P3-A-13
Boninger, Michael	P3-A-05, P3-A-16
Boon, Paul	P2-A-02
Bosquet, Matthieu	P1-B-23, P1-B-26
Bot, Maarten	P2-C-26
Botter, Alberto	P1-A-09
Bottinger, Analise	P2-A-04
Bougrain, Laurent	P3-D-59
Boulay, Chadwick	P2-G-69
Bourgeois, Anna	P1-D-30
Bourque, Daniella	P3-E-75
Brak, Annette	P3-A-13
Branco, Mariana	P1-G-88, P3-A-08, P2-A-08, P3-A-13, P3-A-19, P2-A-15
Brand, Nathan	P1-D-30
Brand, Niclas	P3-D-49
Brandman, David	P2-A-20, P1-A-05, P1-A-01, P2-A-14, P1-B-28, P3-A-03, P1-A-08
Brannigan, Jamie	P3-A-07, P3-B-34, P2-H-81, P2-A-19
Breston, Leo	P3-B-32
Brewin, Georgie	P2-F-54
Brossy, Titouan	P2-A-17
Bruel, Alice	P1-B-26
Bryson, Barney	P3-D-48

Name	Poster Numbers
Bu, Lili	P1-A-12
Buie, Nicole	P2-H-80, P1-D-39
Buijink, Arthur W.G.	P2-C-26
Burkhart, Ian	P1-A-15
Cabestaing, François	P3-H-79
Cabrera Castillos,	P2-F-53, P3-D-37
Kalou	
Caffo, Brian	P2-D-28
Cai, Jing	P2-A-05
Calcagno, Salvatore	P1-G-89
Callier, Thierri	P2-D-35
Campusano, Richard	P2-D-49
Canario, Edgar	P1-B-24, P1-A-10
Candrea, Daniel	P2-C-25, P3-B-25, P3-B-31
Cantillo-Negrete, Jessica	P1-G-86, P1-E-65
Cao, Dandan	P1-A-12
Cao, Lu	P2-C-22
Caprara, Irene	P2-A-04
Capurro, Lucila	P1-F-78, P2-G-63
Caracci, Valentina	P1-E-60, P3-D-38
Card, Nicholas	P2-A-20, P1-A-05, P2-A-14, P1-B-28, P3-A-03, P1-A-08
Carda, Stefano	P1-B-26
Carducci, Diana	P3-A-04
Carino-Escobar, Ruben	P1-G-86, P1-E-65
Carlson, Tom	P3-D-48, P1-D-33
Carlson, Tom	P1-D-45
Carp, Jonathan	P3-E-73
Carparelli, Gaia	P1-B-26
Carrette, Evelien	P2-A-02
Carrillo-Mora, Paul	P1-E-65
Carvajal, Maximilian	P1-A-09
Carvallo Pecci, Andres	P1-B-23
Cash, Sydney	P2-A-05, P1-A-05
Castellon, Julian	P3-E-74
Castellon, Randy	P3-E-74
Cauwenberghs, Gert	P3-D-58
Cave, Richard	P2-H-81
Cebolla Alvarez, Ana Maria	P3-D-59

Name	Poster Numbers
Cecotti, Hubert	P3-D-63
Celik, Basak	P2-G-66
Cellier, Dillan	P3-D-58
Celnik, Pablo	P2-D-28
Censor, Nitzan	P1-D-32
Cerone, Giacinto Luigi	P1-A-09
Cerullo, Alex	P2-G-62
Chabardes, Stephan	P1-B-23, P1-A-14
Chadly, Nourdin	P3-A-06
Chang, Edward	P3-B-33
Charvet, Guilaume	P1-A-14, P1-B-23, P1-B-26, P3-B-29
Chau, Geeling	P2-G-68
Chau, Tom	P1-E-57, P2-H-90, P3-E-67, P3-D-53, P3-H-87
Chavarriaga, Ricardo	n/a, P2-D-30
Chavez, Mario	P1-E-61
Che, Jiahui	P2-F-55
Chen, Chia-Hsin	P2-D-34
Chen, Huijuan	P1-A-12
Chen, Liang	P3-A-12
Chen, Weidong	P2-A-10
Chen, Yulei	P1-A-12, P2-A-13
Cheng, Hsiao-Ju	P2-F-57
Cheng, Richard	P1-A-07
Cheol Jeong, In	P1-F-67
Cheron, Guy	P3-D-59
Chestek, Cynthia	P3-B-27, P1-A-03
Chetty, Nikole	P3-A-10
Chiba, Andrea	P3-B-32
Cho, Youngjun	P1-D-33
Choi, June	P1-G-83
Chong, Daryl	P2-F-57
Choudhari, Vishal	P3-B-33, P2-G-72
Christie, Breanne	P2-D-28
Christopher Thiemann, Niels	P2-H-76
Chu, Yu-Lin	P1-F-75
Chua, Yansong	P2-A-10
Chung, Hyun-Joong	P1-D-52
Cimarosto, Pietro	P2-F-53, P3-D-37
Cincotti, Febo	P1-E-60, P3-D-38

Name	Poster Numbers
Ciotti, Federico	P1-B-26
Cisi, Celeste	P2-D-42
Ciucci, Chiara	P3-A-04
Colleran, Katherine	P3-E-69, P3-H-89
Collin, Thibault	P1-B-26, P2-A-18
Collinger, Jennifer	P1-B-24, P3-A-10, P1-A-10, P3-A-16
Collins, Leslie	P3-E-72
Collisson, Beverly Anne	P2-F-54
Comadurán Márquez, Daniel	P2-H-83, P1-E-64, P3-H-81, P3-H-82, P3-E-75
Comair, Youssef	P3-B-25, P2-C-25
Conlan, Emily	P2-A-12
Contreras-Vidal, Jose	P1-A-15, P1-D-31, P2-D-29
Controzzi, Marco	P1-A-04
Coquoz, Laure	P1-B-26
Corsi, Marie-Constance	P2-D-33, P1-E-61, P1-D-50
Costecalde, Thomas	P1-A-14
Costello, Joseph	P3-B-27, P1-A-03
Coulson, Paoline	P1-A-21
Coursaris, Constantinos	P2-H-75
Courtine, Gregoire	P2-A-17, P1-B-26, P2-A-18
Coutinho, Jonathan	P2-H-77
Covalin, Alejandro	P2-D-44
Crell, Markus	P3-E-68
Crone, Nathan	P3-A-08, P3-A-19, P2-C-25, P3-B-25, P2-A-15, P3-B-31, P3-B-35
Cubillos, Luis	P3-B-27
Cuevas Romero, Alma Rosa	P2-D-39
Cui, Yafei	P1-A-12, P3-A-17
Cum, Fabrizio	P1-D-43
Curcean, Iustin	P2-H-76
Cvancara, Paul	P1-A-17
D'almeida, Dayann	P2-D-28
D'ercole, Marina	P1-B-26
D'ippolito, Mariagrazia	P3-D-38

Name	Poster Numbers
Dadarlat, Maria	P1-A-16
Dahan, Simon	P1-B-26
Damm, Laura	P3-D-43
Daniel Hernandez Charpak, Sergio	P1-B-26
Darbhe, Vikram	P1-A-09
Darcy, Sean	P3-A-01
Das, Anarghya	P3-D-52
Dauwe, Ine	P2-A-02
Dawn Lo, Shin	P3-E-74
De Andrade, Fabiola	P3-A-11
De Bie, Rob M.A.	P2-C-26
De Borman, Aurélie	P2-A-02
De Jong, Ivo	P3-D-47, P2-D-37
De Montalivet, Etienne	P2-A-17
De Neeling, Martijn	P2-C-26, P2-D-30
De Roosse, Florian	P1-A-21
De Sa, Virginia R.	P1-D-48, P3-D-58, P2-D-52
De Vico Fallani, Fabrizio	P2-D-33
Decker, Jennifer	P2-D-46
Dedelley, Julien	P1-B-26
Dehais, Frédéric	P3-D-37
Dekleva, Brian	P1-B-24
Del Campo, Fernando	P3-E-74
Del R. Millán, José	P2-D-31, P2-D-48, P3-E-66
Del Refugio Pacheco- Gallegos, Ma	P1-E-65
Demchenko, Igor	P1-E-58
Demesmeaker, Robin	P1-B-26
Demosthenous, Andreas	P3-D-48
Dempsey, Andrew	P1-A-07, P1-B-29
Denman, Daniel	P2-A-16
Desbois, Arthur	P2-D-33
Deschenaux, Céline	P1-B-26
Deshpande, Ashish	P3-E-66
Devaud, Quentin	P2-A-17
Dexheimer, Michael	P2-G-64
Ding, Keqin	P2-D-28
Diserens, Karin	P2-D-45

Name	Poster Numbers
Dister, Jackie	
	P3-B-25, P2-C-25
Dohle, Esmee	P3-B-34, P2-A-19
Dold, Matthias	P3-B-23, P1-A-19
Downey, John	P3-A-18, P1-B-24
Dreyer, Pauline	P1-D-49
Druckmann, Shaul	P2-A-14
Dumas, Cassandra	P1-D-50, P2-D-38
Dumont, Grégory	P1-B-26
Dunant, Joachim	P2-G-69
Dussard, Claire	P1-D-50, P2-D-38
Dylke, Marie-Claire	P2-F-54
Echeveste, Rodrigo	P1-G-90
Eddine Tibermacine, Imad	P3-D-55, P3-D-56
Ehrlich, Stefan	P2-H-80, P1-D-39
Elaine Soriano, Jan	P3-B-21
Elbasiouny, Sherif	P3-D-64
Emonds, Alexandriya	P1-A-09
Enam, Nabela	P3-E-71, P1-D-46, P3-H-85
Endsley, Linnea	P1-B-24
Engel, Andreas K.	P1-A-17
Enriquez-Geppert, Stefanie	P3-D-49
Erdal, Erdi	P3-B-22
Erdogmus, Deniz	P3-D-51, P2-G-66
Ernst, Holland	P2-D-48
Estepp, Justin	P3-D-64
Evans, Adrian	P1-B-23
Evers, Sebastian	P3-D-44
Evetovic, Nina	P1-F-73
Fahoum, Firas	P3-B-26
Faivre, Olivier	P1-B-26
Fan, Chaofei	P2-A-14
Fares, Hoda	P1-F-69
Farooqui, Juhi	P2-H-82
Fazal, Zoya	P2-D-29
Fazzi, Enrico	P2-H-76
Fco. Martínez- Trinidad, José	P2-G-67
Fei, Teng	P1-D-48
Fel, Thomas	P2-G-71
Feldman, Ariel	P3-A-10
	- -

Name	Poster Numbers
Fenoglio, Elena	P3-D-46
Ferguson, Christina	P3-E-69
Fifer, Matthew	P2-D-28, P3-B-31, P3-B-35
Finocchiaro, Marco	P1-G-89
Firouzabadi, Pouyan	P1-A-09
Flinker, Adeen	P3-B-33, P2-G-72
Floreani, Erica	P3-H-81, P3-H-87
Foglia, Stevie	P1-F-81
Foli, Crispin	P2-A-12, P1-A-20
Forcato, Cecilia	P1-F-78, P2-G-63
Forrero, Philippe	P1-B-26
Franklin, Robert	P2-G-69
Franzese, Kevin	P3-E-71, P1-D-46, P3-H-85
Frederick, Allan	P2-D-31
Freudenburg, Zac	P3-A-08, P3-B-22, P2-C-21, P3-B-20, P3-A-19, P2-A-15
Fried-Oken, Melanie	P3-H-84, P2-G-66
Friedman, Daniel	P3-B-33, P2-G-72
Frim, Levi	P2-H-76
Frisardi, Francesca	P1-D-43
Fry, Adam	P3-A-07
Fu, Qiangpei	P1-A-12, P3-A-17
Fu, Xi	P2-D-36
Fu, Zhichun	P3-A-12
Gaines, Dylan	P3-D-41, P1-D-37
Galang, Gary	P3-E-71, P1-D-46, P3-H-85
Galicia-Alvarado, Marlene	P1-E-65
Galiotta, Valentina	P1-E-60, P3-D-38
Gall, Richard	P1-F-66, P3-D-51
Galván, Catalina	P2-G-61, P1-E-62
Galvez, Andrea	P1-B-26, P2-A-18
Ganjali, Mohammadali	P1-D-36
Ganji, Rohit	P2-C-25, P3-B-31, P3-B-25, P3-B-35
Gaprielian, Pauline	P2-H-77
Garrison-Hooks, Emmanuel	P1-D-33
Gaunt, Robert	P3-A-05, P3-A-16

Name	Poster Numbers
Gauthier,	P3-B-21
Pierre-Olivier	
Gazzaley, Adam	P2-D-49
Gefen, Ra'anan	P1-A-18
Gemoets, Darren	P3-E-77
Genoe, Jan	P1-A-21
George, Nathalie	P1-D-50, P2-D-38
Georgina Vasilas, Ioana	P1-A-17
Geukes, Simon	P3-A-08, P3-A-19, P2-A-15
Gilja, Vikash	P1-A-01
Gimple, Sophia	P1-B-22, P2-A-07
Glaser, Joshua	P1-A-20
Goldstein, Lilach	P3-B-26
Gomel, Jules	P3-D-37
Gontier, Camille	P1-B-24
Gonzalez-Martinez, Jorge	P3-A-16
Gowda, Suraj	P3-E-74
Grattan, Emily	P1-F-66
Greenspon, Charles	P1-A-13, P3-A-18, P3-A-05
Greger, Bradley	P3-B-30
Gruenwald, Johannes	P3-D-54
Gu, Wen	P1-A-12
Gualpa, Solange	P1-E-62
Guan, Cuntai	P2-D-36, P3-E-70
Guan, Shouliang	P1-A-12
Güçlütürk, Yağmur	P2-A-03
Guo, Xiliang	P1-A-12, P3-A-17
Gurevitch, Guy	P3-B-26
Gusman, Jake	P1-A-11
Gygax, Julia	P2-A-10
Haesler, Sebastian	P1-A-21
Hahn, Nick	P1-B-25
	D2 D / F
Halder, Sebastian	P2-D-45
Halliwill, Corbin	P3-E-74
Halliwill, Corbin	P3-E-74
Halliwill, Corbin Hameed, Hunaid	P3-E-74 P1-A-04
Halliwill, Corbin Hameed, Hunaid Hammond, Leah	P3-E-74 P1-A-04 P3-D-60, P2-H-79
Halliwill, Corbin Hameed, Hunaid Hammond, Leah Hamoodi, Ameer	P3-E-74 P1-A-04 P3-D-60, P2-H-79 P1-F-81

Name	Poster Numbers
Harel, Noam	P1-B-27
Haro, Stephanie	P1-A-05
Harte, Cathal	P1-B-26
Hartley, Isabella	P2-D-49
Harvey, Chase	P1-D-34
Hatsopoulos, Nicholas	P1-A-13
Haxaire, Camille	P1-B-26
He, Jiayuan	P3-D-45
He, Zhenliang	P1-A-12, P2-A-13
Hejazi, Mona	P3-D-65
Hemsing, Jana	P3-E-74
Henderson, Jaimie	P1-B-25, P2-A-14
Herff, Christian	P1-B-22
Hernandez-Arenas, Claudia	P1-E-65
Hervé, Julie	P1-B-26
Hickman, Jordan	P2-A-16
Hilderley, Alicia	P3-E-75
Hill, Katharine	P3-E-69, P3-E-71, P1-D-46, P2-D-30, P3-H-85
Ho, Elton	P2-C-25, P3-B-25
Hoban, Virgie	P3-E-74
Hobbs, Taylor	P3-A-05, P3-A-16
Hochberg, Leigh	P2-A-20, P1-B-25, P3-A-02, P1-A-05, P1-A-07, P2-A-14, P1-B-28, P1-B-29, P3-A-03, P1-A-08, P1-A-11
Hochstrasser, Olivia	P2-F-57
Hockeimer, William	P1-B-24
Hodzic, Sadat	P2-H-76
Holanda, Ledycnarf	P3-E-67
Horner, Christine	P3-E-67
Hosman, Tommy	P1-A-11
Hou, Xianda	P2-A-20, P1-B-28
Houshmand, Sara	P3-D-60
Hsieh, Ju-Chun	P2-D-31
Huang, Xiaofei	P1-F-66
Huang, Yifan	P1-A-12, P3-A-17
Huber, Thomas	P2-H-76
Hubers, Deborah	P2-C-26

Name	Poster Numbers
Huggins, Jane	P2-D-30, P2-D-43, P3-H-89, P3-H-90, P3-E-69
Hugueville, Laurent	P2-D-33, P2-D-38
Hussain, Kamran	P1-B-25
Hwang, Han-Jeong	P1-F-79, P1-F-80
lacobacci, Carrina	P2-A-20, P1-A-05, P2-A-14, P1-B-28, P3-A-03
Ibanez Soria, David	P2-G-69
Ignacio Brusco, Luis	P2-G-63
Insuasty Pineda, Maria	P2-H-79
Intering, Nadine	P1-B-26
Irvine, Brian	P2-G-60, P2-F-54, P1-D-30, P3-H-81
Iskarous, Mark	P2-D-28, P1-A-06
Ivanov, Nicolas	P3-D-53
Ivucic, Darius	P3-A-09
Ivucic, Gabriel	P3-D-39
J-M Macé, Marc	P1-D-42
Jackson, Ian	P1-D-48, P3-B-32
Jacobowitz, Emery	P2-A-04
Jacques, Brandon	P3-A-02
Jacquet, Charlotte	P1-B-26
Jadavji, Zeanna	P1-D-30, P3-H-81
Jagadeesh, Akshay V.	P2-G-71
Jamali, Mohsen	P2-A-04
Janssen, Mark L.F.	P3-B-23
Javad Bidgoli, Seyed	P3-D-59
Jenkins, Henry	P1-A-07
Jensen, Michael	P3-B-28
Jeunet-Kelway, Camille	P2-D-38
Jia, Jing	P1-A-12
Jia, Yifei	P2-C-22
Jiang, Dai	P3-D-48
Jiang, Hongxiong	P1-A-12, P3-A-17
Jiang, Ning	P3-D-45
Jiang, Xi	P1-A-12
Jiang, Xilin	P2-G-72
Jiang, Yu	P1-A-12
Jin Sung, Dong	P1-G-87
Johnson, Sarah	P3-B-33

Name	Poster Numbers
Jöhr, Jane	P2-D-45
Jokinen, Leon	P2-H-76
Jourdain, Danielle	P1-E-63, P3-E-78
Jovanovic, Luka	P3-B-34, P2-A-19
Ju, Jiawei	P1-A-12
Ju, Liangliang	P1-A-12
Jude, Justin	P1-A-05, P1-A-08
Juillard, Violaine	P1-B-23
Jun, Sung	P1-F-74
Justino, Maria	P3-B-29
Kacker, Kriti	P3-A-10
Kahane, Philippe	P1-A-14
Kamdar, Foram	P2-A-14
Kandel, Amit	P1-B-27
Kang, Eunice	P2-H-90
Kang, Jian	P2-D-43
Kapitonava, Anastasia	P1-A-11
Kaptzon, Nufar	P3-B-26
Karachi, Carine	P2-D-38
Karakas, Serpil	P1-B-23, P1-B-26
Kariparambil Sudheesh, Sankardas	P3-B-30
Karran, Alexander John	P2-H-75
Katz, Boris	P2-G-68
Keller, Dirk	P2-A-08
Kellis, Spencer	P2-H-89, P2-G-69
Kelly, Dion	P3-H-81
Kelly, Merlin	P3-H-88
Keong Kuah, Christopher Wee	P3-E-70
Keough, Joanna	P3-H-81
Kern, Drew	P2-A-09
Kerr Mcnutt, Morgan	P1-E-63, P3-E-78
Keulen, Bart J.	P2-C-26
Khendry, Nishka	P3-E-70
Khodaparast, Navid	P2-D-44
Khorasani, Abed	P1-D-36
Kim, Heegyu	P1-F-74
Kim, Jihoo	P1-G-83
Kim, Keun-Tae	P1-G-82
Kim, Sang-Rok	P1-F-79

Name	Poster Numbers
Kim, Seunghu	P1-G-83
Kim, Sungkean	P1-G-83
Kim, Won-Seok	P1-F-79, P1-D-40
Kinney-Lang, Eli	P3-E-75, P2-H-83, P2-G-60, P1-D-47, P2-F-54, P1-D-30, P1-E-64, P1-D-51, P3-H-81, P1-E-63, P3-E-78, P3-H-82, P3-H-86, P1-F-71, P1-D-52, P1-D-35
Kinsella, Michelle	P3-H-84
Kirton, Adam	P1-F-71, P3-E-75, P2-H-83, P2-G-60, P1-D-47, P2-F-54, P1-D-30, P1-E-64, P1-D-51, P3-H-81, P1-E-63, P3-E-78, P3-H-82, P1-D-35
Kiu Pun, Tsam	P1-B-29
Klee, Daniel	P2-H-85, P1-D-37, P3-H-84, P2-G-66
Kleih-Dahms, Sonja	P1-F-76
Klein, Franziska	P1-G-85, P1-D-41
Klein, Guy	P3-B-26
Klosterman, Samantha	P3-D-64
Knapp, Calder	P1-D-34
Kocanaogullari, Deniz	P1-F-66, P3-D-51
Koch, Paul	P2-G-64
Kohl, Jackie	P2-D-44
Kohli, Raunit	P3-B-32
Konkle, Talia	P2-G-71
Koo, Siulam	P1-D-46, P3-H-85, P3-E-71
Korecko, Stefan	P1-F-73
Kostoglou, Kyriaki	P3-E-68
Kowalczyk, Jakub	P3-A-15
Kramer, Daniel	P2-A-09, P3-A-15
Krekelberg, Bart	P3-D-50
Kromm, Maria	P1-G-88, P3-A-11
Krusienski, Dean	P3-A-09, P2-G-64, P2-C-23, P1-D-34
Ku, Jeonghun	P1-F-79, P1-D-40
Kubben, Pieter	P2-A-03, P1-B-22
Kubendran, Rajkumar	P3-D-51

Name	Poster Numbers
Kübler, Andrea	P2-D-41, P1-F-76
Kumar, Satyam	P3-E-66
Kunigk, Nicolas	P1-B-24
Kunz, Erin	P1-B-25, P2-A-14
Kwee Wee, Seng	P3-E-70
Lacayo, Bayardo	P1-A-07, P1-B-29
Lacomis, David	P3-A-10, P1-B-27
Lamont, Andrea	P2-H-90
Lampert, Frederik	P2-A-11
Latchoumane, Charles-François Vincent	P2-A-17
Lau, Brian	P2-D-38
Lawhead, Matthew	P1-D-37, P3-H-84, P2-G-66
Layard Horsfall, Hugo	P3-B-34, P2-H-81, P2-A-19
Le, Thien	P2-H-76
Le Godais, Gaël	P1-A-14
Lécuyer, Anatole	P1-D-42, P3-H-79
Ledoux, Jean-Baptiste	P1-B-26
Lee, Brian	P3-A-01
Lee, Hannah	P2-D-48
Lee, Jun-Seok	P1-F-79, P1-F-80
Lee, Kyuhwa	P2-A-17
Lee, Seung-Won	P1-F-79
Lee, Seung-Won	P1-F-80
Lee, Sunghan	P1-F-67
Lefeuvre, Théo	P2-D-32
Léger, Pierre-Majorique	P2-H-75
Lehner, Kurt	P3-B-25, P2-C-25
Lei, Tianhao	P1-A-20
Leinders, Sacha	P3-A-19
Leonardis, Eric	P3-B-32
Leonardis, Francesca	P1-D-43
Leung, Ada W. S.	P2-H-86
Leung, Jason	P1-E-57
Levi Aharoni, Hadar	P1-A-05, P1-A-08
Levy, Elad	P1-B-27
Li, Chengyu	P1-A-12, P2-A-13, P3-A-17
Li, Dan	P1-A-12, P3-A-17

Name	Poster Numbers
Li, Hao	P1-A-12, P3-A-17
Li, Lily	P3-E-74
Li, Mengyu	P2-A-13
Li, Mingxin	P1-A-12, P2-A-13
Li, Peiyuan	P3-A-17
Li, Ruixiang	P1-A-07, P1-B-29
Li, Ruoyu	P1-A-12
Li, Tianyang	P2-A-10
Li, Tuoru	P2-A-10
Li, Zhihua	P1-A-12, P3-A-17
Li, Zihao	P2-A-10
Liang, Leran Jenny	P2-D-36
	P3-A-16
Lienkämper, Robin	
Lieto, Amber	P1-D-46, P3-E-69, P3-E-71, P3-H-85
Lim, Hyunmi	P1-D-40
Lin, Lydia	P2-D-35
Lin, Zhitong	P1-D-52
Ling, Yu	P2-A-13
Liu, Charles	P2-D-35, P3-A-01
Liu, Deland	P2-D-31, P2-D-48
Liu, Kai	P2-A-13
Liu, Rui	P2-D-36
Liu, Ruofan	P3-E-66
Liu, Tengjun	P2-A-10
Livingstone, Margaret S.	P2-G-71
Lo, Emily	P2-G-71
Loh, Brian	P3-E-74
Long Jenny Tou, Si	P2-H-90
Lopes Da Silva, Marina	P2-D-45
Lorach, Henri	P1-B-26, P2-A-18, P3-B-29
Lotte, Fabien	P1-D-49, P2-D-50, P3-D-59
Lu, Jiayi	P1-A-12
Lu, Yue	P1-A-12
Lucero-Moore, Rhiannon	P3-B-32
Luijten, Sofie	P1-A-21
Luo, Shiyu	P2-C-25, P3-B-25, P3-B-31
Luoma, Adam	P1-D-51, P1-E-63

Name	Poster Numbers
Lyu, Jinpeng	P1-A-12
Ma, Guoxuan	P3-H-89, P3-H-90
Madill, Philippa	P1-E-63, P3-E-78, P3-H-86
Mahmood, Musa	P2-D-44
Mai, Ximing	P1-G-84
Maiani, Meghan	P1-D-30
Mainsah, Boyla	P3-E-72
Majidi, Shahram	P1-B-27
Mak, Jennifer	P1-F-66
Malcomson, Shawn	P3-E-69
Malik, Taha	n/a
Manning, Chris	P2-A-14
Mannino, Camilla	P1-E-61
Marchand, Theo	P1-D-54
María Alonso Valerdi, Luz	P2-D-39
Marin-Arriaga, Norma	P1-E-65
Mariperisena- Meinert, Evelyn	P3-E-71, P1-D-46, P3-H-85
Marissens Cueva, Valerie	P3-D-59
Martel, Felix	P1-A-02, P1-B-23, P1-B-26, P2-A-18, P3-B-29
Marziano, Tal	P3-B-26
Mateus Castro, Lucas	P2-H-76
Matran-Fernandez, Ana	P2-D-45
Mattia, Donatella	P1-E-60, P3-D-38
Mattioli, Laura	P1-D-43
Maya Toye, Iris	P2-A-17
Mcintosh, Mary	P2-H-88
Mckhann, Guy M.	P2-G-72
McLinden, John	P2-G-62
Mcmullen, David	P2-H-89
Mcwhinnie- Fernández, Ana	P2-H-76
Mehridehnavi, Alireza	P1-D-36
Mehta, Ashesh D.	P3-B-33, P2-G-72
Meistelman, Claude	P3-D-59
Melby, Shana	P2-H-89
Melnichuk, Anastasiia	P2-D-47

Name	Poster Numbers
Memberg, William	P2-A-12
Memmott, Tab	P2-H-85, P1-D-37, P3-H-84, P2-G-66
Mender, Matthew	P1-A-03
Meng, Jianjun	P3-D-42, P1-G-84
Merchant, Hugo	P3-A-18
Merlos, Frédéric	P1-B-26
Meschede-Krasa, Benyamin	P2-A-14
Mesgarani, Nima	P3-B-33, P2-G-72
Methasani, Manuel	P2-H-76
Meurs, Alfred	P2-A-02
Micera, Silvestro	P3-A-04
Mihaela Stefanescu, Ioana	P2-H-75
Miller, Josh	P3-B-25, P2-C-25
Miller, Lee M.	P1-A-09, P1-B-28
Miller, Mackenzie	P3-D-41
Miller, Ryan	P3-B-21
Milone, Diego H.	P1-G-90, P1-E-62, P2-G-61
Milsap, Griffin	P3-B-31, P2-G-69
Min, Byoung-Kyong	P3-D-40
Minhas, Araz	P1-D-30, P1-E-64, P3-H-81, P1-D-35
Mintch, Landan	P2-H-82
Mitra, Kanishka	P3-E-66
Mo Nipshagen, Emily	P2-A-03
Mojtahedi, Nima	P2-A-17
Molano Camargo, Cindy Natalia	P1-F-77
Moradi, Farshad	P1-F-69
Moro-Velazquez, Laureano	P3-B-35
Mu, Ji	P1-A-12, P3-A-17
Muirhead, William R.	P2-H-81, P3-B-34
Mullen, Katie	P1-F-66
	D2 F 60
Müller-Putz, Gernot	P3-E-68
Müller-Putz, Gernot Munoz, Gabi	P3-E-68 P3-E-74
Munoz, Gabi Muñoz Ubando, Luis	P3-E-74
Munoz, Gabi Muñoz Ubando, Luis Alberto Muñoz-Montes De	P3-E-74 P2-D-39

Myny, Kris P1-/ Nahar Khan, Nazmun P1-/ Nair, Kiran P3-/ Nandi, Bijurika P2-/ Napoli, Christian P3-/ Nash, Lilac P3-/ Nason-Tomaszewski, P3-/ Samuel P2-/	ter Numbers A-21 D-34 D-63 D-49 D-55, P3-D-56 B-26 A-02 D-45 F-81
Nahar Khan, Nazmun P1-I Nair, Kiran P3-I Nandi, Bijurika P2-I Napoli, Christian P3-I Nash, Lilac P3-I Nason-Tomaszewski, Samuel P2-I Nawaz, Rab P2-I	D-63 D-49 D-55, P3-D-56 B-26 A-02
Nair, KiranP3-Nandi, BijurikaP2-Napoli, ChristianP3-Nash, LilacP3-Nason-Tomaszewski, SamuelP3-Nawaz, RabP2-	D-63 D-49 D-55, P3-D-56 B-26 A-02
Nandi, Bijurika P2- Napoli, Christian P3- Nash, Lilac P3- Nason-Tomaszewski, Samuel Nawaz, Rab P2-	D-49 D-55, P3-D-56 B-26 A-02 D-45
Napoli, Christian P3- Nash, Lilac P3- Nason-Tomaszewski, Samuel Nawaz, Rab P2-	D-55, P3-D-56 B-26 A-02 D-45
Nash, Lilac P3- Nason-Tomaszewski, P3- Samuel P2-	B-26 A-02 D-45
Nason-Tomaszewski, P3- Samuel Nawaz, Rab P2-	A-02 D-45
Samuel Nawaz, Rab P2-	D-45
Nelson, Aimee P1-	F-81
Nelson, Jon P2-	H-82
Nentwich, P3- Maximilian	B-33
Nicolas, Claire P1-	A-11
Nigro, Denise P1-	E-62
Nikitovic, Dejana P3-	E-75, P1-D-30
Niu, Haonan P3-	A-17
Nivas Asok Kumar, P2- Jaganth	H-89
Noah, Yoav P1-	E-56
Noel, Jean-Paul P2-	D-45
Nogueira, Raul P1-	B-27
Norton, James P3-	E-77
Norton, Penelope P3-	E-77
Nowicki, Theodor P3-	D-49
O'leary, Michael P3-	E-69
Odermatt, Ingrid P3-	D-61
- -	B-22, P2-A-08, C-21
	H-85, P1-D-37, H-84
Okorokova, Elizaveta P3-	A-03
Opie, Nicholas P3-	A-10
Ortega-Robles, P1-I	E-65
Osborn, Luke P2-	D-28
Ostadabbas, Sarah P1-	F-66
•	B-22, P1-A-07, B-29
Oxley, Thomas P3-	A-10, P1-B-27
Pallotti, Flaminia P2-	H-76
Panagos, Lucille P1-	A-07, P1-B-29
Panchakshari, Chirag P3-	D-41
Pandarinath, P3-A	A-02

Name	Poster Numbers
Passarello, Lisa	P1-G-89
Patel, Rishan	P1-D-33, P3-D-48
Patil, Parag	P3-B-27
Patrick-Krueger, K. Michelle	P1-A-15
Pavlov, Daniel	P2-H-76
Pejsa, Kelsie	P3-A-01
Peracha, Hamza	P2-A-20, P3-A-03
Peranich, Preston	P2-G-69
Perdikis, Serafeim	P2-D-45
Pereira, Joana	P3-B-23, P1-A-19
Perez-Hernandez, Eduardo	P2-G-67
Perumpadappil Thomas, Kavitha	P3-E-70
Pescatore, Camille	P2-A-05
Peters, Betts	P3-D-41, P3-H-84, P2-G-66
Peterson, Victoria	P1-G-90, P1-E-62, P2-G-61
Petit, Jimmy	P2-H-80, P1-D-39
Phillips, Aaron	P3-B-21
Phyo Wai, Aung	P2-D-36, P3-E-70
Pichiorri, Floriana	P1-E-60, P3-D-38
Pieper, Florian	P1-A-17
Pierrieau, Emeline	P2-D-38
Pillette, Léa	P1-D-42
Piozin, Corentin	P1-F-69
Pizzinga, Matteo	P3-A-04
Pliego, Adriana	P2-H-84
Plotkin, Isaac	P2-D-44
Podmore, Joshua	P1-D-53
Polyanskaya, Arina	P1-F-73
Porter, Armani	P2-D-30
Porubcová, Natalia	P1-F-73
Poulin, Carole	P1-B-26
Pozuelo, Jose	P3-E-74
Prakash, Prashanth	P1-A-20
Pretel, Matías	P1-F-78
Prince, Jacob	P2-G-71
Pritchard, Anna	P3-A-02
Pritchard, Lesley	P2-H-79
Proietto Salanitri, Federica	P1-G-89

Name	Poster Numbers
Putrino, David	P3-A-07, P3-A-10, P1-B-27
Qiao, Shaoyu	P1-A-01
Quattrociocchi, Ilaria	P1-E-60, P3-D-38
Quinn, Laleh	P3-B-32
Quinzaños-Fresnedo, Jimena	P1-E-65
Rabbani, Qinwan	P3-B-35
Racz, Frigyes	P2-D-48
Radcliffe, Erin	P2-A-09
Radloff, Michael	P2-G-63
Raemaekers, Mathijs	P1-G-88, P3-A-11, P3-A-13, P3-B-20, P3-A-19
Ramele, Rodrigo	P1-F-78, P2-G-63
Ramírez-Cruz, Manuel	P2-G-70
Ramirez-Nava, Ana Guadalupe	P1-E-65
Ramos Da Cruz, Janir	P2-G-69
Ramsey, Nick	P1-G-88, P3-A-11, P3-A-08, P3-B-22, P2-A-08, P2-C-21, P3-A-06, P3-A-13, P3-B-20, P3-A-19, P2-A-15, P3-B-31
Rao, Kushaal	P1-A-07
Rapoport, Benjamin	P3-B-25, P2-C-25
Ravishankar, Srinivas	P2-D-52
Reddy, Vishruth	P3-E-71
Renardi, Bernard	P2-D-37
Reyes-García, Carlos Alberto	P2-G-65, P2-G-70
Riascos, Jaime	P2-H-87
Ribeiro Borges, Ludymila	P1-D-47, P1-E-63
Riccio, Angela	P1-E-60, P3-D-38
Rick Schuurman, P.	P2-C-26
Rigotti-Thompson, Mattia	P3-A-02
Rimbert, Sébastien	P3-D-59
Rimok, Julien	P3-B-21
Rios Ortegon, Johana	P2-H-86
Rizzoglio, Fabio	P1-A-09
Robinson, Jacob	P2-H-82
Robinson, Neethu	P2-D-36, P3-E-70
Robu, Ion	P1-D-30

Name	Poster Numbers
Robu, Ion	P3-H-81
Robu, Ion	P3-H-82
Rodriguez-Garcia, Martin Emiliano	P1-E-65
Rolon-Merette, Thaddé	P2-H-75
Romanow, Nicole	P3-E-75, P1-D-30, P3-H-81, P3-H-82
Rosello, Oscar	P3-E-74
Rosenblatt, Judd	P1-F-70
Rosipal, Roman	P1-F-73
Rossbroich, Julian	P2-A-10
Rostakova, Zuzana	P1-F-73
Rotondo, Emanuela	P3-D-38
Rouanne, Vincent	P1-B-26
Rouhani, Hossein	P3-D-60
Roussel, Philémon	P1-A-14
Rowley, Danette	P3-H-81, P3-H-82
Roy, Raphaëlle Nina	P1-D-49
Rubin, Daniel	P1-A-05, P1-A-08, P1-A-11
Rueda Parra, Sebastian	P3-E-77
Russo, Eleonora	P3-A-04
Russomanno, Conor	P2-D-44
Rutkowski, Tomasz	P2-D-50
Saad, Joe	P1-B-23
Saint-Bauzel, Ludovic	P2-D-33
Sajonz, Bastian	P3-B-23, P1-A-19
Sakr, Icare	P1-B-26, P2-A-18
Saldanha, Guillaume	P1-A-14
Samet Dindar, Sukru	P2-G-72
Sasportes, Charles David	P1-B-26
Sauter, Fabien	P1-B-23, P1-B-26
Savalle, Emile	P1-D-42
Sawan, Mohamad	P2-C-22
Sawyer, Abbey	P3-A-07
Sburlea, Andreea	P3-D-47, P3-D-49, P2-D-37
Schalk, Gerwin	P2-H-78
Scheirman, Haden	P1-E-63, P3-E-78
Scherberger, Hans	P1-A-04
Scherer, Reinhold	P2-D-45, P3-H-79

Name	Poster Numbers
Schevon, Catherine	P2-G-72
Schippers, Anouck	P3-A-08, P3-B-20, P3-A-19, P2-A-15
Schrag, Emily	P3-E-75, P2-H-83, P1-D-30
Schrift, Gilad	P1-D-32
Schuettler, Martin	P3-A-14
Schulte, Jennifer	P1-A-17
Schwerz De Lucena, Diogo	P1-F-70, P1-A-11
Sénécal, Sylvain	P2-H-75
Senneka, Samuel	P1-A-16
Serino, Andrea	P2-D-45
Settgast, Tomko	P2-D-41
Shah, Harsh	P2-G-64
Shah, Harsh	P2-C-23
Shah, Samyak	P3-B-35
Shahriari, Yalda	P2-G-62
Shamia, Omer	P3-B-26
Shamma, Shihab	P3-D-58
Shao, Ming	P2-G-62
Shapiro, Mikhail	P2-D-35
Sharlin, Ehud	P3-H-86
Sharma, Dixit	P3-D-50
Shavit, Tamar	P1-E-58
Shaw, Payton	P1-D-30
Shelchkova, Natalya	P1-A-13
Shen, Xiang	P2-C-24
Shi, Kenren	P3-D-45
Shi, Xuqian	P1-A-12, P3-A-17
Shi, Zhicheng	P1-A-12, P3-A-17
Shih, Jerry	P2-G-64
Shimizu, Riki	P3-E-72
Shin-Hyung Kim, Vella	P3-H-81
Shriki, Oren	P1-E-56
Shuai, Zipei	P1-A-12
Si-Mohammed, Hakim	P3-H-79
Simeral, John	P1-A-05, P1-A-08, P1-A-11
Simondin, Malo	P1-B-26
Simonyan, Kristina	P2-H-80, P1-D-39
Singer, Corten	P3-E-74

Name	Poster Numbers
Sun, Songwei	P1-A-12
Surapaneni, Akhil	P3-E-66
Suresh, Nina	P1-A-09
Swanson, Eleanor	P3-B-34
	P2-A-19
Swanson, Eleanor	P1-D-34
Sweet, Taylor	P1-D-34 P2-F-57
Tai, Eunice	
Talukder, Sabera	P2-G-68
Tang, Rémy	P1-B-26
Tang, Yuting	P2-D-36, P3-E-70
Tangermann, Michael	P3-B-23, P1-A-19
Tankus, Ariel	P3-B-26
Tao, Kai	P1-A-12
Tao, Shupeng	P2-F-56
Taskin Espinoza, Delfina Luisa	P2-H-76
Temmar, Hisham	P1-A-03
Tenore, Francesco	P2-D-28
Thakor, Nitish	P2-D-28
Thielen, Jordy	P3-B-23
Thomas, Alexander	P1-D-45
Thompson, David	P1-D-34
Thompson, John	P2-A-09
Thompson, Lucy	P3-B-34
Tian, Ming	P1-A-12, P3-A-17
Toledo, Cristofher	P1-E-59
Toppi, Jlenia	P1-E-60, P3-D-38
Torre Tresols, Juan Jesus	P3-D-37
Torres-Garcia, Alejandro	P2-G-65, P2-D-39
Tougas, Garrett	P2-H-80, P1-D-39
Townsend, Jennifer	P2-D-49
Trejo, Leonard	P1-F-73
Tscherniak, Isabel	P2-H-76
Tso, Marcus	P3-B-21
Tuck, Corinne	P3-E-73
Tuladhar, Anup	P3-E-75, P1-E-64
Ukaegbu, Uchechi	P3-D-60
Ullrich, Christopher	P3-H-83
Uppal, Abhinav	P3-D-58, P1-D-48
Valdenegro-Toro, Matias	P3-D-47

Name	Poster Numbers
Valdes-Cristerna, Raquel	P1-E-65
Van Damme, Susannah	P2-H-90
Van Der Lee, Gael	P3-H-79
Van Dyck, Bob	P2-A-02
Van Gerven, Marcel	P2-A-03
Van Hulle, Marc	P2-A-02
Van Roost, Dirk	P2-A-02
Van Rooy, Kato	P2-A-02
Van T Wout-Frank, Mascha	P2-G-62
Van Wijk, Bernadette C.M.	P2-C-26
Vankó, Martin	P1-F-73
Vansteensel, Mariska	P3-A-11, P3-A-08, P3-B-22, P2-A-08, P3-A-06, P3-A-13, P3-B-20, P3-A-19, P2-A-15, P2-D-30
Vargas-Irwin, Carlos	P1-A-07, P1-B-29, P1-A-11
Vasilievic, Gabriel	P3-D-62
Vato, Alessandro	P1-F-68
Vaughan, Theresa	P3-E-73
Vazquez-Chenlo, Aylin	P1-F-78
Vega, Tomas	P3-E-74
Venot, Tristan	P2-D-33
Verberne, Malinda	P3-A-11, P3-A-08, P3-A-06, P3-A-19, P2-A-15
Vertanen, Keith	P1-D-37
Verwoert, Maxime	P1-B-22, P2-G-59
Vigil, Francisco	P2-D-51
Villaseñor-Pineda, Luis	P2-G-65
Villota, Hernán	P2-H-84, P2-H-87
Wagner, Amy	P3-E-71, P1-D-46, P3-H-85
Wagner, Diana	P1-A-11
Wairagkar, Maitreyee	P2-A-20, P1-A-05, P2-A-14, P1-B-28, P1-A-08
Wall, Mark	P3-E-69
Wallner, Josephine	P2-C-23
Walsh, Conor	P1-A-11

Name	Poster Numbers
Wan, Jerry	P1-F-72
Wang, Binxu	P2-G-71
Wang, Christopher	P2-G-68
Wang, Enzhao	P1-A-12
Wang, Fei	P1-A-12, P2-A-13
Wang, Han	P1-A-12
Wang, Hanbin	P3-D-45
Wang, Huiliang	P2-D-31
Wang, Longda	P1-A-12
Wang, Shi	P1-A-12
Wang, Wei	P1-A-12, P3-A-17
Wang, Yixin	P2-D-43
Wang, Yueming	P2-A-01
Wang, Yute	P1-F-75
Wang, Zebin	P2-A-01
Watrin, Anne	P1-B-26
Weber, Douglas	P3-A-10, P1-A-10, P1-B-27
Weger, Paul	P1-B-22
Wei, Shibin	P1-A-12, P3-A-17
Wei, Yuxuan	P3-D-42
Wei Ng, Han	P3-E-70
Weiss, Jeffrey	P1-B-24
Weiss, Manuel	n/a
Welter, Marc	P2-D-50
Welter, Marie-Laure	P2-D-38
Wenderoth, Nicole	P2-F-57
Wexler, Anna	P2-H-82
Wieler, Amy	P3-H-81, P3-H-82
Wilding, Gregory	P1-D-30
Wiles, Janet	P3-B-32
Willett, Francis	P1-B-25, P2-A-14
Williams, Ziv	P2-A-04, P2-A-05, P1-A-05, P1-A-08
Willsey, Matthew	P3-B-27, P1-A-03
Wittenberg, George	P1-F-66
Wittevrongel, Benjamin	P2-A-02
Wolpaw, Jonathan	P3-E-73
Won, Kyungho	P1-D-42
Workman, Liam	P1-E-63, P3-E-78
Wu, Di	P2-C-22
Wu, Lei	P1-A-12

Name	Poster Numbers
Wu, Ruoling	P2-C-21
Wu, Xiaolong	P3-A-12
Wu, Zehan	P3-A-12
Xie, Yang	P3-A-17
Xiong, Guang	P1-A-12, P3-A-17
Xu, Guangxiang	P2-A-01
Xu, Qing	P1-A-12, P3-A-17
Xue, Ning	P1-A-12
Yamauti, Seidi	P3-D-62
Yan, Arthur	P3-E-71, P1-D-46, P3-H-85
Yang, Han	P1-A-12, P3-A-17
Yang, Jaewon	P3-D-40
Yang, Jie	P2-A-10, P2-C-22
Yang, Mengchuanzhi	P3-A-17
Yang, Yuqi	P2-A-10
Yao, Lei	P1-A-12
Yi, Guoliang	P1-A-12, P3-A-17
Yin, Jiapeng	P3-A-17
Yoo, Peter	P3-A-10
Yu, Kaichen	P2-D-28
Yu, Ling	P1-A-12
Yuan, Xue	P3-D-45
Yue, Yisong	P2-G-68
Yun, Sangbin	P3-D-40
Yun, Suyeon	P1-F-67
Yusuf, Suraya	P3-B-34
Yvert, Blaise	P1-A-14
Zacksenhouse, Miriam	P1-E-58
Zanganeh Soroush, Pedram	P2-G-64
Zanto, Theodore	P2-D-49
Zenke, Friedemann	P2-A-10
Zewdie, Ephrem	P3-H-81
Zhang, Congcong	P1-A-12, P2-A-13
Zhang, Dingguo	P3-A-12
Zhang, Haoyu	P2-A-05
Zhang, Shaomin	P2-A-10
Zhang, Shuailei	P3-E-70
Zhang, Wenxia	P1-A-12
Zhang, Xiaoxing	P3-A-17
Zhang, Yue	P2-C-22

Name	Poster Numbers
Zhang, Yunnuo	P3-A-02
Zhang, Zhenda	P1-A-12
Zhao, Bangyao	P2-D-43
Zhao, Bin	P1-A-12, P3-A-17
Zhao, Cai	P1-A-12
Zheng, Hongjun	P1-A-12
Zhou, Yu	P1-A-12, P3-A-17
Zhu, Xiangyang	P1-G-84
Zhu, Ziyue	P1-D-33
Ziri, Déborah	P2-D-38
Zolyak, Joseph	P3-E-69
Zorzet, Bruno	P1-G-90
Zou, Yongjie	P2-A-13

Poster Sessions

SESSION 1 Tuesday, June 3 3:45pm - 5:45pm

SESSION 2 Wednesday, June 4 4:00pm - 6:00pm

SESSION 3 Thursday, June 5 3:45pm - 5:45pm

The poster boards are organized in the following manner: Session – Theme – Board # (i.e. P1-A-01)

BCI AREAS

- A Implantable BCIs Basic Science, Methods, and Technology
- **B** Implantable BCIs Control Applications
- C Implantable BCIs Other Applications
- Non-implanted BCIs Basic Science, Methods, and Technology
- **E** Non-implanted BCIs Control Applications
- F Non-implanted BCIs Other Applications
- G Signal Analysis, Simulation, Machine Learning, and Al
- **H** User Factors, Experiences & Ethics

SESSION 1

Tuesday, June 3 3:45pm - 5:45pm

P1-A-01 A Novel Fully Implantable High Data Rate BCI for Speech Restoration

David Brandman ¹, Vikash Gilja ², Shaoyu Qiao ², Matthew Angle ²

¹ University of California, Davis, ² Paradromics, Inc.

P1-A-02 Dynamic Class Balancing for Real-time Decoder Learning

Rémi Souriau ¹, Félix Martel ², Tetiana Aksenova ¹ ¹ Commissariat à l'énergie atomique et aux énergies alternatives, ² Université Grenoble Alpes

P1-A-03 Intracortical neural representation of finger movements in a nonhuman primate preserved over 400 days

Matthew Mender ¹, Hisham Temmar ¹, Joseph Costello ¹, Cynthia Chestek ¹, Matthew Willsey ¹
¹ University of Michigan

P1-A-04 Neural control of a robotic hand prosthesis by posture-related activity in the grasping circuit

Hunaid Hameed ¹, Andres Agudelo-Toro ¹, Marco Controzzi ², Hans Scherberger ¹

¹ German Primate Center, ² The Biorobotics Institute, Scuola Superiore Sant'Anna

P1-A-05 Decoding hierarchical elements of language from speech motor cortex to restore communication for people with ALS

Hadar Levi Aharoni ¹, Justin Jude ¹, Shane Allcroft ², Alex Acosta ¹, Stephanie Haro ², Nicholas Card ³, Maitreyee Wairagkar ³, Carrina Iacobacci ³, David Brandman ³, Sergey Stavisky ³, Sydney Cash ¹, Ziv Williams ⁴, John Simeral ², Leigh Hochberg ², Daniel Rubin ¹

¹ Massachusetts General Hospital, ² Brown University, ³ University of California, Davis, ⁴ Massachusetts General Hospital & Harvard Medical School

P1-A-06 Decoding of Coordinated Hand and Arm Movements

Mark Iskarous 1

¹ University of Chicago

P1-A-07 Closed Loop Decoding of Ipsilateral and Contralateral Proximal Movements in an Individual with Tetraplegia

Kushaal Rao ¹, Henry Jenkins ¹, Ruixiang Li ¹, Maarten Ottenhoff ¹, Richard Cheng ¹, Alex Acosta ², Bayardo Lacayo ², Lucille Panagos ², Shane Allcroft ¹, Andrew Dempsey ², Carlos Vargas-Irwin ¹, Leigh Hochberg ¹

¹ Brown University, ² Massachusetts General Hospital

P1-A-08 An intuitive, bimanual, high-throughput QWERTY keyboard touch typing neuroprosthesis

Justin Jude ¹, Hadar Levi Aharoni ¹, Alex Acosta ¹, Shane Allcroft ², Nicholas Card ³, Maitreyee Wairagkar ³, David Brandman ³, Sergey Stavisky ³, Ziv Williams ⁴, John Simeral ², Leigh Hochberg ², Daniel Rubin ¹

¹ Massachusetts General Hospital, ² Brown University, ³
 ² University of California, Davis, ⁴ Massachusetts General Hospital
 ³ Harvard Medical School

P1-A-09 A biomimetic iBCI decoder for restoring hand function in people with spinal cord injury

Fabio Rizzoglio ¹, Maximilian Carvajal ¹, Pouyan Firouzabadi ², Vikram Darbhe ³, Alexandriya Emonds ⁴, Anton Sobinov ⁴, Giacinto Luigi Cerone ⁵, Alberto Botter ⁵, Nina Suresh ³, Wendy Murray ¹, Lee Miller ¹

¹ Northwestern University, ² Northwestern University, ³ Shirley Ryan Ability Lab, ⁴ University of Chicago, ⁵ Politecnico di Torino

P1-A-10 EEG-based correlates of attention in intracortical BCI motor tasks

Edgar Canario ¹, Murat Akcakaya ¹, Douglas Weber ², Jennifer Collinger ¹

¹ University of Pittsburgh, ² Carnegie Mellon University

P1-A-11 Proprioceptive and Visual Feedback Effects on iBCI Decoding of Hand Grasps

Jake Gusman ¹, Diogo Schwerz De Lucena ², Tommy Hosman ¹, Anastasia Kapitonava ³, Claire Nicolas ³, Alex Acosta ³, Diana Wagner ⁴, Daniel Rubin ³, John Simeral ¹, Carlos Vargas-Irwin ¹, Conor Walsh ⁴, Leigh Hochberg ¹

¹ Brown University, ² AE Studio, ³ Massachusetts General Hospital, ⁴ Harvard University

P1-A-12 Development and Validation of a Fully Implantable Brain-Computer Interface System

Kai Tao ¹, Huijuan Chen ¹, Qiangpei Fu ¹, Ling Yu ¹, Guoliang Yi ¹, Hongjun Zheng ¹, Xiliang Guo ¹, Bin Zhao ¹, Zhenliang He ¹, Yifan Huang ¹, Jing Jia ¹, Yulei Chen ¹, Yue Lu ¹, Songwei Sun ¹, Longda Wang ¹, Wen Gu ¹, Jiayi Lu ¹, Enzhao Wang ¹, Cai Zhao ¹, Yu Jiang ¹, Liangliang Ju ¹, Jinpeng Lyu ¹, Xuqian Shi ¹, Wenxia Zhang ¹, Dandan Cao ¹, Mingxin Li ¹, Zhihua Li ¹, Zipei Shuai ¹, Congcong Zhang ¹, Jiawei Ju ¹, Ji Mu ¹, Zhicheng Shi ¹, Wei Wang ¹, Guang Xiong ¹, Han Yang ¹, Zhenda Zhang ¹, Yu Zhou ¹, Dan Li ¹, Hao Li ¹, Le Song ¹, Jie Sun ¹, Ming Tian ¹, Shibin Wei ¹, Lili Bu ¹, Yafei Cui ¹, Hongxiong Jiang ¹, Fei Wang ¹, Lei Wu ¹, Qing Xu ¹, Han Wang ¹, Xi Jiang ¹, Ruoyu Li ¹, Shi Wang ¹, Jingli Han ¹, Shouliang Guan ¹, Ning Xue ¹, Lei Yao ¹, Chengyu Li ¹

¹ Lin Gang Laboratory

P1-A-21 μECoG Array with ³,072 Electrodes for High-Density and Large-Area Cortical Recordings Based on Scalable Thin-Film Electronics

Paoline Coulson ¹, Sofie Luijten ², Florian De Roose ³, Kris Myny ⁴, Jan Genoe ⁴, Sebastian Haesler ²

¹ Katholieke Universiteit Leuven, ² Neuro-Electronics Research Flanders, ³ Interuniversity Microelectronics Centre, ⁴ KU Leuven

P1-B-24 Closed-loop error damping in human BCI using endogenous modifications in motor cortex activity

Camille Gontier ¹, Nicolas Kunigk ¹, William Hockeimer ¹, Edgar Canario ¹, Linnea Endsley ², John Downey ², Jeffrey Weiss ¹, Brian Dekleva ¹, Jennifer Collinger ¹

¹ University of Pittsburgh, ² University of Chicago

P1-B-25 Advancing speech BCIs towards conversational speeds in people with paralysis

Kamran Hussain ¹, Erin Kunz ¹, Nick Hahn ¹, Akansha Singh ¹, Leigh Hochberg ², Francis Willett ¹, Jaimie Henderson ¹

¹ Stanford University, ² Brown University

P1-B-26 From ECoG signals to cervical epidural electrical stimulation: Restoring arm and hand movements after a spinal cord injury

Thibault Collin ¹, Ina Bianca Yu ¹, Icare Sakr ², Valeria Spagnolo ³, Sergio Daniel Hernandez Charpak ¹, Nadine Intering ¹, Julie Hervé ¹, Céline Deschenaux ¹, Gaia Carparelli ¹, Felix Martel ⁴, Rémi Souriau ⁴, Alice Bruel ¹, Pedro Abranches ¹, Nicolas Hankov ¹, Grégory Dumont ¹, Pierre Bessot ⁵, Charlotte Jacquet 5, Anne Watrin 1, Léa Bole-Feysot 1, Charles David Sasportes ¹, Malo Simondin ¹, Cathal Harte ¹, Serpil Karakas ⁴, Laure Coquoz ¹, Vincent Rouanne ¹, Federico Ciotti ¹, Simon Dahan ¹, Frédéric Merlos ¹, Philippe Forrero ¹, Rémy Tang ¹, Andrea Galvez ¹, Jean-Baptiste Ledoux ⁶, Camille Haxaire ¹, Carole Poulin ¹, Fabio Becce ⁶, Stefano Carda ⁶, Viviana Aureli ¹, Matthieu Bosquet ⁷, Marina D'ercole ⁵, Julien Dedelley ⁵, Leonie Asboth ¹, Robin Demesmeaker ¹, Fabien Sauter ⁷, Olivier Faivre ⁴, Tetiana Aksenova 8, Guillaume Charvet 7, Jocelyne Bloch ⁹, Gregoire Courtine ⁹, Henri Lorach ²

¹ NeuroRestore, ² École Polytechnique Fédérale de Lausanne, ³ University of Lausanne, ⁴ Commissariat à l'énergie atomique et aux énergies alternatives, ⁵ Onward Medical, ⁶ Centre Hospitalier Universitaire Vaudois, ⁷ Université Grenoble Alpes, ⁸ Commissariat à l'Énergie Atomique et aux Énergies Alternatives, ⁹ Defitech Center for Interventional Neurotherapies

P1-B-27 Navigating the clinical trial pathway for implantable brain-computer interfaces: The COMMAND study

Thomas Oxley ¹, Shahram Majidi ², Raul Nogueira ³, Elad Levy ⁴, David Lacomis ⁵, Amit Kandel ⁶, Noam Harel ², David Putrino ², Douglas Weber ⁷

¹ Synchron, ² Icahn School of Medicine at Mount Sinai, ³ University of Pittsburgh Medical Center, ⁴ State University of New York at Buffalo, ⁵ University of Pittsburgh, ⁶ University of Buffalo, ⁷ Carnegie Mellon University

P1-A-13 The Impact of Directed Attention on ICMS in Human Somatosensory and Motor Cortex

Ali Alamri ¹, Natalya Shelchkova ¹, Nicholas Hatsopoulos ¹, Charles Greenspon ¹

¹ University of Chicago

P1-A-14 A preliminary evaluation of a fully implantable speech BCI

Guillaume Saldanha ¹, Mohamed Baha Ben Ticha ¹, Clément Arvis ¹, Philémon Roussel ¹, Florent Bocquelet ¹, Gaël Le Godais ¹, Marc Aubert ¹, Thomas Costecalde ², Lucas Struber ², Guilaume Charvet ², Philippe Kahane ¹, Stephan Chabardes ¹, Blaise Yvert ¹

¹ Université Grenoble Alpes, ² Commissariat à l'énergie atomique et aux énergies alternatives,

P1-A-15 Quantizing the Growth in Clinical Trials for Implanted Brain-Computer Interfaces Addressing Motor, Sensory, and Communication Applications.

K. Michelle Patrick-Krueger ¹, Ian Burkhart ², Jose Contreras-Vidal ³

¹ Texas Institute of Restorative Neurotechnologies, ² BCI Pioneers, ³ University of Houston

P1-A-16 An efficient protocol to optimize ICMS encoding of artificial sensation

Samuel Senneka ¹, Maria Dadarlat ¹

¹ Purdue University

P1-A-17 Investigation on the material-tissueinterface of flexible epicortical electrode arrays in a ferret animal model

Thomas Stieglitz ¹, Ioana Georgina Vasilas ¹, Jennifer Schulte ¹, Paul Cvancara ¹, Florian Pieper ², Andreas K. Engel ²

¹ University of Freiburg, ² University Medical Center Hamburg-Eppendorf

P1-A-18 A novel method for visual cortical prosthesis

Ra'anan Gefen 1

¹ CortiSight Medical Ltd.

P1-A-19 DBS-evoked ECoG responses in depression: First characterization and possible implications for closed-loop applications

Joana Pereira ¹, Matthias Dold ², Bastian Sajonz ¹, Michael Tangermann ², Volker Arnd Coenen ¹

¹ University Medical Center of Freiburg, ² Radboud University

P1-A-20 Representation of syntax in intracortical inferior frontal gyrus signals

Tianhao Lei ¹, Prashanth Prakash ¹, Crispin Foli ², A. Bolu Ajiboye ², Joshua Glaser ¹, Marc Slutzky ¹

¹ Northwestern University, ² Case Western Reserve University

P1-A-21 µECoG Array with 3,072 Electrodes for High-Density and Large-Area Cortical Recordings Based on Scalable Thin-Film Electronics

Paoline Coulson ¹, Sofie Luijten ², Florian De Roose ³, Kris Myny ⁴, Jan Genoe ⁴, Sebastian Haesler ²

¹ Katholieke Universiteit Leuven, ² Neuro-Electronics Research Flanders, ³ Interuniversity Microelectronics Centre, ⁴ KU Leuven

P1-B-22 A Continuously Learning Neural Decoder for Versatile and Transferable Motor Control

Paul Weger ¹, Maxime Verwoert ¹, Maarten Ottenhoff ², Sophia Gimple ¹, Pieter Kubben ³, Christian Herff ¹

¹ Maastricht University, ² Brown University, ³ Maastricht University Medical Center

P1-B-23 Toward Home-Use BCIs: Development and Evaluation of ECoG WIMAGINE Neuroprosthesis

Lucas Struber ¹, Félix Martel ², Andres Carvallo Pecci ², Rémi Souriau ², Violaine Juillard ², Serpil Karakas ², Matthieu Bosquet ², Fabien Sauter ², Joe Saad ², Adrian Evans ², Stephan Chabardes ², Tetiana Aksenova ¹, Guillaume Charvet ²

¹ Commissariat à l'énergie atomique et aux énergies alternatives, ² Université Grenoble Alpes,

P1-B-24 Closed-loop error damping in human BCI using endogenous modifications in motor cortex activity

Camille Gontier ¹, Nicolas Kunigk ¹, William Hockeimer ¹, Edgar Canario ¹, Linnea Endsley ², John Downey ², Jeffrey Weiss ¹, Brian Dekleva ¹, Jennifer Collinger ¹

¹ University of Pittsburgh, ² University of Chicago

P1-B-28 Intracortical voice synthesis neuroprosthesis to restore expressive speech to an individual with ALS

Maitreyee Wairagkar ¹, Nicholas Card ¹, Tyler Singer-Clark ¹, Xianda Hou ¹, Carrina Iacobacci ¹, Lee M. Miller ¹, Leigh Hochberg ², David Brandman ¹, Sergey Stavisky ¹

¹ University of California, Davis, ² Brown University

P1-B-29 Simultaneous independent control of two cursors on the first day of intracortical BCI use by a participant with microelectrode arrays in bilateral precentral gyri.

Maarten Ottenhoff ¹, Ruixiang Li ¹, Tsam Kiu Pun ¹, Shane Allcroft ¹, Andrew Dempsey ², Alex Acosta ², Bayardo Lacayo ², Lucille Panagos ², Carlos Vargas-Irwin ¹, Leigh Hochberg ¹

¹ Brown University, ² Massachusetts General Hospital

P1-D-30 Integrating BCI, FES, and social media for Rehabilitation of Upper Extremity Motor Function in Youth

Anna Bourgeois ¹, Meghan Maiani ¹, Araz Minhas ¹, Brian Irvine ¹, Ion Robu ², Payton Shaw ¹, Dejana Nikitovic ³, Zeanna Jadavji ¹, Gregory Wilding ², Nathan Brand ², Mateo Ambrogiano ², Emily Schrag ¹, Nicole Romanow ¹, Adam Kirton ¹, Eli Kinney-Lang ¹ ¹ University of Calgary, ² Alberta Children's Hospital, ³ University of Alberta & University of Calgary

P1-D-31 Decoding of Lower-Limb Movement Intent from Scalp Electroencephalography (EEG) in Children

Ayman Alamir ¹, Jose Contreras-Vidal ²

¹ UH, ² University of Houston

P1-D-32 Real-Time BCI Control of a Virtual Third Arm

Gilad Schrift ¹, Nitzan Censor ²

¹ Tel Aviv University, ² National Institutes of Health (NIH)

P1-D-33 Imagined Phoneme Decoding and Protocol Optimization for Non-invasive EEG-based Speech BCIs

Ziyue Zhu ¹, Rishan Patel ¹, Emmanuel Garrison-Hooks ¹, Youngjun Cho ¹, Tom Carlson ¹
¹ University College London

P1-D-34 EEG Data Segmentation Inducing Performance Overestimation

Nazmun Nahar Khan ¹, Taylor Sweet ¹, Chase Harvey ¹, Calder Knapp ¹, Dean Krusienski ², David Thompson ¹

¹ Kansas State University, ² Virginia Commonwealth University

P1-D-35 Neural Symbolic Regression for Interpretable & Efficient Brain- Computer Interfaces

Araz Minhas ¹, Eli Kinney-Lang ¹, Adam Kirton ¹
¹ University of Calgary

P1-D-36 Unsupervised Manifold Stabilization Method for Across- Session Brain-Computer Interface Decoding

Mohammadali Ganjali ¹, Abed Khorasani ², Alireza Mehridehnavi ¹

¹ Isfahan University, ² Northwestern University

P1-D-37 Simulated online typing performance in a cBCI using different language models

Tab Memmott ¹, Dylan Gaines ², Matthew Lawhead ³, Daniel Klee ³, Barry Oken ³, Keith Vertanen ²

¹ Oregon Health and Sciences University (OHSU), ² Michigan Technological University, ³ Oregon Health & Science University

P1-D-39 Adaptive Closed-Loop Neurofeedback Brain-Computer Interface for Treatment of Laryngeal Dystonia

Jimmy Petit ¹, Stefan Ehrlich ¹, Garrett Tougas ², Jacob Bernstein ², Nicole Buie ², Kristina Simonyan ¹ ¹ Harvard Medical School, ² Mass Eye and Ear

P1-D-40 EEG-based Motor Imagery Neurofeedback Enhance Mu Suppression during Motor Attempt in Stroke Patients

Hyunmi Lim ¹, Jeonghun Ku ¹, Won-Seok Kim ²

¹ Keimyung University, ² Seoul National University Bundang Hospital

P1-D-41 Exploring fNIRS-guided neurofeedback to alleviate motor symptoms: A proof-of-concept study in Parkinson's disease and healthy older adults

Franziska Klein ¹

¹ OFFIS e.V. Institute for Information Technology

P1-D-42 Too busy to feel? Studying the impact of workload on visuo-tactile perception through EEG

Emile Savalle ¹, Léa Pillette ², Kyungho Won ³, Ferran Argelaguet ¹, Anatole Lécuyer ¹, Marc J-M Macé ¹
¹ Institut National de Recherche en Informatique et en Automatique, ² Université de Rennes ¹, ³ Gwangju Institute of

P1-D-43 An Innovative Method for Detecting P300 Signals in Patients with Disorders of Consciousness

Luigi Bianchi ¹, Francesca Frisardi ¹, Fabrizio Cum ¹, Laura Mattioli ¹, Francesca Leonardis ¹ ¹ Tor Vergata University

P1-D-44 Brain-Computer Interface Games for Cognitive Assessment: A Scoping Review

Munirah Alsubaie 1

Science and Technology (GIST)

¹ University of Alberta

P1-D-45 Comparative covariance example selection: A weak labelling approach to MI BCI classification

Alexander Thomas ¹, Tom Carlson ¹
¹ University College London

P1-D-46 Physiologic Manifestations of Communication & Learning in a Patient with Remote TBI & Disorders of Consciousness: Lessons from Establishing a Non-Invasive BCI Protocol

Siulam Koo ¹, Arthur Yan ¹, Amber Lieto ², Sarah Baker ¹, Evelyn Mariperisena-Meinert ², Amy Bauer ¹, Gary Galang ¹, Nabela Enam ³, Kevin Franzese ¹, Katharine "Katya" Hill ², Amy Wagner ¹

¹ University of Pittsburgh Medical Center, ² University of Pittsburgh, ³ University of Pennsylvania

P1-D-47 Designing an Eye-Gaze Tracking System with Computer Vision to Enhance Children's Intention in BCI

Ludymila Ribeiro Borges ¹, Eli Kinney-Lang ¹, Adam Kirton ¹

P1-D-48 Perceptogram: Reconstructing Visual Percepts from EEG

Teng Fei ¹, Ian Jackson ¹, Abhinav Uppal ¹, Virginia R. De Sa ¹

P1-D-49 Building a taxonomy of variability factors in active BCI

Pauline Dreyer ¹, Fabien Lotte ¹, Raphaëlle Nina Rov ²

¹ Institut National de Recherche en Informatique et en Automatique, ² École Nationale de l'Aviation Civile

P1-D-50 Challenges in Common Spatial Pattern Reliability for Neurofeedback

Cassandra Dumas ¹, Claire Dussard ¹, Nathalie GEORGE ², Marie-Constance Corsi ¹

¹ Sorbonne Université, ² Centre National de la Recherche Scientifique

P1-D-51 Consumer grade in-ear EEG for at home pediatric BCI

Adam Luoma ¹, Adam Kirton ¹, Eli Kinney-Lang ¹
¹ University of Calgary

P1-D-52 Smart Gel-Enabled EEG Systems for Brain-Computer Interfaces in Children with Profound Motor Impairments

Zhitong Lin ¹, Eli Kinney-Lang ², Hyun-Joong Chung ¹
¹ University of Alberta, ² University of Calgary

P1-D-53 Semantic Decoding Advances in BCI via the Novel Graded Inventory of Semantic Triggers (GIST)

Ioshua Podmore 1

P1-D-54 Identifying Brain Activity Biomarkers For Cognitive Skills In Children Aged ⁷ To ¹2 Years Using The EPOC X Mobile EEG

Theo Marchand 1

P1-E-56 Mitigating EEG Non-Stationarity in Multi-Session MI BCI with Autoencoder Denoisers

Yoav Noah ¹, Oren Shriki ¹

P1-E-57 Evaluation of a P300 BCI for augmentative and alternative communication in children with disabilities

Jason Leung ¹, Tom Chau ²

¹ Holland Bloorview Kids Rehabilitation Hospital, ² University of Toronto

P1-E-58 Self-Correcting Multi-Command Brain-Computer Interfaces based on Error-Related Potentials

Miriam Zacksenhouse ¹, Tamar Shavit ¹, Miri Benyamini ¹, Igor Demchenko ¹

P1-E-59 Genetic Algorithm Implementation for Intersubject Motor Imagery Classification

Cristofher Toledo 1

P1-E-60 Impact of responsiveness fluctuations on P300-based classification: An offline study for BCI applications in DoC

Valentina Caracci ¹, Angela Riccio ², Ilaria Quattrociocchi ¹, Valentina Galiotta ², Floriana Pichiorri ², Jlenia Toppi ¹, Febo Cincotti ¹, Donatella Mattia ²

P1-E-61 Neurophysiologically-guided optimization of neuronal avalanches for BCI

Camilla Mannino ¹, Mario Chavez ², Marie-Constance Corsi ¹

P1-E-62 Supporting the user learning process in MI-BCI based on backward adaptation and neurofeedback

Victoria Peterson ¹, Catalina Galván ², Valeria Spagnolo ³, Solange Gualpa ², Denise Nigro ², Diego H. Milone ⁴, Ruben Daniel Spies ²

P1-E-63 Design of a Visual BCI for Children With Cerebral Palsy to Operate a Power Mobility Device

Danielle Jourdain ¹, Haden Scheirman ¹, Philippa Madill ¹, Aleksander Berezowski ¹, Morgan Kerr Mcnutt ¹, Liam Workman ¹, Adam Kirton ¹, Ludymila Ribeiro Borges ¹, Adam Luoma ¹, Eli Kinney-Lang ¹ ¹ University of Calgary

¹ University of Calgary

¹ University of California, San Diego

¹ University of Essex

¹ Ecole des Mines de Saint Etienne

¹ Ben-Gurion University

¹ Technion

¹ Instituto Nacional de Astrofísica, Óptica y Electrónica

¹ Sapienza University of Rome, ² Fondazione Santa Lucia

¹ Institut National de Recherche en Informatique et en Automatique, ² Centre National de la Recherche Scientifique

¹ Consejo Nacional de Investigaciones Científicas y Técnicas, ² IMAL Instituto de Matemática Aplicada del Litoral, ³ University of Lausanne, ⁴ Instituto de Investigación en Señales, Sistemas e Inteligencia Computacional (sinc(i))

P1-E-64 Enhancing destination-based BCI navigation using reinforcement learning and large language models

Anup Tuladhar ¹, Daniel Comadurán Márquez ¹, Araz Minhas ¹, Adam Kirton ¹, Eli Kinney-Lang ¹
¹ University of Calgary

P1-E-65 The first BCI clinical trial for stroke neurorehabilitation in Latin America: The ReHand-BCI trial

Jessica Cantillo-Negrete ¹, Martin Emiliano Rodriguez-Garcia ², Paul Carrillo-Mora ¹, Oscar Arias-Carrion ³, Emmanuel Ortega-Robles ³, Marlene Galicia-Alvarado ¹, Raquel Valdes-Cristerna ², Ana Guadalupe Ramirez-Nava ¹, Claudia Hernandez-Arenas ¹, Jimena Quinzaños-Fresnedo ¹, Ma Del Refugio Pacheco-Gallegos ¹, Norma Marin-Arriaga ¹, Ruben Carino-Escobar ¹

P1-F-66 Patient-Specific Visual Neglect Severity Estimation for Stroke Patients using an AR and EEG based BCI

Murat Akcakaya ¹, Deniz Kocanaogullari ¹, Richard Gall ¹, Jennifer Mak ¹, Xiaofei Huang ², Katie Mullen ¹, Sarah Ostadabbas ², George Wittenberg ¹, Emily Grattan ¹

P1-F-67 Comparative Evaluation of Compact and Research-Grade EEG in BCI: P300-Based Visual/ Auditory Oddball Tasks

Suyeon Yun ¹, Sunghan Lee ¹, In Cheol Jeong ¹ ¹ Hallym University

P1-F-68 Unlocking Neural Patterns: A Graph Neural Network Model to Classify and Analyze EEG Connectivity in Parkinson's Disease

Alessandro Vato ¹, Artur Aharonyan ¹
¹ Catholic University of America

P1-F-69 Neuromorphic Processing of sEMG Signals for Finger Position Estimation

Corentin Piozin ¹, Hoda Fares ¹, Farshad Moradi ¹ ¹ Aarhus University

P1-F-70 Decoding Text Embeddings From Functional MRI Data Using Deep Learning

Diogo Schwerz De Lucena ¹, Lorenzo Alencar Tomaz ¹, Judd Rosenblatt ¹

P1-F-71 Fine-Tuning a Foundation Model for Motor Imagery Pediatric Brain-Computer Interfaces (BCIs)

Mohammadreza Behboodi ¹, Eli Kinney-Lang ¹, Adam Kirton ¹, Hatem Abou-Zeid ¹

¹ University of Calgary

P1-F-72 An EEG Artifact Removal Neural Network for BCI Applications with EEG-ViTNet

Jerry Wan 1

P1-F-73 Collaborative Virtual Reality BCI Post-Stroke Neurorehabilitation Using Head-Mounted Displays

Roman Rosipal ¹, Nina Evetovic ¹, Zuzana Rostakova ¹, Arina Polyanskaya ², Martin Vankó ¹, Stefan Korecko ³, Branislav Sobota ³, Natalia Porubcová ¹, Leonard Trejo ⁴

P1-F-74 Asynchronous SSVEP based BCI using ²-stage Deep learning approach

Heegyu Kim ¹, Minkyu Ahn ², Sung Jun ¹
¹ Gwangju Institute of Science and Technology (GIST), ² Handong Global University

P1-F-75 A Pilot Study for SSVEP-based Person Recognition

Yute Wang 1, Yu-Lin Chu 2

¹ Academia Sinica, ² Research Center for Information Academic Sinica

P1-F-76 A P300 Brain-Computer Interface as a Diagnostic Tool for Measuring the Efficacy of Psychotherapeutic Intervention

Sonja Kleih-Dahms 1, Andrea Kübler ¹

¹ University of Würzburg

P1-F-77 Independent Multiuser-Brain Computer Interface (mBCI): A Scoping Review

Cindy Natalia Molano Camargo ¹

¹ University of Toronto

P1-F-78 Jitter and Latency Characterization in Closed-Loop Neuromodulation during NREM Sleep in elderly and pathological population

Rodrigo Ramele ¹, Matías Pretel ¹, Aylin Vazquez-Chenlo ¹, Lucila Capurro ¹, Cecilia Forcato ¹

¹ Instituto Nacional de Rehabilitacion, ² Universidad Autónoma Metropolitana, ³ General Hospital Manuel Gea Gonzalez

¹ University of Pittsburgh, ² Northeastern University

¹ AE Studio

¹ Holland Bloorview Kids Rehabilitation Hospital

¹ Slovak Academy of Sciences, ² University of Vienna, ³ Technical University of Košice, ⁴ Pacific Development and Technology, LLC

¹ Instituto Tecnológico de Buenos Aires (ITBA)

P1-F-79 Development of EEG-Based Optimal Biomarkers for Decoding Mental Fatigue during Motor Imagery Tasks

Jun-Seok Lee ¹, Seung-Won Lee ¹, Sang-Rok Kim ¹, Won-Seok Kim ², Jeonghun Ku ³, Han-Jeong Hwang ¹

¹ Korea University, ² Seoul National University Bundang Hospital, ³ Keimyung University

P1-F-80 Neurophysiological Understanding of the Effect of White Noise on Working Memory Performance Based on Electroencephalography

Seung-Won Lee ¹, Jun-Seok Lee ¹, Han-Jeong Hwang ¹

¹ Korea University

P1-F-81 A non-invasive brain computerbrain stimulation interface to enhance motor rehabilitation

Ameer Hamoodi ¹, Stevie Foglia ¹, Aimee Nelson ¹

¹ McMaster University

P1-G-82 Subject-Transfer Approach based on Convolutional Neural Networks for Classifying Gaitrelated Motor Imagery

Keun-Tae Kim 1

¹ Hallym University

P1-G-83 Task-Based Functional Network and Topological Data Analysis of Event Related Potentials in Chronic Tinnitus

Jihoo Kim ¹, Seunghu Kim ¹, June Choi ², Sungkean Kim ¹

¹ Hanyang University, ² Korea University Ansan Hospital

P1-G-84 An SSVEP Regression Network for Crossstimulus Transfer in SSVEP-BCIs

Ximing Mai ¹, Jianjun Meng ¹, Xiangyang Zhu ¹
¹ Shanghai Jiao Tong University

P1-G-85 MultiPy – An open-source Python toolbox for multimodal real-time analysis

Franziska Klein ¹

¹ OFFIS e.V. Institute for Information Technology

P1-G-86 Classification of upper extremity function in stroke using magnetic resonance imaging acquired during Brain-computer interface protocols for neurorehabilitation

Ruben Carino-Escobar ¹, Jessica Cantillo-Negrete ¹
¹ Instituto Nacional de Rehabilitacion

P1-G-87 Wavelet Scattering-based EEG Channel Reduction for Motor Imagery Classification

Dong Jin Sung 1

¹ Korea University

P1-G-88 Decoding Hand Gestures from Gyral and Sulcal Regions of the Sensorimotor Cortex Using High-Resolution fMRI

Maria Kromm ¹, Mathijs Raemaekers ², Mariana Branco ², Nick Ramsey ¹

¹ University Medical Center Utrecht, ² UMC Utrecht Brain Center

P1-G-89 Do Complex Vision Models Improve Feature Alignment with fMRI for Neural Decoding of Visual Stimuli?

Marco Finocchiaro ¹, Federica Proietto Salanitri ¹, Lisa Passarello ¹, Concetto Spampinato ¹, Salvatore Calcagno ¹

¹ University of Catania

P1-G-90 Can sex be decoded from MI features in deep learning based BCIs?: An exploratory analysis

Bruno Zorzet ¹, Rodrigo Echeveste ¹, Diego H. Milone ¹, Victoria Peterson ²

¹ Instituto de Investigación en Señales, Sistemas e Inteligencia Computacional (sinc(i)), ² IMAL Instituto de Matemática Aplicada del Litoral

SESSION 2

Wednesday, June 4 4:00pm - 6:00pm

P2-A-01 Neural encoding and decoding of multidimensional handwriting movement

Yaoyao Hao ¹, Guangxiang Xu ¹, Zebin Wang ¹, Yueming Wang ¹

¹ Zhejiang University

P2-A-02 Speech mode classification from electrocorticography signals

Aurélie De Borman ¹, Benjamin Wittevrongel ¹, Bob Van Dyck ¹, Kato Van Rooy ², Ine Dauwe ³, Evelien Carrette ², Alfred Meurs ², Dirk Van Roost ², Paul Boon ², Marc Van Hulle ¹

¹ KU Leuven, ² Ghent University, ³ Ghent University Hospital

P2-A-03 Beyond Single Datasets: Transfer Learning for iBCI Decoding

Emily Mo Nipshagen ¹, Julia Berezutskaya ², Yağmur Güçlütürk ¹, Pieter Kubben ³, Marcel Van Gerven ¹
¹ Radboud University, ² UMC Utrecht Brain Center, ³ Maastricht University Medical Center

P2-A-04 Bilateral frontotemporal neuronal dynamics during natural conversation: Singleneuron insights for BCI technologies

Mohsen Jamali ¹, Irene Caprara ², Analise Bottinger ³, Emery Jacobowitz ³, Ziv Williams ¹

- ¹ Massachusetts General Hospital & Harvard Medical School,
- ² Massachusetts General Hospital, ³ Northeastern University

P2-A-05 Semantics decoding using human intracranial EEG during natural speech production

Jing Cai ¹, Camille Pescatore ², Haoyu Zhang ², Ziv Williams ³, Sydney Cash ²

¹ Harvard Medical School, ² Massachusetts General Hospital, ³ Massachusetts General Hospital & Harvard Medical School

P2-A-06 BCI Training-Induced Neuroplasticity: Evidence from Long-Term Neural Activity Analysis

Lucas Struber 1

P2-A-07 Towards a decision-making BCI for dynamic detection of uninformed decisions

Sophia Gimple ¹

P2-A-08 BCI-sift: An Automated Feature Selection Toolbox for Brain-Computer Interface Applications

Elena Offenberg ¹, Dirk Keller ¹, Mariska Vansteensel ¹, Mariana Branco ¹, Nick Ramsey ¹, Julia Berezutskaya ¹

P2-A-09 Quantifying Neuro-motor Relationships using Deep Learning for Deep Brain Stimulation Targeting in Parkinson's Disease

Erin Radcliffe ¹, Daniel Kramer ¹, Drew Kern ¹, John Thompson ¹

P2-A-10 Efficient and accurate cortical spike train decoding for BCI implants with recurrent spiking neural networks

Tengjun Liu ¹, Tuoru Li ¹, Julia Gygax ², Julian Rossbroich ², Tianyang Li ³, Yuqi Yang ¹, Zihao Li ¹, Yansong Chua ⁴, Jie Yang ³, Weidong Chen ¹, Friedemann Zenke ², Shaomin Zhang ¹

¹ Zhejiang University, ² Friedrich Miescher Institute for Biomedical Research, ³ Westlake University, ⁴ China Nanhu Academy of Electronics and Information Technology

P2-A-11 Development of Brain-Computer Interface Translational Research Platform in Canine Models

Frederik Lampert 1

P2-A-12 Neural Mechanisms of Dual Motor and Language Processing

Crispin Foli ¹, A. Bolu Ajiboye ¹, Emily Conlan ¹, William Memberg ¹

P2-A-13 Meta-AlignNN: A Meta-Learning Framework for Stable BCI Performance Across Subjects, Time, and Tasks

Yongjie Zou ¹, Zhenliang He ¹, Congcong Zhang ¹, Kai Liu ¹, Yu Ling ¹, Mengyu Li ¹, Fei Wang ¹, Yulei Chen ¹, Mingxin Li ¹, Chengyu Li ¹

¹ Lin Gang Laboratory

P2-A-14 Phoneme Sequence Encoding in Ventral Motor Cortex

Chaofei Fan ¹, Benyamin Meschede-Krasa ¹, Erin Kunz ¹, Foram Kamdar ², Nicholas Card ², Maitreyee Wairagkar ², Carrina Iacobacci ², Leigh Hochberg ³, David Brandman ², Sergey Stavisky ², Shaul Druckmann ¹, Chris Manning ¹, Jaimie Henderson ¹, Francis Willett ¹

¹ Stanford University, ² University of California, Davis, ³ Brown University

P2-A-15 Decoding Attempted Speech in an Individual with Locked-in Syndrome

Julia Berezutskaya ¹, Alexandre Spacassassi Silva ², Simon Geukes ¹, Malinda Verberne ¹, Anouck Schippers ¹, Zac Freudenburg ¹, Mariana Branco ¹, Erik Aarnoutse ², Nathan Crone ³, Mariska Vansteensel ¹, Nick Ramsey ²

¹ UMC Utrecht Brain Center, ² University Medical Center Utrecht, ³ Johns Hopkins University School of Medicine

P2-A-16 Extensive, non-uniform neural activation from intracortical electrical stimulation drives weak sensory perception in mice

Jordan Hickman ¹, Daniel Denman ¹

P2-A-17 Movement decoding: Dealing with neural signal drift

Etienne De Montalivet ¹, Nima Mojtahedi ¹, Iris Maya Toye ², Shiqi Sun ², Titouan Brossy ², Quentin Devaud ², Charles-François Vincent Latchoumane ², Jocelyne Bloch ³, Gregoire Courtine ³, Kyuhwa Lee ¹

¹ Wyss Center for Bio and Neuroengineering, ² École Polytechnique Fédérale de Lausanne, ³ Defitech Center for Interventional Neurotherapies

P2-A-18 BrainGPT: Learning the natural language of the human brain to operate neuroprosthesis

Icare Sakr ¹, Henri Lorach ¹, Gregoire Courtine ², Valeria Spagnolo ³, Thibault Collin ⁴, Felix Martel ⁵, Tetiana Aksenova ⁵, Andrea Galvez ⁴

École Polytechnique Fédérale de Lausanne,
 Defitech Center for Interventional Neurotherapies,
 University of Lausanne,
 NeuroRestore,
 Commissariat à l'énergie atomique et aux énergies alternatives

¹ Commissariat à l'énergie atomique et aux énergies alternatives

¹ Maastricht University

¹ University Medical Center Utrecht Brain Center3

¹ University of Colorado Anschutz Medical Campus

¹ Mayo Clinic

¹ Case Western Reserve University

¹ University of Colorado Anschutz Medical Campus

P2-A-19 Recalibration of implantable braincomputer interface devices to enable long- term independent use: A systematic review

Eleanor Swanson ¹, Esmee Dohle ², Luke Bashford ³, Hugo Layard Horsfall ⁴, Luka Jovanovic ⁵, Jamie Brannigan ²

¹ University Medical Center Utrecht, ² Oxford University Hospital, ³ Newcastle University ⁴ National Hospital for Neurology and

P2-A-20 Daily independent conversational speech decoding from the intracortical neural activity of a man with ALS

Nicholas Card ¹, Hamza Peracha ¹, Tyler Singer-Clark ¹, Carrina Iacobacci ¹, Maitreyee Wairagkar ¹, Xianda Hou ¹, Leigh Hochberg ², David Brandman ¹, Sergey Stavisky ¹

¹ University of California, Davis, ² Brown University

P2-C-21 A Transfer Learning Framework for Across-speaker Articulatory Movement Decoding in Sensorimotor Cortex

Ruoling Wu ¹, Julia Berezutskaya ¹, Zac Freudenburg ¹, Elena Offenberg ¹, Nick Ramsey ¹ ¹ University Medical Center Utrecht

P2-C-22 A sEEG-based BCI for Brain-to-Chinese Language Decoding

Jie Yang ¹, Lu Cao ¹, Yifei Jia ¹, Di Wu ¹, Yue Zhang ¹, Mohamad Sawan ¹

¹ Westlake University

P2-C-23 Changes in globus pallidus internus local field potentials during freezing-of-gait in Parkinson's disease

Josephine Wallner ¹, Dean Krusienski ¹, Harsh Shah ² ¹ Virginia Commonwealth University, ² VCU

P2-C-24 Identifying Motor-Specific Biomarkers in Parkinson's Disease: A Focus on Neural Activity in the Primary Motor Cortex

Xiang Shen ¹

P2-C-25 A pilot study towards synthesizing speech during intraoperative recordings using the Layer ⁷ cortical interface

Miguel Angrick ¹, Shiyu Luo ¹, Daniel Candrea ¹, Rohit Ganji ¹, Katrina Barth ², Jackie Dister ², Josh Miller ², Elton Ho ², Kurt Lehner ¹, Youssef Comair ¹, Benjamin Rapoport ², Nathan Crone ³

P2-C-26 Clinical Brain Computer Interface for adaptive neuromodulation in Parkinson's disease as regular clinical care: A protocol

Martijn De Neeling ¹, Bart J. Keulen ¹, Mariëlle J. Stam ¹, Deborah Hubers ¹, Rob M.A. De Bie ¹, Bernadette C.M Van Wijk ¹, P. Rick Schuurman ¹, Maarten Bot ¹, Arthur W.G. Buijink ¹, Martijn Beudel ¹ ¹ Amsterdam University Medical Center

P2-D-28 Quantifying the spatial stability of sensory stimulation projected fields for neuroprostheses

Keqin Ding ¹, Mark Iskarous ², Luke Osborn ³, Breanne Christie ¹, Dayann D'almeida ¹, Kaichen Yu ¹, Matthew Fifer ¹, Pablo Celnik ⁴, Francesco Tenore ¹, Brian Caffo ¹, Nitish Thakor ¹ ¹ Johns Hopkins University, ² University of Chicago, ³ Case Western University, ⁴ Shirley Ryan Ability Lab

P2-D-29 Comparative Analysis of the NeuroExo, the Stentrode, and the N1 BCI devices

Jose Contreras-Vidal ¹, Zoya Fazal ²

¹ University of Houston, ² University of Houston

P2-D-30 Reporting checklist for observational implanted and non-implanted neural interface studies: Protocol for a Delphi process

Martijn De Neeling ¹, Katharine "Katya" Hill ², Ricardo Chavarriaga ³, Jane Huggins ⁴, Luigi Bianchi ⁵, Armani Porter ⁶, Mariska Vansteensel ⁷ ¹ Amsterdam University Medical Center, ² University of Pittsburgh, ³ Zurich University of Applied Sciences, ⁴ University of Michigan, ⁵ Tor Vergata University, ⁶ Magnus Medical, ⁷ UMC Utrecht Brain Center

P2-D-31 *Ear-EEG Auditory Error-Related Potentials*

Allan Frederick ¹, Deland Liu ¹, Ju-Chun Hsieh ¹, Huiliang Wang ¹, José Del R. Millán ¹

¹ University of Texas at Austin

P2-D-32 Toward EEG discrimination of fingers movements during motor imagery vs passive movement

Théo Lefeuvre 1

P2-D-33 Intentional binding in BCI, how time elicits better neurophysiological responses

Tristan Venot ¹, Arthur Desbois ¹, Marie-Constance Corsi ¹, Laurent Hugueville ², Ludovic Saint-Bauzel ³, Fabrizio De Vico Fallani ¹

¹ Institut National de Recherche en Informatique et en Automatique, ² Institut du Cerveau, ³ ISIR Sorbonne Université

³ Newcastle University, ⁴ National Hospital for Neurology and Neurosurgery, ⁵ East and North Hertfordshire NHS Trust

¹ Guangdong Institute of Intelligence Science and Technology

¹ Johns Hopkins University, ² Precision Neuroscience, ³ Johns Hopkins University School of Medicine

¹ Centre National de la Recherche Scientifique

P2-D-34 Affective-Visual-Voice-Feedback Immersive Brain-Computer Interface Integrating EEG-Based Motor Imagery and Generative AI for Stroke Patients

Chia-Hsin Chen 1

P2-D-35 Functional ultrasound neuroimaging through a human cranial window for decoding of movement effector somatotopy in primary motor cortex

Lydia Lin ¹, Thierri Callier ¹, Charles Liu ², Mikhail Shapiro ¹, Richard Andersen ¹

¹ California Institute of Technology, ² University of Southern California

P2-D-36 EEG decoding of gait for clinical rehabilitation and assessment

Neethu Robinson ¹, Xi Fu ¹, Rui Liu ¹, Aung Aung Phyo Wai ¹, Leran Jenny Liang ¹, Yuting Tang ¹, Cuntai Guan ¹

P2-D-37 Optimizing P300 Speller Performance through Uncertainty Quantification

Andreea Sburlea ¹, Ivo De Jong ¹, Bernard Renardi ¹
¹ University of Groningen

P2-D-38 Motor-imagery neurofeedback for beta downregulation in Parkinson's disease

Claire Dussard ¹, Emeline Pierrieau ², Déborah Ziri ¹, Cassandra Dumas ¹, Marie-Laure Welter ³, Laurent Hugueville ⁴, Brian Lau ¹, Camille Jeunet-Kelway ⁵, Carine Karachi ¹, Nathalie GEORGE ⁶

¹ Sorbonne Université, ² Université de Bordeaux, ³ Centre Hospitalier Universitaire Rouen, ⁴ Institut du Cerveau, ⁵ University of Bordeaux, ⁶ Centre National de la Recherche Scientifique

P2-D-39 Brain-Computer Gaming Control through Imagined Speech Commands in Single-player

Alma Rosa Cuevas Romero ¹, Luz María Alonso Valerdi ¹, Luis Alberto Muñoz Ubando ¹, Alejandro Torres-Garcia ²

P2-D-41 The potential of the ¹/f EEG slope at rest for predicting BCI performance: A brain criticality hypothesis for BCI use

Tomko Settgast ¹, Andrea Kübler ¹

P2-D-42 Adaptive EEG-Based Brain-Computer Interfaces for Stroke Patients: A Scoping Review

Celeste Cisi ¹, Maryam Alimardani ¹

P2-D-43 Bayesian Reinforcement Learning for Optimizing the BCI-Utility of P300 Brain-Computer Interfaces

Bangyao Zhao ¹, Yixin Wang ¹, Jane Huggins ¹, Jian Kang ¹

P2-D-44 Closed-Loop Augmentation of Cognitive States

Conor Russomanno ¹, Musa Mahmood ¹, Alejandro Covalin ², Navid Khodaparast ², Jackie Kohl ¹, Isaac Plotkin ¹, Joseph Artuso ¹, Zoe Steine-Hanson ¹ ¹ OpenBCI, Inc., ² Spark Biomedical Inc

P2-D-45 EEG-based classification of awareness in disorders of consciousness

Ana Matran-Fernandez ¹, Serafeim Perdikis ¹, Rab Nawaz ¹, Marina Lopes Da Silva ², Tommaso Bertoni ³, Jean-Paul Noel ⁴, Jane Jöhr ³, Andrea Serino ³, Karin Diserens ², Reinhold Scherer ¹, Sebastian Halder ¹

P2-D-46 Enriching the Image: Does Combining Motor Imagery with Haptic Input Affect the Event-Related Desynchronization?

Jennifer Decker 1

P2-D-47 Real-Time Classification and Modulation of the Distractor Positivity with an EEG BCI

Anastasiia Melnichuk 1

¹ University of Texas at Austin

P2-D-48 Error-Positivity Amplification with Alternating-Current Stimulation Augments Perceptual Skills to Detect Errors

Deland Liu ¹, Holland Ernst ¹, Michael Solomon ¹, Frigyes Racz ¹, Hannah Lee ¹, Jose Del R. Millan ¹
¹ University of Texas at Austin

P2-D-49 Multimodal Biosensing and Unsupervised Clustering Reveal Neuro- and Physiological Correlates of Emotion

Maryam Bijanzadeh ¹, Bijurika Nandi ¹, Richard Campusano ¹, Jennifer Townsend ¹, Isabella Hartley ¹, Adam Gazzaley ¹, Theodore Zanto ¹, Reza Abbasiasl ¹

P2-D-50 Passive Neuroart BCI for Health: A Perspective

Marc Welter ¹, Tomasz Rutkowski ², Fabien Lotte ¹
¹ Institut National de Recherche en Informatique et en
Automatique, ² RIKEN Center for Advanced Intelligence Project
(AIP)

¹ Kaohsiug Medical University Hospital

¹ Nanyang Technological University

¹ Tecnológico de Monterrey, ² Instituto Nacional de Astrofísica, Óptica y Electrónica

¹ University of Würzburg

¹ Vrije Universiteit Amsterdam

¹ University of Michigan

¹ University of Essex, ² Centre Hospitalier Universitaire Vaudois,

³ University of Lausanne, ⁴ University of Minnesota

¹ University of Oldenburg

¹ University of California, San Francisco

P2-D-51 Accuracy Analysis of P300 BCI Famous Face Stimuli

Francisco Vigil ¹

¹ University of Michigan

P2-D-52 Decoding Imagined Handwriting from single-trial EEG

Srinivas Ravishankar ¹, Virginia De Sa ¹

¹ University of California, San Diego

P2-F-53 Transparent c-VEP-based passive BCI to probe spatial attention

Pietro Cimarosto ¹, Kalou Cabrera Castillos ¹

¹ Institut Supérieur de l'Aéronautique et de l'Espace

P2-F-54 Brain-Computer Interface Communication Application for Children with Diverse Learning Needs

Beverly Anne Collisson ¹, Eli Kinney-Lang ¹, Georgie Brewin ², Brian Irvine ¹, Marie-Claire Dylke ², Adam Kirton ¹

¹ University of Calgary, ² Calgary Board of Education

P2-F-55 Temporally Interfering electrical stimulation reduce interictal epileptiform discharges in rats

Jiahui Che 1

¹ Tianjin University

P2-F-56 Preliminary Evaluation of the Safety of Single-Parameter Ultrasound Stimulation on the Visual Cortex in Rats

Shupeng Tao 1

¹ Tianjin University

P2-F-57 TMS-based neurofeedback facilitates motor imagery of different hand actions

Hsiao-Ju Cheng ¹, Olivia Hochstrasser ¹, Eunice Tai ¹, Daryl Chong ¹, Nicole Wenderoth ²

¹ Singapore-ETH Centre, ² ETH Zürich

P2-F-58 A Brain-Computer Interface Approach to Music and Sound Generation

Luigi Bianchi ¹

¹ Tor Vergata University

P2-G-59 The Application of Stereoelectroencephalography for Brain-computer Interfaces

Maxime Verwoert ¹

¹ Maastricht University

P2-G-60 Sequential Forward Selection (SFS) for Transfer Learning Source Selection in Motor Imagery BCI

Brian Irvine ¹, Eli Kinney-Lang ¹, Adam Kirton ¹, Hatem Abou-Zeid ¹

¹ University of Calgary

P2-G-61 Minimal calibration MI-BCIs via intersubject transfer learning with optimal transport

Catalina Galván ¹, Victoria Peterson ², Ruben Daniel Spies ¹, Diego Humberto Milone ³

¹ IMAL Instituto de Matemática Aplicada del Litoral, ² Consejo Nacional de Investigaciones Científicas y Técnicas, ³ Instituto de Investigación en Señales, Sistemas e Inteligencia Computacional (sinc(i))

P2-G-62 Multimodal Multivariate Granger Causality Between EEG and fNIRS during an Auditory Task

John McLinden ¹, Behtom Adeli ¹, Alex Cerullo ¹, Ming Shao ², Kevin Spencer ³, Mascha Van 'T Wout-Frank ⁴, Yalda Shahriari ¹

¹ University of Rhode Island, ² University of Massachusetts, Dartmouth, ³ VA Boston Healthcare System & Harvard Medical School, ⁴ Brown University

P2-G-63 Changes in Brain Oscillatory Dynamics in Elderly Adults as a Consequence of Natural Aging

Lucila Capurro ¹, Michael Radloff ², Luis Ignacio Brusco ³, Rodrigo Ramele ¹, Cecilia Forcato ¹

¹ Instituto Tecnológico de Buenos Aires (ITBA), ² University of Klagenfurt, ³ Consejo Nacional de Investigaciones Científicas y Técnicas

P2-G-64 Examining SEEG Traveling Wave Instances During Speech Production and Auditory Perceptual Contexts

Michael Dexheimer ¹, Pedram Zanganeh Soroush ¹, Harsh Shah ¹, Jerry Shih ², Paul Koch ¹, Dean Krusienski ¹

¹ Virginia Commonwealth University, ² University of California, San Diego

P2-G-65 Optimizing Imagined Speech Decoders: A Comprehensive Study on Intra-Subject Classification

Jenny Muñoz-Montes De Oca ¹, Alejandro Torres-Garcia ¹, Carlos Alberto Reyes-García ¹, Luis Villaseñor-Pineda ¹

¹ Instituto Nacional de Astrofísica, Óptica y Electrónica

P2-G-66 Multimodal Sensor Fusion for EEG-Based BCI Typing Systems

Basak Celik ¹, Tab Memmott ², Georgios Stratis ¹, Matthew Lawhead ², Betts Peters ², Daniel Klee ², Melanie Fried-Oken ², Deniz Erdogmus ¹

¹ Northeastern University, ² Oregon Health and Sciences University (OHSU)

P2-G-67 Evaluation of spatial and frequency features for improving the classification of motor imagery

Eduardo Perez-Hernandez ¹, José Fco. Martínez-Trinidad ¹

¹ Instituto Nacional de Astrofísica, Óptica y Electrónica

P2-G-68 Population Transformer: Learning Population-level Representations of Neural Activity

Geeling Chau ¹, Christopher Wang ², Sabera Talukder ¹, Vighnesh Subramaniam ², Saraswati Soedarmadji ¹, Yisong Yue ¹, Boris Katz ², Andrei Barbu ²

¹ California Institute of Technology, ² Massachusetts Institute of Technology

P2-G-69 ezmsg: An Enhanced Open-Source Framework for High-Performance Brain-Computer Interface Development

Chadwick Boulay ¹, Griffin Milsap ², Preston Peranich ², Sarah Aswegan ¹, Janir Ramos Da Cruz ³, Joachim Dunant ³, David Ibanez Soria ³, Spencer Kellis ¹, Robert Franklin ¹

¹ Blackrock Neurotech, ² Johns Hopkins University, ³ Wyss Center for Bio and Neuroengineering

P2-G-70 Distinguishing foveal and peripheral vision from brain activity using fNIRS

Manuel Ramírez-Cruz ¹, Carlos Alberto Reyes-García ¹, Anabel Socorro Sanchez-Sanchez ¹
¹ Instituto Nacional de Astrofísica, Óptica y Electrónica

P2-G-71 Parametric control of neurons in IT cortex as a stringent generalization test for deep encoding models

Jacob Prince ¹, Binxu Wang ¹, Akshay V. Jagadeesh ², Thomas Fel ¹, Emily Lo ¹, George A. Alvarez ¹, Margaret S. Livingstone ², Talia Konkle ¹

¹ Harvard University, ² Harvard Medical School

P2-G-72 Brain-Informed Auditory Scene Understanding: A Listener-Aware Auditory Foundation Model for Personalized Speech Processing

Xilin Jiang ¹, Sukru Samet Dindar ¹, Vishal Choudhari ¹, Stephan Bickel ², Ashesh D. Mehta ², Catherine Schevon ¹, Guy M. Mckhann ¹, Adeen Flinker ³, Daniel Friedman ³, Nima Mesgarani ¹ ¹ Columbia University, ² Northwell Health, ³ New York University School of Medicine

P2-G-73 Zero-shot Deep Learning for Calibrationfree Motor Imagery BCIs

Berat Aras ¹, Maryam Alimardani ¹
¹ Vrije Universiteit Amsterdam

P2-H-75 Enhancing Online Learning through Neuroadaptive Interfaces: The Role of Motivation and Task Load Adaptation

Katrina Sollazzo ¹, Alexander John Karran ¹, Thaddé Rolon-Merette ¹, Ioana Mihaela Stefanescu ¹, Pierre-Majorique Léger ¹, Constantinos Coursaris ¹, Sylvain Sénécal ¹

P2-H-76 EEG-Based Brain-Computer Interface for a Tetraplegic Individual Using Motor Imagery for Cybathlon ²024

Isabel Tscherniak ¹, Iustin Curcean ¹, Leon Jokinen ², Sadat Hodzic ², Thomas Huber ¹, Daniel Pavlov ¹, Manuel Methasani ¹, Ana Mcwhinnie-Fernández ¹, Thien Le ¹, Niels Christopher Thiemann ¹, Flaminia Pallotti ¹, Lucas Mateus Castro ¹, Enrico Fazzi ¹, Levi Frim ¹, Delfina Luisa Taskin Espinoza ¹

¹ Technical University Munich, ² Ludwig Maximilian University of Munich

P2-H-77 TALES – Tech, Analysis, Legal, Ethics, Social: A Comprehensive Impact Assessment Framework for Responsible Neurotech Innovation

Jonathan Coutinho ¹, Pauline Gaprielian ¹, Susan Boehnke ¹

¹ Queen's University

P2-H-78 The History and Future of (Re) Defining BCIs

Brendan Allison ¹, Gerwin Schalk ²

¹ University of California, San Diego, ² Tianqiao and Chrissy Chen Institute

P2-H-79 Gathering Clinicians' Perspectives for an Initial Design for Hybrid BCI Wheelchair Control

Maria Insuasty Pineda ¹, Lesley Pritchard ¹, John Andersen ², Leah Hammond ³, Kim Adams ¹
¹ University of Alberta, ² University of Alberta & Glenrose Rehabilitation Hospital, ³ Glenrose Rehabilitation Hospital

P2-H-80 Impact of Surrounding Audio-Visual Complexity on Symptomatology of Laryngeal Dystonia: A Virtual Reality Study

Jimmy Petit ¹, Stefan Ehrlich ¹, Garrett Tougas ², Jacob Bernstein ², Nicole Buie ², Kristina Simonyan ¹

¹ Harvard Medical School, ² Mass Eye and Ear

P2-H-81 Understanding Patient Preferences for Implantable Brain–Computer Interfaces in Motor Neuron Disease: A Cross-Sectional Survey

Jamie Brannigan ¹, Hugo Layard Horsfall ², Richard Cave ³, Luke Bashford ⁴, William Muirhead ³
¹ Oxford University Hospital, ² National Hospital for Neurology and Neurosurgery, ³ University College London, ⁴ Newcastle University

P2-H-82 Building ethics into next-generation BCI: A model for embedded ethics in neurotechnology industry

Juhi Farooqui ¹, Landan Mintch ², Jon Nelson ², Jacob Robinson ², Anna Wexler ¹

¹ University of Pennsylvania, ² Motif Neurotech

¹ HEC Montréal

P2-H-83 Easy on the Eyes: Pediatric SSVEP-Based BCI Comfort and Neural Response to Textured Visual Stimuli

Emily Schrag ¹, Daniel Comadurán Márquez ¹, Adam Kirton ¹, Eli Kinney-Lang ¹

P2-H-84 Neuroethical considerations on Brain Computer Interface research in Latin America

Adriana Pliego ¹, Hernán Villota ²

¹ Autonomous University of Mexico State, ² Institución Universitaria de Envigado

P2-H-85 Autonomic Activation, Mental Effort, and Fatigue While Using Non-Implantable RSVP and Matrix cBCIs

Daniel Klee ¹, Tab Memmott ², Barry Oken ¹

¹ Oregon Health & Science University, ² Oregon Health and Sciences University (OHSU)

P2-H-86 Cognitive requirements for effective brain-computer interface (BCI) use in children with cerebral palsy.

Johana Rios Ortegon ¹, Ada W. S. Leung ¹, Kim Adams ¹

P2-H-87 Brain-Computer Interface (BCI) in Latin America: A scientometrics perspective

Hernán Villota ¹, Jaime Riascos ²

P2-H-88 Fostering Ethical Neurotechnology Leadership: Preparing BCI Innovators Through Education

Mary Mcintosh ¹, Susan Boehnke ²

P2-H-89 Clinical Evaluation of Communication Brain Computer Interfaces in Amyotrophic Lateral Sclerosis: A Landscape Analysis

Shana Melby ¹, Jaganth Nivas Asok Kumar ¹, David Mcmullen ², Spencer Kellis ¹

P2-H-90 Feasibility of Non-Invasive EEG Brain-Computer Interfaces in Neurologic Music Therapy for Attention Training in Children with Neuromotor Disorders

Si Long Jenny Tou ¹, Susannah Van Damme ¹, Andrea Lamont ¹, Eunice Kang ¹, Tom Chau ²

SESSION 3

Thursday, June 5 3:45pm - 5:45pm

P3-A-01 Long-term stability and performance of stimulation and recording in a human participant over 2,800 days

David Bjånes ¹, Sean Darcy ¹, Luke Bashford ², Kelsie Pejsa ¹, Brian Lee ³, Charles Liu ³, Richard Andersen ¹

¹ California Institute of Technology, ² Newcastle University,

P3-A-02 A multifunctional speech and movement intracortical brain-computer interface for communication

Samuel Nason-Tomaszewski ¹, Yunnuo Zhang ², Anna Pritchard ³, Brandon Jacques ³, Yahia Ali ³, Mattia Rigotti-Thompson ³, Payton Bechefsky ¹, Leigh Hochberg ⁴, Nicholas Au Yong ³, Chethan Pandarinath ³

¹ Coulter Department of Biomedical Engineering, Emory University and Georgia Tech, Atlanta, GA, USA, ² Georgia Institute of Technology, ³ Emory University & Georgia Institute of Technology, ⁴ Brown University

P3-A-03 Decoding gestures from intracortical neural activity in ventral precentral gyrus

Elizaveta Okorokova ¹, Tyler Singer-Clark ¹, Nicholas Card ¹, Carrina Iacobacci ¹, Hamza Peracha ¹, Leigh Hochberg ², David Brandman ¹, Sergey Stavisky ¹

¹ University of California, Davis, ² Brown University

P3-A-05 Combatting percept adaptation to intracortical microstimulation in humans

Taylor Hobbs ¹, Charles Greenspon ², Michael Boninger ¹, Robert Gaunt ¹

P3-A-04 A stabilization approach to improve decoding performance using non-linear dynamical models

Chiara Ciucci ¹, Matteo Pizzinga ¹, Diana Carducci ², Silvestro Micera ¹, Eleonora Russo ¹

P3-A-06 Evoking Facial Expressions by Functional Electrical Stimulation in Healthy Volunteers

Malinda Verberne ¹, Nourdin Chadly ¹, Nick Ramsey ², Mariska Vansteensel ¹, Julia Berezutskava ¹

¹ UMC Utrecht Brain Center, ² University Medical Center Utrecht

¹ University of Calgary

¹ University of Alberta

¹ Institución Universitaria de Envigado, ² University of Potsdam

¹ Dalhousie Medical School, ² Queen's University

¹ Blackrock Neurotech, ² Food and Drug Administration (FDA)

¹ Holland Bloorview Kids Rehabilitation Hospital, ² Holland Bloorview Kids Rehabilitation Hospital & University of Toronto

³ University of Southern California

¹ University of Pittsburgh, ² University of Chicago

¹ Scuola Superiore Sant'Anna, ² University of Pisa

P3-A-07 Development of a Novel Clinical Outcome Assessment: The Digital Instrumental Activities of Daily Living Scale

Abbey Sawyer ¹, Jamie Brannigan ², Lisa Spielman ¹, David Putrino ¹, Adam Fry ³

¹ Icahn School of Medicine at Mount Sinai, ² Oxford University Hospital, ³ Synchron

P3-A-08 The neural representation of fine hand movements in an individual approaching locked-in syndrome

Simon Geukes ¹, Annike Bekius ², Mariana Branco ¹, Malinda Verberne ¹, Anouck Schippers ¹, Zac Freudenburg ¹, Erik Aarnoutse ², Mariska Vansteensel ¹, Nathan Crone ³, Nick Ramsey ² ¹ UMC Utrecht Brain Center, ² University Medical Center Utrecht, ³ Johns Hopkins University School of Medicine

P3-A-09 Spatio-temporal Comparison of Neural Activity between Prompted and Spontaneous Speech Tasks

Darius Ivucic ¹, Dean Krusienski ²

¹ University of Bremen, ² Virginia Commonwealth University

P3-A-10 Measuring motor intent for BCI control – a comparative analysis of the Stentrode and scalp EEG

Nikole Chetty ¹, James Bennett ², Ariel Feldman ¹, Kriti Kacker ¹, Peter Yoo ³, Nicholas Opie ², David Lacomis ⁴, Jennifer Collinger ⁴, Thomas Oxley ³, David Putrino ⁵, Douglas Weber ¹

¹ Carnegie Mellon University, ² University of Melbourne, ³ Synchron, ⁴ University of Pittsburgh, ⁵ Icahn School of Medicine at Mount Sinai

P3-A-11 Detailed Somatotopy of Speech Articulators in the Somatosensory Cortex to Define Electrocortical Stimulation Location

Annike Bekius ¹, Maria Kromm ¹, Mathijs Raemaekers ², Erik Aarnoutse ¹, Fabiola De Andrade ¹, Sifra Blok ¹, Malinda Verberne ², Nick Ramsey ¹, Mariska Vansteensel ²

¹ University Medical Center Utrecht, ² UMC Utrecht Brain Center

P3-A-12 Temporal Dynamics of Neural Activation and Inhibition Patterns During Motor Imagery

Zhichun Fu ¹, Xiaolong Wu ¹, Zehan Wu ², Liang Chen ², Dingguo Zhang ¹

¹ University of Bath, ² Huashan Hospital

P3-A-13 Large-scale fMRI dataset for the design of motor-based Brain-Computer Interfaces

Erik Aarnoutse ¹, Magnus Bom ², Annette Brak ³, Mathijs Raemaekers ², Nick Ramsey ¹, Mariska Vansteensel ², Mariana Branco ²

¹ University Medical Center Utrecht, ² UMC Utrecht Brain Center, ³ University of Amsterdam

P3-A-14 Recent Improvements of the Wireless Link of the CorTec Brain Interchange Implanted BCI

Martin Schuettler ¹

¹ CorTec GmbH

P3-A-15 Neural Dynamics of Cognitive Tasks in Human Prefrontal and Parietal Cortex

Luke Bashford ¹, David Bjånes ², Jakub Kowalczyk ¹, Daniel Kramer ³, Richard Andersen ²

¹ Newcastle University, ² California Institute of Technology, ³ University of Colorado Anschutz Medical Campus

P3-A-16 Neural activity during persistent sensations caused by intracortical microstimulation

Robin Lienkämper ¹, Taylor Hobbs ¹, Jorge Gonzalez-Martinez ², Michael Boninger ¹, Jennifer Collinger ¹, Robert Gaunt ¹

¹ University of Pittsburgh, ² University of Pittsburgh Medical Center

P3-A-17 Versatile Modular Research Platform for Brain-Wide Neuroscience in Navigating Non-Human Primates

Jiapeng Yin ¹, Bin Zhao ¹, Guoliang Yi ¹, Haonan Niu ¹, Mengchuanzhi Yang ¹, Xiliang Guo ¹, Qiangpei Fu ¹, Dan Li ¹, Jie Sun ¹, Xiaoxing Zhang ¹, Peiyuan Li ¹, Hao Li ¹, Ming Tian ¹, Zhihua Li ¹, Ji Mu ¹, Han Yang ¹, Wei Wang ¹, Yu Zhou ¹, Shibin Wei ¹, Yifan Huang ¹, Zhicheng Shi ¹, Guang Xiong ¹, Hongxiong Jiang ¹, Yafei Cui ¹, Qing Xu ¹, Xuqian Shi ¹, Yang Xie ¹, Chengyu Li ¹

¹ Lin Gang Laboratory

P3-A-18 Finding the Groove in Neural Space

Rashi Bhatt ¹, John Downey ², Hugo Merchant ³, Charles Greenspon ²

¹ Emory University & Georgia Institute of Technology, ² University of Chicago, ³ Instituto de Neurobiologia UNAM

P3-A-19 Predicting iBCI efficacy with structural and functional MRI

Mathijs Raemaekers ¹, Simon Geukes ¹, Erik Aarnoutse ², Mariana Branco ¹, Zac Freudenburg ¹, Anouck Schippers ¹, Malinda Verberne ¹, Nathan Crone ³, Sacha Leinders ², Julia Berezutskaya ¹, Nick Ramsey ², Mariska Vansteensel ¹

¹ UMC Utrecht Brain Center, ² University Medical Center Utrecht, ³ Johns Hopkins University School of Medicine

P3-B-20 Speech decoding performance is influenced by perceiving auditory feedback or not: Implications for locked-in individuals

Anouck Schippers ¹, Julia Berezutskaya ¹, Zac Freudenburg ¹, Erik Aarnoutse ², Mathijs Raemaekers ¹, Mariska Vansteensel ¹, Nick Ramsey ² ¹ UMC Utrecht Brain Center, ² University Medical Center Utrecht

P3-B-21 Brain-Spine Interface Stabilizes Hemodynamics after Spinal Cord Injury

Julien Rimok ¹, Donovan Smith ¹, Pierre-Olivier Gauthier ², Ryan Miller ¹, Marcus Tso ¹, Jan Elaine Soriano ¹, Aaron Phillips ¹

¹ University of Calgary, ² Université de Montréal

P3-B-22 Redwood: A user-friendly extension to the BCPy2000 system for developing advanced BCI Applications

Zac Freudenburg ¹, Erik Aarnoutse ², Erdi Erdal ¹, Elena Offenberg ¹, Julia Berezutskaya ¹, Mariska Vansteensel ¹, Nick Ramsey ²

¹ UMC Utrecht Brain Center, ² University Medical Center Utrecht

P3-B-23 Closed-loop applications for deep brain stimulation and code-modulated visual evoked potentials on Dareplane

Matthias Dold ¹, Joana Pereira ², Bastian Sajonz ³, Volker Arnd Coenen ³, Jordy Thielen ¹, Mark L.F. Janssen ⁴, Michael Tangermann ¹

¹ Radboud University, ² University Medical Center of Freiburg University, ³ University Medical Center of Freiburg, ⁴ Maastricht University Medical Center

P3-B-24 An implantable brain-spine interface restoring lower limb movements in a patient with motor complete spinal cord injury

Valeria Spagnolo 1

¹ University of Lausanne

P3-B-25 Intraoperative detection and classification of speech neural signals using the Layer ⁷ Cortical Interface

Shiyu Luo ¹, Miguel Angrick ¹, Kurt Lehner ¹, Katrina Barth ², Jackie Dister ², Josh Miller ², Daniel Candrea ¹, Rohit Ganji ¹, Elton Ho ², Benjamin Rapoport ², Youssef Comair ¹, Nathan Crone ³ ¹ Johns Hopkins University, ² Precision Neuroscience, ³ Johns Hopkins University School of Medicine

P3-B-26 A Speech Neuroprosthesis for Decoding High Frequency Activity in Anterior Cingulate and Orbitofrontal Cortices and Hippocampus for Phonemes Articulation

Ariel Tankus ¹, Einat Stern ², Guy Klein ³, Nufar Kaptzon ³, Lilac Nash ³, Tal Marziano ³, Omer Shamia ³, Guy Gurevitch ¹, Lottem Bergman ¹, Lilach Goldstein ¹, Firas Fahoum ¹, Ido Strauss ¹

¹ Tel Aviv Sourasky Medical Center, ² Tel Aviv Medical Center, ³ Tel Aviv University

P3-B-27 Optimizing Decoder Dynamics Strength for Closed-Loop Brain-Computer Interfaces

Joseph Costello ¹, Luis Cubillos ¹, Parag Patil ¹, Cynthia Chestek ², Matthew Willsey ¹

¹ University of Michigan, ² University of Michigan, Ann Arbor

P3-B-28 Stereo-EEG Based Brain Computer Interfacing Across a Large Patient Cohort

Michael Jensen ¹

¹ Mayo Clinic

P3-B-29 Towards Calibration-Free ECoG-Based Brain-Computer Interfaces: A Dual-Alignment Incremental Approach

Maria Justino ¹, Felix Martel ¹, Henri Lorach ², Guillaume Charvet ³, Tetiana Aksenova ⁴

¹ Commissariat à l'énergie atomique et aux énergies alternatives, ² École Polytechnique Fédérale de Lausanne, ³ Université Grenoble Alpes, ⁴ Commissariat à l'Énergie Atomique et aux Énergies Alternatives

P3-B-30 Using a Long Short-Term Memory Neural Network for Generation of Control Signals from µECoG Data

Sankardas Kariparambil Sudheesh ¹, Bradley Greger ¹

¹ Arizona State University

P3-B-31 Multi-gesture BCI control of a communication board

Daniel Candrea ¹, Shiyu Luo ¹, Miguel Angrick ¹, Rohit Ganji ¹, Griffin Milsap ¹, Matthew Fifer ¹, Nick Ramsey ², Nathan Crone ³

¹ Johns Hopkins University, ² University Medical Center Utrecht, ³ Johns Hopkins University School of Medicine

P3-B-32 Robotic Exploratory Control Via Subcortical Oscillations

Ian Jackson ¹, Raunit Kohli ¹, Rhiannon Lucero-Moore ¹, Laleh Quinn ¹, Leo Breston ¹, Janet Wiles ², Andrea Chiba ¹, Eric Leonardis ¹

¹ University of California, San Diego, ² University of Queensland

P3-B-33 Improving Speech Perception Through Brain-Driven Target Speech Selection

Vishal Choudhari ¹, Maximilian Nentwich ², Sarah Johnson ², Stephan Bickel ², Ashesh D. Mehta ², Adeen Flinker ³, Daniel Friedman ³, Edward Chang ⁴, Nima Mesgarani ¹

¹ Columbia University, ² Northwell Health, ³ New York University School of Medicine, ⁴ University of California, San Francisco

P3-B-34 Towards the Clinical Translation of Implantable Brain-Computer Interfaces for Motor Impairment: Research Trends and Outcome Measures

Esmee Dohle ¹, Eleanor Swanson ², Luka Jovanovic ³, Suraya Yusuf ⁴, Lucy Thompson ⁵, Hugo Layard Horsfall ⁶, William R Muirhead ⁶, Luke Bashford ⁷, Jamie Brannigan ¹

¹ Oxford University Hospital, ² University College London, ³ East and North Hertfordshire NHS Trust, ⁴ John Radcliffe Hospital, ⁵ Imperial College London, ⁶ National Hospital for Neurology and Neurosurgery, ⁷ Newcastle University

P3-B-35 NAVSync: A Real-Time Neural Audiovisual Synchronization Platform for Silent Speech Research

Qinwan Rabbani ¹, Samyak Shah ², Rohit Ganji ³, Matthew Fifer ³, Laureano Moro-Velazquez ³, Nathan Crone ²

¹ Emory University, ² Johns Hopkins University School of Medicine, ³ Johns Hopkins University

P3-B-36 Should BCIs shape experiences of communication of people with LIS, and if so, how?

P3-D-37 Star-Burst paradigm: Implementation of an "invisible" dry-EEG reactive BCI

Jules Gomel ¹, Frédéric Dehais ¹, Pietro Cimarosto ¹, Kalou Cabrera Castillos ¹, Juan Jesus Torre Tresols ¹ ¹ Institut Supérieur de l'Aéronautique et de l'Espace

P3-D-38 The variability of EEG spectral measures in MCS: Towards a multidimensional characterization of the awareness fluctuations

Ilaria Quattrociocchi ¹, Angela Riccio ², Valentina Caracci ¹, Valentina Galiotta ², Mariagrazia D'ippolito ², Emanuela Rotondo ¹, Floriana Pichiorri ², Febo Cincotti ¹, Jlenia Toppi ¹, Donatella Mattia ² ¹ Sapienza University of Rome, ² Fondazione Santa Lucia

P3-D-39 Decoding of Directional Auditory Attention Shifts in Multi-Talker Environments Using EEG Alpha Power

Gabriel Ivucic 1

¹ University of Bremen

P3-D-40 Deep learning-based electroencephalic decoding of coherence and direction of the random dot kinematogram

Jaewon Yang ¹, Sangbin Yun ¹, Byoung-Kyong Min ¹
¹ Korea University

P3-D-41 Ambiguous Text Input for Brain-Computer Interfaces

Chirag Panchakshari ¹, Betts Peters ², Mackenzie Miller ¹, Dylan Gaines ¹

¹ Michigan Technological University, ² Oregon Health and Sciences University (OHSU)

P3-D-42 A Novel Rhythmic Motor Imagery BCI with High Efficiency

Yuxuan Wei ¹, Jianjun Meng ¹

¹ Shanghai Jiao Tong University

P3-D-43 Autoregressive model for artifact detection in finger motor imagery decoding for EEG BCI

Laura Damm ¹

¹ University College London

P3-D-44 Investigation of neurobiological and neurophysiological characteristics of migraine patients during a trigger avoidance task before and after a neurofeedback intervention

Sebastian Evers 1

¹ Universitätsklinikum Würzburg (UKW)

P3-D-45 Automatic EEG Channel Optimization Based on Integrated Gradients for Auditory Attention Tasks

Xue Yuan ¹, Kenren Shi ¹, Hanbin Wang ², Ning Jiang ¹, Jiayuan He ¹

¹ Sichuan University, ² China Academy of Engineering Physics

P3-D-46 Exploring Early Predictability of Grasping Movements with non-invasive EEG

Elena Fenoglio 1

¹ Italian Institute of Technology

P3-D-47 Defining Out-of-Distribution detection for EEG-BCIs

Ivo De Jong ¹, Matias Valdenegro-Toro ¹, Andreea Sburlea ¹

¹ University of Groningen

P3-D-48 Addressing the Non-stationary Learning Problem with Graph Attention Networks in Motor Imagery

Rishan Patel ¹, Tom Carlson ¹, Dai Jiang ¹, Andreas Demosthenous ¹, Barney Bryson ¹

¹ University College London

P3-D-49 Virtual Reality-Based Investigation of Error-Related Potentials in ADHD for BCI applications

Andreea Sburlea ¹, Niclas Brand ², Theodor Nowicki ¹, Stefanie Enriquez-Geppert ¹

¹ University of Groningen, ² Technical University Munich

P3-D-50 Predicting V1 spiking activity from scalp EEG in macaques

Dixit Sharma ¹, Bart Krekelberg ¹

P3-D-51 Hardware Friendly Corticomorphic Hybrid CNN-SNN Architecture for EEG-Based Auditory Attention Detection

Richard Gall ¹, Deniz Kocanaogullari ¹, Murat Akcakaya ¹, Deniz Erdogmus ², Rajkumar Kubendran ¹

¹ University of Pittsburgh, ² Northeastern University

P3-D-52 MindVoice: A Multimodal Framework for EEG-Based Speech Decoding

Anarghya Das ¹

¹ University at Buffalo

¹ Rutgers University Newark

P3-D-53 Investigating inter-participant performance variability in mental imagery EEG-BCIs: Descriptive methods to analyze inter- and intra-trial signal variation

Nicolas Ivanov ¹, Tom Chau ¹

¹ University of Toronto

P3-D-54 Improving P300 BCI Performance with OSCAR

Johannes Gruenwald 1

¹ g.tec medical engineering GmbH

P3-D-55 Manifold-Based Diffusion Models for Generating Synthetic Motor Imagery EEG

Imad Eddine Tibermacine ¹, Christian Napoli ¹
¹ Sapienza University of Rome

P3-D-56 Riemannian-Based Convolutional Neural Networks for EEG Classification

Imad Eddine Tibermacine ¹, Christian Napoli ¹ Sapienza University of Rome

P3-D-58 Blink Artifacts in EEG For Classifying Sight-read Music

Abhinav Uppal ¹, Dillan Cellier ¹, Sean Bauersfeld ¹, Shihab Shamma ², Gert Cauwenberghs ¹, Virginia De Sa ¹

¹ University of California, San Diego, ² University of Maryland, College Park

P3-D-59 Benchmarking one-class Riemannian EEG classifiers to detect wakefulness under general anesthesia

Valerie Marissens Cueva ¹, Sébastien Rimbert ¹, Ana Maria Cebolla Alvarez ², Guy Cheron ², Claude Meistelman ³, Seyed Javad Bidgoli ⁴, Fabien Lotte ¹, Laurent Bougrain ⁵

¹ Institut National de Recherche en Informatique et en Automatique, ² Université Libre de Bruxelles, ³ University of Lorraine, ⁴ Centre Hospitalier Universitaire Brugmann, ⁵ Université de Lorraine & Paris Brain Institute

P3-D-60 Enhanced SSVEP Classification with Pre-trained Models: The SSVEP-CAT Approach for Calibration-Free BCI

Sara Houshmand ¹, Uchechi Ukaegbu ¹, Leah Hammond ², Kim Adams ¹, John Andersen ¹, Hossein Rouhani ¹

¹ University of Alberta, ² Glenrose Rehabilitation Hospital

P3-D-61 Motor imagery and execution activate similar finger representations that are spatially consistent over time

Ingrid Odermatt 1

¹ FTH Zürich

P3-D-62 Riemannian Tangent Alignment Enhances BCI Decoding Across Subjects, Sessions, and Modalities

Seidi Yamauti ¹, Gabriel Vasilievic ²

¹ Federal University of São Paulo, ² Santos Dumont Institute

P3-D-63 Impact of local Laplacian Spatial Filters on C-VEP-Based BCI Performance

Kiran Nair ¹, Hubert Cecotti ¹

¹ California State University, Fresno

P3-D-64 Observed Changes in the Visual Odd ball Event-Related Potential in a ¹0-Session, Longitudinal Study

Sherif Elbasiouny ¹, Justin Estepp ², Samantha Klosterman ³, Alyssa Stovall ³, Kevin Alexander ⁴
¹ Wright State University, ² Air Force Research Laboratory, ³ BAE Systems, Inc., ⁴ Oak Ridge Institute for Science and Education

P3-D-65 Exploring the Potential of Motor Imagery-Based BCIs for Targeted Motor Function Recovery

Mona Hejazi ¹

¹ Memorial University of Newfoundland

P3-E-66 Bimanual BCI: Combining a Brain-Controlled Hand Exoskeleton with the Functional Limb

Satyam Kumar ¹, Kanishka Mitra ², Ruofan Liu ¹, Hussein Alawieh ¹, Akhil Surapaneni ¹, Ashish Deshpande ³, José Del R. Millán ¹

¹ University of Texas at Austin, ² Massachusettes Institue of Technology, ³ University of Texas

P3-E-67 Asynchronous Voluntary Self-Regulated Near-infrared Spectroscopy Brain-Computer Interface for Children with Cerebral Palsy

Christine Horner ¹, Ledycnarf Holanda ², Tom Chau ¹
¹ University of Toronto, ² Holland Bloorview Kids Rehabilitation Hospital

P3-E-68 Movement-based navigation of a matrixspeller via EEG

Markus Crell ¹, Kyriaki Kostoglou ¹, Gernot Müller-Putz ¹

¹ Graz University of Technology

P3-E-69 Toward Commercialization of a High-Efficiency AAC System with BCI Access for Individuals with Minimal Movement

Jane Huggins ¹, Shawn Malcomson ², Joseph Zolyak ², Mark Wall ², Michael O'leary ³, Christina Ferguson ³, Amber Lieto ³, Katherine Colleran ¹, Katharine "Katya" Hill ³

¹ University of Michigan, ² PRC-Saltillo, ³ University of Pittsburgh

P3-E-70 A BCI Robotic Glove System for Hand Motor Rehabilitation

Shuailei Zhang ¹, Neethu Robinson ¹, Kavitha Perumpadappil Thomas ¹, Yuting Tang ¹, Han Wei Ng ¹, Aung Aung Phyo Wai ¹, Nishka Khendry ¹, Christopher Wee Keong Kuah ², Seng Kwee Wee ², Karen Sui Geok Chua ², Cuntai Guan ¹

¹ Nanyang Technological University, ² Tan Tock Seng Hospital's Rehabilitation Centre

P3-E-71 Implementing a Wearable BCI with Patients with Disorders of Consciousness: An Interprofessional Approach

Katharine "Katya" Hill ¹, Amy Wagner ², Amber Lieto ¹, Sarah Baker ², Amy Bauer ², Gary Galang ², Kevin Franzese ², Siulam Koo ², Arthur Yan ², Vishruth Reddy ¹, Nabela Enam ³, Evelyn Mariperisen-Meinert ¹, Evelyn Mariperisena-Meinert ¹

¹ University of Pittsburgh, ² University of Pittsburgh Medical Center, ³ University of Pennsylvania

P3-E-72 An Assessment of the Impact of Feature Preprocessing on Deep Learning Models for P300 Classification

Boyla Mainsah ¹, Leslie Collins ¹, Riki Shimizu ¹
¹ Duke University

P3-E-73 Learning cause and effect using a BCI: Two case studies

Corinne Tuck ¹, John Anderson ², Hosein Bahari ³, Jonathan Wolpaw ⁴, Jonathan Carp ⁵, Theresa Vaughan ⁶

¹ Alberta Health Services, ² Glenrose Rehabilitation Hospital & University of Alberta, ³ Imagination Centre Alberta Health Services, ⁴ Stratton VA Medical Center, ⁵ National Center for Adaptive Neurotechnologies (NCAN), ⁶ Samuel Stratton VA Medical Center

P3-E-74 The MouthPad^: A high bandwidth wearable intra-oral computer interface

Suraj Gowda ¹, Fernando Del Campo ¹, Julian Castellon ¹, Randy Castellon ¹, Corbin Halliwill ¹, Jana Hemsing ¹, Virgie Hoban ¹, Lily Li ¹, Shin Dawn Lo ¹, Brian Loh ¹, Gabi Munoz ¹, Jose Pozuelo ¹, Oscar Rosello ¹, Corten Singer ¹, Tomas Vega ¹

¹ Augmental Technologies

P3-E-75 From Physical to Virtual: Expanding Boccia Accessibility through Patient Partner Engagement

Daniella Bourque ¹, Anup Tuladhar ¹, Emily Schrag ¹, Nicole Romanow ¹, Dejana Nikitovic ², Alicia Hilderley ¹, Eli Kinney-Lang ¹, Adam Kirton ¹, Daniel Comadurán Márquez ¹

¹ University of Calgary, ² University of Alberta & University of Calgary

P3-E-76 The AppleCatcher Game: A Novel Motor Imagery BCI for Hand Rehabilitation

Erlend Skredsvig 1

¹ Norwegian University of Science and Technology

P3-E-77 Improving validation of BCI-based CV assessment

Sebastian Rueda Parra ¹, Penelope Norton ¹, Darren Gemoets ¹, James Norton ²

¹ National Center for Adaptive Neurotechnologies (NCAN), ² Samuel Stratton VA Medical Center

P3-E-78 Design of a Sensor System for a Semi-Autonomous BCI Controlled Mobility Device

Morgan Kerr Mcnutt ¹, Aleksander Berezowski ¹, Liam Workman ¹, Haden Scheirman ¹, Danielle Jourdain ¹, Philippa Madill ¹, Adam Kirton ¹, Eli Kinney-Lang ¹

¹ University of Calgary

P3-H-79 An Evoked Potential of Vection using Passive Brain-Computer Interfaces

Gael Van Der Lee ¹, Anatole Lécuyer ², François Cabestaing ¹, Reinhold Scherer ³, Hakim Si-Mohammed ⁴

¹ Université de Lille, ² Institut National de Recherche en Informatique et en Automatique, ³ University of Essex, ⁴ University of Lille

P3-H-81 A Family-centered Brain-Computer Interface Clinical Research Program for Children with Severe Disabilities

Adam Kirton ¹, Danette Rowley ², Dion Kelly ¹, Zeanna Jadavji ¹, Ephrem Zewdie ¹, Alison Barnfather ³, Amy Wieler ³, Nicole Romanow ¹, Erica Floreani ¹, Ion Robu ³, Joanna Keough ¹, Brian Irvine ¹, Araz Minhas ¹, Vella Shin-Hyung Kim ¹, Daniel Comadurán Márquez ¹, Eli Kinney-Lang ¹
¹ University of Calgary, ² Alberta Children's Hospital, ³ Alberta Health Services

P3-H-82 From Research to Reality: Advancing Pediatric BCI Innovations into Clinical Practice

Danette Rowley ¹, Alison Barnfather ², Amy Wieler ², Jennifer Murphy ², Ion Robu ², Daniel Comadurán Márquez ³, Eli Kinney-Lang ³, Nicole Romanow ³, Adam Kirton ³

¹ Alberta Children's Hospital, ² Alberta Health Services, ³ University of Calgary

P3-H-83 A Wearable BCI Mediated Generative Al System for Conversational Interactions

Christopher Ullrich ¹

¹ Cognixion

P3-H-84 BCI-FIT: Effects of cBCI customization on performance

Betts Peters ¹, Michelle Kinsella ¹, Daniel Klee ¹, Matthew Lawhead ¹, Tab Memmott ¹, Scott Spaulding ², Barry Oken ², Melanie Fried-Oken ¹ ¹ Oregon Health and Sciences University (OHSU), ² University of Washington

P3-H-85 Considerations for Utilizing the mindBEAGLE's Hybrid BCI-Based Paradigms in Bilingual Patients with Decompressive Hemicraniectomy and Hydrocephalus: A Case Study

Amber Lieto ¹, Amy Wagner ², Sarah Baker ², Evelyn Mariperisena-Meinert ¹, Siulam Koo ², Arthur Yan ², Kevin Franzese ², Gary Galang ², Amy Bauer ², Nabela Enam ³, Katharine "Katya" Hill ¹

¹ University of Pittsburgh, ² University of Pittsburgh Medical Center, ³ University of Pennsylvania

P3-H-86 Brain-Computer Interface Operation in Virtual Reality for Children with Complex Mobility Needs

Philippa Madill ¹, Ehud Sharlin ¹, Eli Kinney-Lang ¹
¹ University of Calgary

P3-H-87 Towards Multimodal BCIs for Access: A Performance & Usability Comparison of Individual Modalities

Erica Floreani ¹, Tom Chau ¹
¹ University of Toronto

P3-H-88 Theta-to-Alpha Frequency Ratio as an Indicator of Mindfulness During Binaural Beat Listening

Merlin Kelly ¹

¹ University College London

P3-H-89 Efficacy of Recalibration for a P300 Speller

Katherine Colleran ¹, Guoxuan Ma ¹, Jane Huggins ¹
¹ University of Michigan

P3-H-90 Designs for no-control functionality using dynamic stopping algorithms as gatekeepers in P300 BCIs

Jane Huggins ¹, Guoxuan Ma ¹

¹ University of Michigan

Thank you to our sponsors and exhibitors









































